



DuCHÂTEAU

Unlike any other

DuChâteau

HARDWOOD

FLOORING COLLECTIONS

EDITION 10



DuCHÂTEAU

Unlike any other

Welcome to the DuChâteau® Hardwood Flooring Experience.

Our Hardwood Flooring Collections represent the very best of our industry with artful colors, innovative surface treatments and unmistakable luxury in every detail. Critical to the uniqueness of our collections, each floor is a celebration of true craftsmanship and nature, full of rich subtleties and inherent beauty. It is what has fueled our success in offering unprecedented luxury potential to any design space. Without further adieu, we invite you to explore DuChâteau's finest Hardwood Collections.

MISAEEL TAGLE
CO-FOUNDER

BENJAMIN BUZALI
CO-FOUNDER

TABLE OF CONTENTS

Welcome

The DuChâteau® Hardwood Flooring Experience

Hardwood Flooring Collections

Luxury Parquetry Collections

01 About Us

06 At A Glance

11 The Details
Construction
Care And Maintenance
Sustainability

29 Mouldings

35 The Chateau Collection

56 The Heritage Timber Collection

69 The Riverstone Collection

86 The Terra Collection

101 The Vernal Collection

132 The Vintage Remains Collection


155 The New Classics Collection

172 The Palais Collection

187 Warranty



ABOUT DUCHÂTEAU



DuChâteau® is an encompassing lifestyle brand, specializing in the fine manufacture of luxury architectural finishes from hardwood and vinyl flooring to wall coverings, doors and beyond. Founded in 2007, DuChâteau quickly rose to the upper echelon of its industry for its unparalleled marriage of old-world traditional craftsmanship with state-of-the-art technology. Its timeless, yet incredibly personal design statements herald a new era of design innovation – one that seats nature with fashion and architecture. Today, the brand stands a monument to the vision of its founders – its luxury products unrivaled, a true leader... The world according to DuChâteau.

HARDWOOD FLOORS

LUXURY VINYL

PORCELAIN

WALL COVERINGS

DOORS









THE DUCHÂTEAU HARDWOOD FLOORING EXPERIENCE

Unlike any other™





AT A GLANCE


Learn what makes our floors unique





LUXURY

Combining old world craftsmanship with luxurious modern design, DuChâteau® wood floors' timeless character complements nearly every atmosphere. Whether reflecting personal style in your own home or making a grand statement in a commercial setting, DuChâteau offers options to meet your desires.




ARTISTRY

DuChâteau hardwood flooring reflects passion, art in design, and an appreciation for nature. Designed to reflect the styles found in Europe from centuries ago, DuChâteau wood floors are antique-styled hard-wax oil floors. With natural changing grain patterns and hand-crafted textures, our hardwood flooring creates a time-worn look that showcases the character and longevity of a true vintage hardwood floor.









SUSTAINABILITY

Our core values are to make use of environmentally friendly methods and renewable forest resources to offer products that are consistently of the highest quality. As a proponent of environmentally friendly harvesting methods, DuChâteau® wood floors are FSC®-certified and each plank is treated with all-natural, VOC-Free hard-wax oil.




INNOVATION

DuChâteau reinterprets the concept of hardwood flooring limited only by the imagination of our team. Committed to developing hard-wax oiled hardwood flooring products benefiting from the latest advances in styling, technology and innovation, our artistic methods keep us firmly at the forefront of the design industry.



THE DETAILS

*DuChâteau® offers exquisite luxury hardwood flooring in
European-inspired finishes for a design-conscious lifestyle*







FINISH

Hard-wax oil




ALL-NATURAL, LUXURY FINISH A proud part of the DuChâteau® legacy, hard-wax oil has been a long-standing European tradition to nourish and protect hardwood floors from daily use. Hard-wax oil, unlike other floor sealants, is made from all-natural ingredients, including linseed oil, tung oil, sun flower oil, jojoba oil, beeswax, carnauba wax, candelilla wax, resins, and colloidal clay.

The natural oils in the hard-wax oil penetrate the wood fibers, nurturing them from within, while the wax remains on the surface, providing a protective layer against dirt and sediment that would otherwise mar and potentially damage the wood. By combining the wood-preserving qualities of the oils with the waxes' moisture-repelling nature, our hard-wax oil finish offers a superior level of durability, while still maintaining the natural aesthetic of the wood.

*In Europe, many floors
installed in public spaces – from
city halls to museums – are
oiled-floors that were installed
some 30 to 50 years ago. A well
maintained oiled floor looks
better and better with time.
It's hard to achieve that with
other finishes.*

TOM GODDIJN
DUCHÂTEAU MASTER CRAFTSMAN





*The definitive
finish for luxury
hardwoods.*

BEAUTY AND
DURABILITY
IN OUR
PERFORMANCE
MATTE FINISH.

WATER REPELLENT AND STAIN-RESISTANT

Treating the wood surface with hard-wax oil creates a water- and stain-averse barrier, repelling liquids and resisting unwanted staining, such as water, wine, soda and coffee. The less a floor can absorb, the longer it will last.

MINIMAL-TO-MAINTAIN

Hard-wax oiled floors need only be maintained with periodic oil reapplication to keep this finish looking its best – no need for professional service, expensive equipment or labor-intensive sanding to ensure proper adhesion.

EASY-TO-REPAIR

Unlike other finishes, touch-ups and repairs on a hard-wax oil floor need not be professionally sanded for a refresh; just reapply and go. Spots and scratches can be minimized with some buffing and a small application of our oil listed on the back.

INTEGRATES WITH THE WOOD

Rather than solely building a plastic film on top of the wood surface that can crack with wear, hard-wax oil integrates with the wood, allowing the wood to breathe and move with seasonal expansion and contraction and avoid potential damage.



*Wax Layer
Protects Surface*

*Oil Nurtures
Wood Fibers*

LASTING BEAUTY


With proper maintenance and cleaning, a hard-wax oil floor will last a lifetime and will maintain its genuine natural beauty, making re-sanding rarely needed.

AGES GRACEFULLY

Because hard-wax oil allows the wood to breathe, the elegant finish and rich patina underneath will only enhance with time and periodic applications of maintenance oil.

ENVIRONMENTALLY FRIENDLY

Hard-wax oil has the most environmentally friendly benefits as a wood finish and contributes to a healthy living environment because it is produced from all-natural ingredients. All DuChâteau® hardwood floors are finished with DuChâteau Hard-Wax Oil - an all-natural, non-pollutant, non-toxic, VOC-free product with no biocides, no preservatives, and benzene free.



BEATS BY DRE HEADQUARTERS - SANTA MONICA, CA



CONSTRUCTION

Engineered hardwood

SUSTAINABLE, WIDE-PLANK, ENGINEERED CONSTRUCTION DuChâteau®

hardwood floors feature an engineered (multi-ply) hardwood construction, consisting of at least two types of different wood products adhered together. The top layer (what you see when installed) offers a highly desired species of wood, like oak, while the bottom substrate layer (what you don't see when installed) utilizes a fast-growing species.

Manufacturing our floors in this way allows us to more sustainably harvest trees for nearly all of our floors and produce high quality floors with the same robust and luxurious feeling of solid wood flooring. When installed properly, an engineered floor is virtually indistinguishable from a solid wood floor – the very same look and feel with the added stability in a far more environmentally-conscious way.





*Innovative
designs that
balance art
and quality
engineering..*

BEATS BY DRE HEADQUARTERS - SANTA MONICA, CA

CRAFTED
PRECISION,
INSPIRED BY
NATURE,
DESIGNED
TO ENDURE.

PRODUCTION METHODS

Distressing. To give a new floor the look and character of a vintage floor, while still maintaining a uniform installation, we utilize methods like hand-scraping and even hand-sculpting – a process that creates a more natural distressing around raised knots; thus, enhancing the wood's organic contours.

Smoking. When smoking a floor, the tannins in the wood react thereby giving the floor a darker grey; exactly how deep a color goes is determined by the duration of this treatment and the amount of tannins present. The result is an authentic, rustic floor with greater color variation.

Brushing. For a floor with extra accentuation, we wire-brush some styles to remove the soft wood from the floor and further brings out a more durable, impact-resistant texture.

Carbonization. To further simulate the extremes of nature, we utilize a process known as carbonization, which is a process that exposes the wood to extreme heat and freezing temperatures. These fluctuations strengthen the wood, while brilliantly aging its appearance.

SURFACE TREATMENT

DuChâteau® hardwood floors feature a variety of textures that highlight the natural contouring of wood as well as the milling process itself. Our current surface treatments include:

- Smooth with chiseled bevel
- Smooth with micro-bevel
- Wire-brush with micro-bevel
- Wire-brush with chiseled bevel
- Hand-sculpted with pillowed bevel
- Pronounced wire-brush
- Random sawn, wire-brush with micro-bevel
- Hand-sculpted with pronounced wire-brush
- Hand-scraped with wire-brush
- Hand-scraped with pillowed bevel
- Split face reclaimed*

*Note: Simulated reclaimed look; not actual reclaimed wood.

GRADE

Our hardwood flooring is available in two primary grades to create some of the most compelling surfaces in the industry. Our select grade wood keeps to a smooth, even and modern surface. Our aged character grade wood highlights the wood's natural free-forming grain patterns, knots and cracks reminiscent of a more antiqued, old-world floor.

VARIATION

Our floor can have minimal tonal variation with greater uniformity in a floor's coloring from plank to plank, or showcase a great deal of tonal variation, moving from light to dark gradients throughout.



BEATS BY DRE HEADQUARTERS - SANTA MONICA, CA





DRYBAR - LOS ANGELES, CA



CARE AND MAINTENANCE

Premium products

A hard-wax oiled DuChâteau® hardwood floor must be maintained through regular cleanings and periodic oiling using DuChâteau-approved products only. Unlike polyurethane and aluminum-oxide finished floors, products containing alcohol – a cleaning solution additive as a drying agent – will break down the vital waxes and oils of your DuChâteau hard-wax oil floor and damage them.



MAINTENANCE OIL-CLEAR

NEW VOC-Free Formula

To keep a lasting, hardy brilliance in the finish of your hard-wax oiled floors, periodic application of DuChâteau's VOC-Free Maintenance Oil - Clear will rejuvenate the surface oil coat of your floors and keep them looking great and relatively impermeable to foreign contaminants. One can (33.8 fluid ounces) maintains approximately 750 square feet.

PREMIUM FLOOR CLEANER & PROTECTANT

For the regular upkeep of your oiled DuChâteau® wood floors, our specially formulated Premium Floor Cleaner & Protectant promises you a thoroughly clean and nurtured floor, all without the hassle and headache of multiple products, all in one safe, environmentally friendly woodcare product. One bottle (33.8 fluid ounces) cleans 4,000 square feet.

For more details and instructions, please visit our website at DuChateau.com








SUSTAINABILITY

Environmentally friendly methods



DuChâteau® believes our future is built on preserving our environment for generations to come.

To this end, DuChâteau hardwood flooring* is certified to the Forest Stewardship Council® Chain of Custody Standard (FSC®), Lacey Act Compliant, a partner of Global Relief, and a member of the U.S. Green Building Council with its floors qualifying for LEED® credits.



MUSA DESIGN - SEATTLE, WA

TORI TORI - MEXICO CITY, MEXICO



DON CHUI RESTAURANT - MEXICO CITY, MEXICO


ENVIRONMENTALLY SAFE

DuChâteau® only uses a formaldehyde-free adhesive to remain in CARB- Phase 2 compliance with the California Air Resources Board (CARB). Without this, DuChâteau – a company proudly headquartered in California – would not be able to legally sell hardwood floors in its own state.

To further ensure our compliance, we routinely have an independent U.S. lab test and certify our floors as safe. DuChâteau – as of April 2015 – has already tested formaldehyde emissions for all of our standard wood cores used in our floors with origins from both Russia and China.

Our CARB-Phase 2 compliance and independent testing represent our commitment to producing high quality materials that are both environmentally sustainable and safe – a promise DuChâteau customers have come to trust.

ALL DUCHÂTEAU HARDWOOD FLOORING IS CARB-PHASE 2 COMPLIANT. REST ASSURED, WE ALWAYS PUT OUR CUSTOMERS' SAFETY FIRST.






MOULDINGS

Available in 96-inch lengths, all DuChâteau® mouldings are color-matched to each floor for elegant transitions that only DuChâteau can achieve. All mouldings go through the same color treatments as flooring and will have the same inherent color variations.







HARDWOOD FLOORING COLLECTIONS

Born out of a passion for artful design and a deep appreciation for nature



DuCHÂTEAU

Unlike any other

DuChâteau® proudly presents eight breathtaking collections of its exceptional hard-wax oiled, wide-plank hardwood floors. Known for their remarkable beauty and highly durable matte finish in commercial and residential applications, DuChâteau's Hardwood Flooring Collections offer the same sensory experience and longevity of old-world European surfaces. As you will see, each engineered hardwood floor is an exploration of nature, art, design and sustainability. This is why DuChâteau and its fine collections continue to lead the way for a design-conscious lifestyle unlike any other.

For the latest product colors, specifications, and availability, please visit us at [DuChateau.com](https://www.DuChateau.com)

The
CHATEAU

COLLECTION

Historic Floors of Holland

WHITE OILED

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
SMOOTH WITH CHISELED BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*







ANTIQUE WHITE

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	SMOOTH WITH CHISELED BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

ST. MORITZ

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
WIRE-BRUSH WITH MICRO-BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*







NATURAL

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	SMOOTH WITH CHISELED BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

OLDE DUTCH

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
SMOOTH WITH CHISELED BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





WINDSOR

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	SMOOTH WITH CHISELED BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

KASTEEL


EUROPEAN WALNUT	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1010	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
WIRE-BRUSH WITH MICRO-BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





SAVOY

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	SMOOTH WITH CHISELED BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

THE CHATEAU COLLECTION

Swatches Overview



WHITE OILED



ANTIQUE WHITE



ST. MORITZ



NATURAL



OLDE DUTCH



WINDSOR



KASTEEL



SAVOY

THE CHATEAU COLLECTION

Specifications

NAME	SPECIES	GRADE	CONSTRUCTION	SURFACE TREATMENT	WEAR LAYER*	THICKNESS	WIDTH	LENGTH	PRODUCT ID
White Oiled	European Oak	Aged Character	3-Ply	Smooth with chiseled bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EGRWHO3
Antique White	European Oak	Aged Character	3-Ply	Smooth with chiseled bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EGRAWH3
St. Moritz	European Oak	Aged Character	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EGRSMR3
Natural	European Oak	Aged Character	3-Ply	Smooth with chiseled bevel	4 mm	5/8" (15 mm)	7-1/2" (190 mm)	74 3/4" (1900 mm)	EGRNAT3
Olde Dutch	European Oak	Aged Character	3-Ply	Smooth with chiseled bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EGROEN3
Windsor	European Oak	Aged Character	3-Ply	Smooth with chiseled bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EGRWDR3
Kasteel	European Walnut	Aged Character	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EGRKAL3
Savoy	European Oak	Aged Character	3-Ply	Smooth with chiseled bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EGRSAV3

SELECT GRADE

Our select grade wood keeps to a smooth, even modern surface without heavy distressing. This floor grade offers greater uniformity in the wood’s grain and minimizes variation between planks.

AGED CHARACTER

Our aged character grade wood highlights the natural free-forming grain patterns, knots and cracks reminiscent of an old world floor, and presents a greater degree of tonal and textural variation.

AVAILABLE TRIMS

STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER

Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.

WARRANTY

LIMITED LIFETIME STRUCTURAL INTEGRITY
25-YEAR RESIDENTIAL SURFACE FINISH
3-YEAR COMMERCIAL SURFACE FINISH

INSTALLATION


GLUE-DOWN, NAIL-DOWN, OR FLOATING

Radiant heat approved. See website for special installation instructions.

Note: These products are available as specialty items and are crafted per order. Please inquire for details.

To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.


*Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.




STAIR NOSE
TH 5/8" x W 3 1/2" x L 96"



T-MOLD
TH 5/8" x W 2" x L 96"



BABY THRESHOLD
TH 5/8" x W 1" x L 96"



REDUCER
TH 5/8" x W 2" x L 96"

The
HERITAGE TIMBER

COLLECTION
Old World Craftsmanship



LINTEL

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	SPLIT FACE RECLAIMED**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details. Note: Simulated reclaimed look; not actual reclaimed wood.*

**** Radiant heat approved. See website for special installation instructions. To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

SLAT

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
SPLIT FACE RECLAIMED**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details
Note: Simulated reclaimed look; not actual reclaimed wood.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





TRESTLE

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	SPLIT FACE RECLAIMED**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details. Note: Simulated reclaimed look; not actual reclaimed wood.*

**** Radiant heat approved. See website for special installation instructions. To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

COAL

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
SPLIT FACE RECLAIMED**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details
Note: Simulated reclaimed look; not actual reclaimed wood.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*







CHALK

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	SPLIT FACE RECLAIMED**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details. Note: Simulated reclaimed look; not actual reclaimed wood.*

**** Radiant heat approved. See website for special installation instructions. To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

THE HERITAGE TIMBER COLLECTION

Swatches Overview



LINTEL



SLAT



TRESTLE



COAL



CHALK

THE HERITAGE TIMBER COLLECTION

Specifications

NAME	SPECIES	GRADE	CONSTRUCTION	SURFACE TREATMENT*	WEAR LAYER**	THICKNESS	WIDTH	LENGTH	PRODUCT ID
Lintel	European Oak	Aged Character	3-Ply	Split face reclaimed	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	ROCBLM8
Slat	European Oak	Aged Character	3-Ply	Split face reclaimed	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	ROCWMN8
Trestle	European Oak	Aged Character	3-Ply	Split face reclaimed	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	ROCCAM8
Coal	European Oak	Aged Character	3-Ply	Split face reclaimed	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	ROCKBR8
Chalk	European Oak	Aged Character	3-Ply	Split face reclaimed	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	ROCHMP8

SELECT GRADE

Our select grade wood keeps to a smooth, even modern surface without heavy distressing. This floor grade offers greater uniformity in the wood’s grain and minimizes variation between planks.

AGED CHARACTER

Our aged character grade wood highlights the natural free-forming grain patterns, knots and cracks reminiscent of an old world floor, and presents a greater degree of tonal and textural variation.

AVAILABLE TRIMS

STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER

Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.

WARRANTY

- LIMITED LIFETIME STRUCTURAL INTEGRITY
- 25-YEAR RESIDENTIAL SURFACE FINISH
- 3-YEAR COMMERCIAL SURFACE FINISH

INSTALLATION

GLUE-DOWN, NAIL-DOWN, OR FLOATING


Radiant heat approved. See website for special installation instructions.

Note: These products are available as specialty items and are crafted per order. Please inquire for details.

To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.

* Simulated reclaimed look; not actual reclaimed wood.


**Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.




STAIR NOSE
TH 5/8" x W 3 1/2" x L 96"



T-MOLD
TH 5/8" x W 2" x L 96"



BABY THRESHOLD
TH 5/8" x W 1" x L 96"



REDUCER
TH 5/8" x W 2" x L 96"

The
RIVERSTONE

COLLECTION

Time-worn Elegance

DANUBE

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
HAND-SCULPTED WITH PILLOWED BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





THAMES

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	HAND-SCULPTED WITH PILLOWED BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

SEINE

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
HAND-SCULPTED WITH PILLOWED BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved. See website for special installation instructions. To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*







OLDE GREY

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1010
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	HAND-SCULPTED WITH PILLOWED BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

ARNO

EUROPEAN LARCH	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
830	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
HAND-SCULPTED WITH PILLOWED BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*









RHINE

SPECIES	EUROPEAN WALNUT
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1010
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	HAND-SCULPTED WITH PILLOWED BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*



THE RIVERSTONE COLLECTION

Swatches Overview



DANUBE



THAMES



SEINE



OLDE GREY



ARNO



RHINE

THE RIVERSTONE COLLECTION

Specifications

NAME	SPECIES	GRADE	CONSTRUCTION	SURFACE TREATMENT	WEAR LAYER*	THICKNESS	WIDTH	LENGTH	PRODUCT ID
Danube	European Oak	Aged Character	3-Ply	Hand-sculpted with pillowed bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	RSCDAN7
Thames	European Oak	Aged Character	3-Ply	Hand-sculpted with pillowed bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	RSCTHA7
Seine	European Oak	Aged Character	3-Ply	Hand-sculpted with pillowed bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	RSCSEI7
Olde Grey	European Walnut	Aged Character	3-Ply	Hand-sculpted with pillowed bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	RSCOG7
Arno	European Larch	Aged Character	3-Ply	Hand-sculpted with pillowed bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	RSCARN7
Rhine	European Walnut	Aged Character	3-Ply	Hand-sculpted with pillowed bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	RSCRHI7

SELECT GRADE

Our select grade wood keeps to a smooth, even modern surface without heavy distressing. This floor grade offers greater uniformity in the wood’s grain and minimizes variation between planks.

AGED CHARACTER

Our aged character grade wood highlights the natural free-forming grain patterns, knots and cracks reminiscent of an old world floor, and presents a greater degree of tonal and textural variation.

AVAILABLE TRIMS

STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER

Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.

WARRANTY

LIMITED LIFETIME STRUCTURAL INTEGRITY
25-YEAR RESIDENTIAL SURFACE FINISH
3-YEAR COMMERCIAL SURFACE FINISH

INSTALLATION


GLUE-DOWN, NAIL-DOWN, OR FLOATING

Radiant heat approved. See website for special installation instructions.


Note: These products are available as specialty items and are crafted per order. Please inquire for details.

To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.


*Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.




STAIR NOSE
TH 5/8"x W 3 1/2"x L 96"



T-MOLD
TH 5/8"x W 2"x L 96"



BABY THRESHOLD
TH 5/8"x W 1"x L 96"



REDUCER
TH 5/8"x W 2"x L 96"

The
TERRA

COLLECTION

Nature's Essence

NILE

EUROPEAN ASH	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1320	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
WIRE-BRUSH WITH MICRO-BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*







PANGA

SPECIES	EUROPEAN ASH
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1320
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	WIRE-BRUSH WITH MICRO-BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*



ZIMBABWE

EUROPEAN LARCH	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
830	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
WIRE-BRUSH WITH MICRO-BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*









TANZANIA

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	HAND-SCRAPED WITH WIRE-BRUSH**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*



MADAGASCAR

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
HAND-SCRAPED WITH WIRE-BRUSH**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*



Exposició organitzada per la Fundació Antoni Tàpies, Barcelona (18 desembre 2002 - 9 març 2003) en coproducció amb

GREYSTONE

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	WIRE-BRUSH WITH MICRO-BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

THE TERRA COLLECTION

Swatches Overview



NILE



PANGA



ZIMBABWE



TANZANIA



MADAGASCAR



GREYSTONE

THE TERRA COLLECTION

Specifications

NAME	SPECIES	GRADE	CONSTRUCTION	SURFACE TREATMENT	WEAR LAYER*	THICKNESS	WIDTH	LENGTH	PRODUCT ID
Nile	European Ash	Aged Character	3-Ply		4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EFYST9
Panga	European Ash	Aged Character	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EFGCA9
Zimbabwe	European Larch	Aged Character	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EFZIM9
Tanzania	European Oak	Aged Character	3-Ply	Hand-scraped with wire-brush	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EFPAT9
Madagascar	European Oak	Aged Character	3-Ply	Hand-scraped with wire-brush	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EFGAL9
Greystone	European Oak	Aged Character	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EFCAM9

SELECT GRADE

Our select grade wood keeps to a smooth, even modern surface without heavy distressing. This floor grade offers greater uniformity in the wood’s grain and minimizes variation between planks.

AGED CHARACTER

Our aged character grade wood highlights the natural free-forming grain patterns, knots and cracks reminiscent of an old world floor, and presents a greater degree of tonal and textural variation.

AVAILABLE TRIMS

STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER

Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.

WARRANTY

LIMITED LIFETIME STRUCTURAL INTEGRITY
25-YEAR RESIDENTIAL SURFACE FINISH
3-YEAR COMMERCIAL SURFACE FINISH

INSTALLATION


GLUE-DOWN, NAIL-DOWN, OR FLOATING

Radiant heat approved. See website for special installation instructions.

Note: These products are available as specialty items and are crafted per order. Please inquire for details.

To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.


*Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.




STAIR NOSE
TH 5/8"x W 3 1/2"x L 96"



T-MOLD
TH 5/8"x W 2"x L 96"



BABY THRESHOLD
TH 5/8"x W 1"x L 96"



REDUCER
TH 5/8"x W 2"x L 96"

The
VERNAL

COLLECTION

Made in the Dutch Tradition



WHITE OILED

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	SELECT
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	SMOOTH WITH MICRO-BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

ANTIQUE WHITE

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
SELECT	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
SMOOTH WITH MICRO-BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





COMO

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	SELECT
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	WIRE-BRUSH WITH MICRO-BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

SAN TROPEZ

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
SELECT	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
WIRE-BRUSH WITH MICRO-BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





LUGANO

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	SELECT
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	WIRE-BRUSH WITH MICRO-BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

NATURAL

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
SELECT	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
SMOOTH WITH MICRO-BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





OLDE DUTCH

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	SELECT
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	SMOOTH WITH MICRO-BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

AMERICAN WALNUT

BLACK AMERICAN WALNUT	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1010	JANKA
5/8 INCH (15 mm)	THICKNESS
86.6 INCHES (2200 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
SMOOTH WITH MICRO-BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





DAVOS

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	SELECT
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	WIRE-BRUSH WITH MICRO-BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

ZERMATT

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
SELECT	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
WIRE-BRUSH WITH MICRO-BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





BERNE

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	SELECT
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	WIRE-BRUSH WITH MICRO-BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

MÜRREN

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
SELECT	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
WIRE-BRUSH WITH MICRO-BEVEL**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





MOCCA

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	SELECT
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	SMOOTH WITH MICRO-BEVEL**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

VERNAL
Swatches Overview



WHITE OILED



ANTIQUE WHITE



COMO



SAN TROPEZ



LUGANO



NATURAL



OLDE DUTCH



AMERICAN WALNUT



DAVOS



ZERMATT



BERNE



MÜRREN



MOCCA

VERNAL

Specifications

NAME	SPECIES	GRADE	CONSTRUCTION	SURFACE TREATMENT	WEAR LAYER*	THICKNESS	WIDTH	LENGTH	PRODUCT ID
White Oiled	European Oak	Select	3-Ply	Smooth with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VERWO7
Antique White	European Oak	Select	3-Ply	Smooth with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VERAW7
Como	European Oak	Select	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VERCOM7
San Tropez	European Oak	Select	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EGRSTR5
Lugano	European Oak	Select	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	EGRPYR5
Natural	European Oak	Select	3-Ply	Smooth with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VERNT7
Olde Dutch	European Oak	Select	3-Ply	Smooth with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VEROD7
American Walnut	Black American Walnut	Aged Character	3-Ply	Smooth with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	86" (2200 mm)	EGRVAM5
Davos	European Oak	Select	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VERDAV7
Zermatt	European Oak	Select	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VERZER7
Berne	European Oak	Select	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VERBRN7
Mürren	European Oak	Select	3-Ply	Wire-brush with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VERMUR7
Mocca	European Oak	Select	3-Ply	Smooth with micro-bevel	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VERMOC7

SELECT GRADE

Our select grade wood keeps to a smooth, even modern surface without heavy distressing. This floor grade offers greater uniformity in the wood’s grain and minimizes variation between planks.

AGED CHARACTER

Our aged character grade wood highlights the natural free-forming grain patterns, knots and cracks reminiscent of an old world floor, and presents a greater degree of tonal and textural variation.

AVAILABLE TRIMS

STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER

Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.

WARRANTY

- LIMITED LIFETIME STRUCTURAL INTEGRITY
- 25-YEAR RESIDENTIAL SURFACE FINISH
- 3-YEAR COMMERCIAL SURFACE FINISH

INSTALLATION


GLUE-DOWN, NAIL-DOWN, OR FLOATING

Radiant heat approved. See website for special installation instructions.


Note: These products are available as specialty items and are crafted per order. Please inquire for details.

To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.


*Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.




STAIR NOSE
TH 5/8" x W 3 1/2" x L 96"



T-MOLD
TH 5/8" x W 2" x L 96"



BABY THRESHOLD
TH 5/8" x W 1" x L 96"



REDUCER
TH 5/8" x W 2" x L 96"

The
VINTAGE REMAINS

COLLECTION

Refined Nostalgia



LIMESTONE

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	PRONOUNCED WIRE-BRUSH**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

SUMMER BEAM

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
PRONOUNCED WIRE-BRUSH**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*







BURNT RAFTER

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	PRONOUNCED WIRE-BRUSH**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*



SMOKED MANTEL

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
HAND-SCULPTED WITH PRONOUNCED WIRE-BRUSH**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





ANTIQUE JOIST

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	PRONOUNCED WIRE-BRUSH**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

RECLAIMED ASH

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
HAND-SCULPTED WITH PRONOUNCED WIRE-BRUSH**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





SALVAGED TERRA

SPECIES	EUROPEAN OAK
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER
JANKA	1360
THICKNESS	5/8 INCH (15 mm)
LENGTH	72 INCHES (1830 mm)*
WIDTH	7-7/16 INCHES (189 mm)
COVERAGE / BOX	22.34 sq. ft.
WEIGHT / BOX	40 lbs.
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	HAND-SCULPTED WITH PRONOUNCED WIRE-BRUSH**
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR FLOATING***

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

IRON RUST

EUROPEAN OAK	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER	GRADE
1360	JANKA
5/8 INCH (15 mm)	THICKNESS
72 INCHES (1830 mm)*	LENGTH
7-7/16 INCHES (189 mm)	WIDTH
22.34 sq. ft.	COVERAGE / BOX
40 lbs.	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
HAND-SCULPTED WITH PRONOUNCED WIRE-BRUSH**	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR FLOATING***	INSTALLATION

** Approximately 60% of boards are 72 inches; starter boards included in each box.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*



THE VINTAGE REMAINS COLLECTION

Swatches Overview



LIMESTONE



SUMMER BEAM



BURNT RAFTER



SMOKED MANTEL



ANTIQUE JOIST



RECLAIMED ASH



SALVAGED TERRA



IRON RUST

THE VINTAGE REMAINS COLLECTION

Specifications

NAME	SPECIES	GRADE	CONSTRUCTION	SURFACE TREATMENT	WEAR LAYER*	THICKNESS	WIDTH	LENGTH	PRODUCT ID
Limestone	European Oak	Aged Character	3-Ply	Pronounced wire-brush	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VTRL57
Summer Beam	European Oak	Aged Character	3-Ply	Pronounced wire-brush	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VTRSB7
Burnt Rafter	European Oak	Aged Character	3-Ply	Pronounced wire-brush	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VTRBR7
Smoked Mantle	European Oak	Aged Character	3-Ply	Hand-sculpted with pronounced wire-brush	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VTRSM7
Antique Joist	European Oak	Aged Character	3-Ply	Pronounced wire-brush	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VTRAJ7
Reclaimed Ash	European Oak	Aged Character	3-Ply	Hand-sculpted with pronounced wire-brush	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VTRRA7
Salvaged Terra	European Oak	Aged Character	3-Ply	Hand-sculpted with pronounced wire-brush	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VTRSAL7
Iron Rust	European Oak	Aged Character	3-Ply	Hand-sculpted with pronounced wire-brush	4 mm	5/8" (15 mm)	7-7/16" (189 mm)	72" (1830 mm)	VTRIR7

SELECT GRADE

Our select grade wood keeps to a smooth, even modern surface without heavy distressing. This floor grade offers greater uniformity in the wood’s grain and minimizes variation between planks.

AGED CHARACTER

Our aged character grade wood highlights the natural free-forming grain patterns, knots and cracks reminiscent of an old world floor, and presents a greater degree of tonal and textural variation.

AVAILABLE TRIMS

STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER

Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.

WARRANTY

- LIMITED LIFETIME STRUCTURAL INTEGRITY
- 25-YEAR RESIDENTIAL SURFACE FINISH
- 3-YEAR COMMERCIAL SURFACE FINISH

INSTALLATION


GLUE-DOWN, NAIL-DOWN, OR FLOATING

Radiant heat approved. See website for special installation instructions.


Note: These products are available as specialty items and are crafted per order. Please inquire for details.

To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.


*Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.




STAIR NOSE
TH 5/8" x W 3 1/2" x L 96"



T-MOLD
TH 5/8" x W 2" x L 96"



BABY THRESHOLD
TH 5/8" x W 1" x L 96"



REDUCER
TH 5/8" x W 2" x L 96"

LUXURY PARQUETRY COLLECTIONS


Luxury at its finest






A renewed renaissance of time-honored artistry and modern performance, DuChâteau® offers two stunning collections of luxury parquetry — The New Classics Collection™ and The Palais Collection™ — available in many of the DuChâteau Hardwood Flooring options seen here. Explore our exclusive line of custom-order parquet floors and redefine your design potential.

Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing. Please allow 6 to 8 weeks lead time for parquet floor; some floors require as much as 12 to 14 weeks to produce. See your local sales representative for more details.



DuCHÂTEAU

Unlike any other



The
NEW CLASSICS

COLLECTION

Modern Parquetry



CHEVRON

SPECIES	ALL DUCHÂTEAU STYLES*
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER OR SELECT
JANKA	VARIES
THICKNESS	5/8 INCH (15 mm)
LENGTH	18 INCHES (457 mm) / 24 INCHES (610 mm)*
WIDTH	VARIES
COVERAGE / BOX	VARIES
WEIGHT / BOX	VARIES
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	VARIES
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR STAPLE***

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*



HERRINGBONE

ALL DUCHÂTEAU STYLES*	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER OR SELECT	GRADE
VARIES	JANKA
5/8 INCH (15 mm)	THICKNESS
18 INCHES (457 mm) / 24 INCHES (610 mm)	LENGTH
VARIES	WIDTH
VARIES	COVERAGE / BOX
VARIES	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
VARIES	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR STAPLE***	INSTALLATION

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*







BLOCK PARQUET

SPECIES	ALL DUCHÂTEAU STYLES*
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER OR SELECT
JANKA	VARIES
THICKNESS	5/8 INCH (15 mm)
LENGTH	12 INCHES (305 mm) / 18 INCHES (457 mm)
WIDTH	12 INCHES (305 mm) / 18 INCHES (457 mm)
COVERAGE / BOX	VARIES
WEIGHT / BOX	VARIES
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	VARIES
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR STAPLE***

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

DOUBLE HERRINGBONE


ALL DUCHÂTEAU STYLES*	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER OR SELECT	GRADE
VARIES	JANKA
5/8 INCH (15 mm)	THICKNESS
18 INCHES (457 mm) / 24 INCHES (610 mm)	LENGTH
VARIES	WIDTH
VARIES	COVERAGE / BOX
VARIES	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
VARIES	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR STAPLE***	INSTALLATION

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*







RANDOM WIDTH

SPECIES	ALL DUCHÂTEAU STYLES*
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER OR SELECT
JANKA	VARIES
THICKNESS	5/8 INCH (15 mm)
LENGTH	86 INCHES (2200 mm)
WIDTH	4-1/4 INCHES (108 mm) / 6 INCHES (152 mm) / 10-1/4 INCHES (260 mm)
COVERAGE / BOX	VARIES
WEIGHT / BOX	VARIES
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	VARIES
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR STAPLE***

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*



LADDER

ALL DUCHÂTEAU STYLES*	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER OR SELECT	GRADE
VARIES	JANKA
5/8 INCH (15 mm)	THICKNESS
74-1/4 INCHES (1890 mm)*	LENGTH
10-2/3 INCHES (270 mm)	WIDTH
VARIES	COVERAGE / BOX
VARIES	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
VARIES	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR STAPLE***	INSTALLATION

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved. See website for special installation instructions. To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





THE NEW CLASSICS COLLECTION

Swatches Overview



CHEVRON



BLOCK PARQUET



LADDER



HERRINGBONE



DOUBLE HERRINGBONE



RANDOM WIDTH

THE NEW CLASSICS COLLECTION

Specifications

NAME	SPECIES	GRADE	CONSTRUCTION	SURFACE TREATMENT	WEAR LAYER*	THICKNESS	WIDTH	LENGTH
Chevron	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15 mm)	Varies	24" (610 mm)
Block Parquet	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15 mm)	18" (457 mm) squares	18" (457 mm) squares
Ladder	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15 mm)	10 2/3" (270 mm)	74 1/4" (1890 mm)
Herringbone	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15 mm)	Varies	24" (610 mm)
Double Herringbone	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15 mm)	Varies	24" (610 mm)
Random Width	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15 mm)	4 1/4" (108 mm), 6" (152 mm), 10 1/4" (260 mm)	86" (2200 mm)

*All New Classics Collection™ floors are available as specialty items and are crafted per order. Please inquire for details.

SELECT GRADE

Our select grade wood keeps to a smooth, even modern surface without heavy distressing. This floor grade offers greater uniformity in the wood’s grain and minimizes variation between planks.

AGED CHARACTER

Our aged character grade wood highlights the natural free-forming grain patterns, knots and cracks reminiscent of an old world floor, and presents a greater degree of tonal and textural variation.

AVAILABLE TRIMS

STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER

Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.

WARRANTY

LIMITED LIFETIME STRUCTURAL INTEGRITY
25-YEAR RESIDENTIAL SURFACE FINISH
3-YEAR COMMERCIAL SURFACE FINISH

INSTALLATION


GLUE-DOWN, NAIL-DOWN, OR FLOATING

Radiant heat approved. See website for special installation instructions.


Note: These products are available as specialty items and are crafted per order. Please inquire for details.

To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.


*Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.




STAIR NOSE
TH 5/8" x W 3 1/2" x L 96"



T-MOLD
TH 5/8" x W 2" x L 96"



BABY THRESHOLD
TH 5/8" x W 1" x L 96"




REDUCER
TH 5/8" x W 2" x L 96"

The
PALAIS

COLLECTION

Time-honored Artistry



AVIGNON

SPECIES	ALL DUCHÂTEAU STYLES*
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER OR SELECT
JANKA	VARIES
THICKNESS	3/4 INCH (19.05 mm) - INCLUDES 1/8 INCH BACKING
LENGTH	36 INCHES (914 mm)
WIDTH	36 INCHES (914 mm)
COVERAGE / BOX	VARIES
WEIGHT / BOX	VARIES
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	VARIES
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR STAPLE***

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

VERSAILLES

ALL DUCHÂTEAU STYLES*	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER OR SELECT	GRADE
VARIES	JANKA
3/4 INCH (19.05 mm) - INCLUDES 1/8 INCH BACKING	THICKNESS
36 INCHES (914 mm)	LENGTH
36 INCHES (914 mm)	WIDTH
VARIES	COVERAGE / BOX
VARIES	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
VARIES	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR STAPLE***	INSTALLATION

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*







CHAUMONT

SPECIES	ALL DUCHÂTEAU STYLES*
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER OR SELECT
JANKA	VARIES
THICKNESS	3/4 INCH (19.05 mm) - INCLUDES 1/8 INCH BACKING
LENGTH	36 INCHES (914 mm)
WIDTH	36 INCHES (914 mm)
COVERAGE / BOX	VARIES
WEIGHT / BOX	VARIES
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	VARIES
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR STAPLE***

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*

FOUNTAINBLEU

ALL DUCHÂTEAU STYLES*	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER OR SELECT	GRADE
VARIES	JANKA
3/4 INCH (19.05 mm) - INCLUDES 1/8 INCH BACKING	THICKNESS
36 INCHES (914 mm)	LENGTH
36 INCHES (914 mm)	WIDTH
VARIES	COVERAGE / BOX
VARIES	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
VARIES	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR STAPLE***	INSTALLATION

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*







CHEVERNY

SPECIES	ALL DUCHÂTEAU STYLES*
CONSTRUCTION	ENGINEERED
GRADE	AGED CHARACTER OR SELECT
JANKA	VARIES
THICKNESS	3/4 INCH (19.05 mm) - INCLUDES 1/8 INCH BACKING
LENGTH	36 INCHES (914 mm)
WIDTH	36 INCHES (914 mm)
COVERAGE / BOX	VARIES
WEIGHT / BOX	VARIES
WEAR LAYER	4 mm
FINISH	HARD-WAX OIL
SURFACE TREATMENT	VARIES
AVAILABLE TRIMS	STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**
INSTALLATION	GLUE-DOWN, NAIL-DOWN, OR STAPLE***

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*


TOURNON

ALL DUCHÂTEAU STYLES*	SPECIES
ENGINEERED	CONSTRUCTION
AGED CHARACTER OR SELECT	GRADE
VARIES	JANKA
3/4 INCH (19.05 mm) - INCLUDES 1/8 INCH	THICKNESS
36 INCHES (914 mm)	LENGTH
36 INCHES (914 mm)	WIDTH
VARIES	COVERAGE / BOX
VARIES	WEIGHT / BOX
4 mm	WEAR LAYER
HARD-WAX OIL	FINISH
VARIES	SURFACE TREATMENT
STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER**	AVAILABLE TRIMS
GLUE-DOWN, NAIL-DOWN, OR STAPLE***	INSTALLATION

** Please note we do not recommend Heritage Timber Collection floors for parquetry due to its split-face distressing.*

*** Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.*

**** Radiant heat approved.
See website for special installation instructions.
To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.*





THE PALAIS COLLECTION

Swatches Overview



AVIGNON



CHEVERNY



TOURNON



VERSAILLES



CHAUMONT



FOUNTAINBLEU

THE PALAIS COLLECTION

Specifications

NAME	SPECIES	GRADE	CONSTRUCTION	SURFACE TREATMENT	WEAR LAYER*	THICKNESS	WIDTH	LENGTH
Avignon	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15mm) Plus 2mm backing	36" (914 mm) squares	36" (914 mm) squares
Cheverny	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15mm) Plus 2mm backing	36" (914 mm) squares	36" (914 mm) squares
Tournon	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15mm) Plus 2mm backing	36" (914 mm) squares	36" (914 mm) squares
Versailles	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15mm) Plus 2mm backing	36" (914 mm) squares	36" (914 mm) squares
Chaumont	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15mm) Plus 2mm backing	36" (914 mm) squares	36" (914 mm) squares
Fountainbleu	Varies*	Aged Character or Select	3-Ply	Varies*	4 mm	5/8" (15mm) Plus 2mm backing	36" (914 mm) squares	36" (914 mm) squares

*All Palais Collection™ floors are available as specialty items and are crafted per order. Please inquire for details.

SELECT GRADE

Our select grade wood keeps to a smooth, even modern surface without heavy distressing. This floor grade offers greater uniformity in the wood’s grain and minimizes variation between planks.

AGED CHARACTER

Our aged character grade wood highlights the natural free-forming grain patterns, knots and cracks reminiscent of an old world floor, and presents a greater degree of tonal and textural variation.

AVAILABLE TRIMS

STAIRNOSE, T-MOLD, THRESHOLD, AND REDUCER

Custom texture, pattern and trim options available upon request. Please inquire with your sales associate or visit our website for details.

WARRANTY

LIMITED LIFETIME STRUCTURAL INTEGRITY
25-YEAR RESIDENTIAL SURFACE FINISH
3-YEAR COMMERCIAL SURFACE FINISH

INSTALLATION


GLUE-DOWN, NAIL-DOWN, OR FLOATING

Radiant heat approved. See website for special installation instructions.

Note: These products are available as specialty items and are crafted per order. Please inquire for details.

To properly maintain flooring, please use DuChâteau Woodcare products regularly. Consult our flooring maintenance instructions or visit our website for more information. Available for purchase.


*Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.




STAIR NOSE
TH 5/8"x W 3 1/2"x L 96"



T-MOLD
TH 5/8"x W 2"x L 96"



BABY THRESHOLD
TH 5/8"x W 1"x L 96"



REDUCER
TH 5/8"x W 2"x L 96"

WARRANTY

MOISTURE AND HUMIDITY

PLEASE READ BEFORE BEGINNING INSTALLATION

Room temperature and humidity of installation area should be consistent with normal, year-round living conditions for at least a week before installation of wood flooring. Room temperature of 65°F to 75°F and a humidity range of 35% to 65% should be maintained during acclimatization, installation, and at all times afterward. Warning - humidity levels below these recommended levels will likely cause movement in the flooring, including gapping between pieces and possible cupping and checking in the face.

DuChâteau cannot be held responsible for site conditions. Flooring formats, such as plywood based engineered wood flooring, are particularly susceptible to showing movement such as edge/end shrinking and face checking from relative humidity below the stated minimums on site and/or tip-raising and subsequent end-shrinking if installed over a wet subfloor.

WHAT IS COVERED BY THE DUCHÂTEAU® WARRANTY?

LIMITED STRUCTURAL INTEGRITY WARRANTY FOR AS LONG AS YOU OWN YOUR FLOORS

DuChâteau warrants to the original retail purchaser of its products that DuChâteau Quality Engineered Hard-Wax Oil Finished Floors ("Flooring"), in its original manufactured condition, shall be free from manufacturing defects in milling and grading for as long as you own your Flooring (except as otherwise noted below).

25-YEAR RESIDENTIAL SURFACE FINISH LIMITED WARRANTY

The surface finish for Flooring purchased for residential use is warranted by DuChâteau not to wear through or separate from flooring for 25 years from the date of retail purchase under normal residential traffic conditions so long as all care and maintenance instructions provided by DuChâteau are followed. Failure to do so may void this warranty.

3-YEAR COMMERCIAL SURFACE FINISH LIMITED WARRANTY

The surface finish for Flooring purchased for commercial use is warranted by DuChâteau not to wear through or separate from flooring for 3 years from the date of retail purchase under normal commercial traffic conditions so long as all care and maintenance instructions provided by DuChâteau are followed. Failure to do so may void this warranty.

WARRANTIES APPLY TO ORIGINAL PURCHASER ONLY

All Flooring warranties, including any implied warranties, apply to the original retail purchaser of the Flooring only. All warranty coverage terminates if you sell or otherwise transfer the Flooring or the property to which the Flooring is attached.

WARRANTIES APPLY TO ORIGINAL PURCHASER ONLY

All Flooring warranties, including any implied warranties, apply to the original retail purchaser of the Flooring only. All warranty coverage terminates if you sell or otherwise transfer the Flooring or the property to which the Flooring is attached.

LIMIT ON IMPLIED WARRANTIES

TO THE GREATEST EXTENT PERMITTED BY LAW, ANY IMPLIED WARRANTY ON FLOORING, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE, IS LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

WHAT THIS WARRANTY DOES NOT COVER?

In order to be covered under this limited warranty, the Flooring must be properly installed by a licensed flooring contractor in accordance with all installation

instructions provided to you with the Flooring. This warranty does not cover damage arising from improper installation of the Flooring. In order to be covered under this limited warranty, the Flooring must be purchased from an authorized dealer of DuChâteau Flooring products.

DuChâteau offers NO additional warranties, express or implied, other than those set forth herein. Neither your retailer nor anyone else has the authority to alter the terms of this warranty. Any representations or promises made by your retailer or installer are not binding on DuChâteau.

This warranty does NOT cover minor separations between boards due to normal expansion and contraction that wood floors may experience, based on weather conditions or other outside forces. This warranty does not cover cupping, delaminating, and/or crowning due to excessive moisture or humidity. This warranty does not cover damage resulting from the failure to properly maintain Flooring and may be voided due to your failure to follow all DuChâteau care and maintenance instructions. This warranty does not cover damage caused by improper or incorrect use or application of any product on Flooring. This warranty does not cover naturally occurring elements of wood flooring, including but not limited to, open knot holes, pits, worm holes, or other characteristics resulting from true craftsmanship or hand-scrapping of Flooring.

This warranty does not cover damages caused by or relating to improper transportation, storage, or installation of the Flooring. **This warranty does not cover any defects unless the square footage of such defective flooring exceeds ten percent (10%) of the total square footage of your purchased Flooring.**

This warranty does not cover manufacturing defects in Flooring that has been installed which are visible or which reasonably could have been discovered by you or your installer prior to installation. You must notify DuChâteau of any such manufacturing defects before installing Flooring. If not properly notified, DuChâteau shall not be held liable for any costs or expenses incurred as a result of the purchase or installation of any such defective or unsatisfactory Flooring.

This warranty does not cover variances in grain or color found in samples or photographs supplied by dealers or variances in grain or color between samples and Flooring actually received by you.

This warranty does not cover any change to the Flooring caused by exposure to light and oxygen, including any color change or the development of a unique patina over time.

This warranty does not cover indentations, scratches or other damage caused by negligence, intentional acts, water, sand, abuse or other misuse of the Flooring.

This warranty does not cover damages resulting from the failure to provide proper environmental conditions, including but not limited to maintaining proper humidity levels. This warranty does not cover surface checking resulting from high or low relative humidity and/or mildew, discoloration, or cupping resulting from sub floor moisture.

This warranty does not cover damage resulting from the failure to follow manufacturer's installation and maintenance instructions, including but not limited to the failure to use approved adhesives, moisture barriers, and failure to follow DuChâteau Flooring maintenance product instructions. We recommend that you use only DuChâteau-approved maintenance products to clean and maintain your Flooring, including DuChâteau Premium Floor Cleaner & Protectant and DuChâteau Maintenance Oil. Use of cleaning or maintenance products other than those specially formulated for the Flooring, or improper use or application of any cleaning or maintenance product, may cause damage to the Flooring and may void this limited warranty.

This warranty does not cover damage resulting from the use of adhesive tape of any kind on any oil-finished floor for any period of time. Failure to comply may result in removal of the finish.

This warranty does not cover special, incidental or consequential damages of any kind. Some states do not allow the exclusion or limitation of special, incidental or consequential damages, so the above limitation may not apply to you.

Radiant Heat Systems

Certain Flooring is warranted for use with Radiant Heat Systems. If such Flooring is installed over a radiant heating system, the surface temperature of the Flooring must not exceed 82 degrees Fahrenheit. Dramatic temperature changes may damage the Flooring. Flooring must be heated gradually in 5 degree Fahrenheit increments. It is recommended that a dedicated thermostat be installed to allow the temperature of the Radiant Heat System to be accurately controlled. For warranty coverage to apply, the Flooring must be authorized for use with a radiant heating system and the installation must conform to the manufacturer's **Special Instructions for Installations over Radiant Heat Systems**, including the placement of approved under-floor heat sensors.

WHAT DUCHÂTEAU® WILL DO?

DuChâteau will, at its option, either repair and/or replace the Flooring which is defective or credit you for the portion of the purchase price attributable to the Flooring which is defective. You are responsible to pay for shipping and handling for any replacement Flooring, along with any and all other costs related to the defective Flooring (e.g., labor to remove Flooring, labor to install replacement Flooring, additional materials required to install replacement Flooring, removal of any household fixtures or furniture required to repair or replace the Flooring, hotel stays required due to repair or replacement, etc.). Due to the nature of the product, replacement Flooring is not guaranteed to match the original Flooring in terms of color, tone, pattern or other natural characteristics of wood. These remedies are your sole and exclusive remedies under this warranty.

HOW TO GET SERVICE

First, contact your retailer or distributor. If you have additional questions or have additional questions or concerns, please contact DuChâteau by telephone at 1-888-DUCHATEAU, by mail at 8480 Miralani Drive, San Diego, CA 92126, or by email at claims@duchateau.com.

Where possible, any complaints made under this warranty will be resolved within 30 days. However, due to the nature of certain complaints and/or forces outside DuChâteau's control, certain complaints may take longer to resolve. If your complaint has not been resolved by your retailer within 30 days of your notification to the retailer, please contact DuChâteau directly for further assistance.

YOUR RIGHTS UNDER STATE LAW

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

GOVERNING LAW, FORUM AND VENUE

This warranty shall be interpreted in accordance with the laws of the State of California, without regard to any choice of law provisions which might otherwise apply in California or elsewhere. DuChâteau and customer agree that the Superior Court of California shall have exclusive jurisdiction to adjudicate any claim or controversy arising out of or relating to this warranty or DuChâteau Flooring.

You acknowledge and agree that all actions or proceedings arising in connection with this warranty shall be tried and litigated exclusively in the County of San Diego, State of California. If any provision of this warranty is found to be unenforceable, the remaining provisions will remain in full force and effect.

DuChâteau Hardwood Floors Installation Guidelines are intended to offer general guidance as it relates to DuChâteau Hardwood Floors and are NOT a replacement for a professional. For best results, we suggest using a National Wood Flooring Association-certified professional installer. DuChâteau Hardwood Floors MUST be installed according to the National Wood Flooring Association's (NWFA) installation guidelines in order for the DuChâteau Hardwood Floors Warranty to be valid. The most current publication of the NWFA guidelines is available to all NWFA members and can be found at www.nwfa.org. You can also search your area for an active NWFA Certified Professional Installer on NWFA's website.

Due to the natural materials and unique finishing processes, DuChâteau wood products may experience tonal and color variation between planks depending on time in or out of the box and conditions such as weather, temperature, location, moisture levels or proper maintenance and installation. To avoid dramatic variation mainly caused by aging, it is recommended installation be completed from the same lot.



