

VINYL DELUXE | COLLECTION

VINYL
DELUXE
—
COLLECTION



DuCHÂTEAU

Unlike any other

VINYL DELUXE | COLLECTION

DESIGNED TO WITHSTAND THE TEST OF TIME.

At the peak of luxury, DuChâteau Vinyl DeLuxe Collections stand proud with a lasting beauty and low-maintenance durability that is unmistakable.

C O N T E N T S

01

Why DuChâteau

03

Features & Benefits

13

Vinyl DeLuxe Classic

33

Vinyl DeLuxe Click

47

Specifications

49

Warranty



VINYL DELUXE

COLLECTION

It is not easy to choose a luxury flooring that is meant to offer welcomed relief and be strong enough to handle daily life in both commercial and residential spaces. With an uncommon textured elegance, DuChâteau® Vinyl DeLuxe® Collections bring a new level of warmth and resiliency to the world of vinyl.



01

LOW - MAINTENANCE

DuChâteau Vinyl DeLuxe offers a tough stain-resistant finish that is easy to clean and won't trap dirt – all that you want out of a hardwood floor without any of the upkeep.

02

REALISTIC WOOD SURFACE

We should never move so far away from nature that we forget our roots. DuChâteau Vinyl Collections feature realistic wood surfacing that bring that sense of nature indoors, while still meeting the needs of your design space. Don't just imagine the difference our floors make; see and feel the difference.





03

D U R A B L E

Strong enough for high-traffic residential and commercial spaces, DuChâteau Vinyl DeLuxe is made to endure, retaining its distinctive looks year after year.

04

INSTALLATION

With DuChâteau Vinyl DeLuxe Classic and Click Collections, you always have a choice. Our Classic Collection provides commercial spaces the ability to use the standard glue-down installation method for heavy traffic, while residential and light commercial spaces can take advantage of our Click Collection's click-into-place system for glueless installation. It's that simple.





05

S U S T A I N A B I L I T Y

DuChâteau's Vinyl DeLuxe® Collections feature a variety of top quality simulated wood grain textures and patinas that were previously found only in our hardwood floors. The very same look and feel of our signature hardwoods can now be achieved in this ultra-durable, low-maintenance alternative. FloorScore® certified for low-VOC, DuChâteau Vinyl DeLuxe Collections now coordinate flawlessly with a luxury lifestyle that can only be found with DuChâteau.





DUCHÂTEAU'S VINYL DELUXE® CLASSIC

Available in 16 stunning colors, DuChâteau's Vinyl DeLuxe® Classic Collection is the premier glue-down flooring option that meets both residential and commercial applications for high-traffic environments in need of a luxury hardwood alternative.



Beautifully Stunning





Antique White

Davos

Matterhorn

San Tropez

Smoke

Artic

Kasteel

Olde Dutch

White Oiled

Arno

Lugano

Nile

Como

Greystone

Natural Oak

Oslo

PALETTE



WHITE OILED
VD-WHO7



SMOKE
VD-NIL7



ANTIQUE WHITE
VD-AWH7



COMO
VD-COM7



ARNO
VD-ARN7



ARTIC
VD-ARC7



DAVOS
VD-DAV7



GREYSTONE
VD-GRS7





LUGANO
VD-LUG7



KASTEEL
VD-KAL7



MATTERHORN
VD-MAT7



NATURAL OAK
VD-NAT7



NILE
VD-NIL7



OLDE DUTCH
VD-OD7



SANTROPEZ
VD-STR7



OSLO
VD-OSL7

Luxuries Finest

DUCHÂTEAU'S VINYL DELUXE® CLICK

With 10 available colors, DuChâteau Vinyl DeLuxe® Click Collection offers an easy-to-install floating floor option that does not require the use of adhesives. A luxury hardwood alternative best suited for residential and light commercial applications is finally here.



PALETTE

Bandsawn Cask

Weathered Brown

Birchwood

Greywood

Tundra

Fossil

Stout

Weathered Black

Bandsawn Ivory

Weathered Grey



FOSSIL
VDCK-FOS7



BIRCHWOOD
VDCK-BIR7




BANDSAWN CASK
VDCK-BSC7



BANDSAWN IVORY
VDCK-BSI7



GREYWOOD
VDCK-GRE7



STOUT
VDCK-STO7



WEATHERED BROWN
VDCK-WBRW7



WEATHERED GREY
VDCK-WGRY7





WEATHERED BLACK
VDCK-WBLK7

TUNDRA
VDCK-TUN7

VINYL DELUXE CLASSIC

Specifications

APPLICATIONS

Residential or commercial

PLANK SIZE

7" x 48" • Thickness: 3 mm

WEAR LAYER

0.55 mm (22 mil)

FINISH

Prime urethane and ceramic bead coating, anti-microbial nano-silver particles

INSTALLATION

Glue-down over slab or subfloor

PER BOX

15 planks / 34.88 sf

WARRANTY

20-year residential; 10-year commercial

ENVIRONMENT

100% Recyclable, FloorScore® - Low VOC, CA 01350 Compliant (IAQ), Contributes to LEED® Credits

FEATURES

Low-Maintenance; Slip-Resistant; Water-Resistant; Heat-, Light- and Chemical-Resistant

VINYL DELUXE CLICK

Specifications

APPLICATIONS

Residential or light commercial

PLANK SIZE

7" x 48" • Thickness: 4 mm

WEAR LAYER

0.3 mm (12 mil)

FINISH

UV Coating

INSTALLATION

Click into place

PER BOX

10 planks / 23.65 sf

WARRANTY

25-year residential; 6-year light commercial

ENVIRONMENT

FloorScore® - Low VOC, CA 01350 Compliant (IAQ), Contributes to LEED® Credits

FEATURES

Low-Maintenance; Slip-Resistant; Water-Resistant

MOULDINGS

All of our mouldings feature the same color treatments as our flooring.

TRANSITION

Width: 2" | Length: 94" | Thickness: 1"

STAIRNOSE

Width: 2" | Length: 94" | Thic kness: 1"

CHARACTERISTIC	STANDARD	SPECIFICATION
Type & Composition		PVC Laminated Floor Covering
Application		Commercial, Residential
Surface Treatment		PU w/Ceramic Coating
Profile		Microbevel
Tile Size	ASTM F2421-05	7" X 48"
Overall Thickness (mm)	ASTM F386-02	2.0, 3.0, 4.3, 5.0
Wear Layer Thickness (mm)	EN 429	0.1, 0.2, 0.3, 0.5
Fire Rating	EN 13501-1 ASTM E 648 ASTM E 84 Mekel Burner Test	Bfl-S1 Class 1 75 or less Pass
Heat Stability	ASTM F1514-03	Pass
Dimensional Stability after exposure to heat	EN 434	Length: -0.08 Width: -0.09
Abrasion Resistance	ASTM D 3884	0.1% Loss
Resistance to Chemical	ASTM F925-02	No Change
Residual Indentation	ASTM F 1914-07	Average 0.085
Slip Resistance	ADA	Exceeds ADA requirement
Static Load Limit	ASTM F970-07	Average 0.007
Coefficient of Friction	ASTM C 1028-2007	0.70
Residual Indentation	EN 433	≥ 6
Color Fastness	ISO 105-Bo2	≥ 6
Stain Resistance	ANSI Z124/CSA B45.5 sec. 5.11	Pass; ≥65
Dimensional Stability	EN 434	Pass
Flexibility of Resilient Flooring	ASTM F137-03	No Breaks, No Cracks
Recyclable		Yes
VOC Emission Test	ASTM D 5116-06	Pass

RESIDENTIAL & COMMERCIAL PRODUCTS LIMITED WARRANTY
DUCHÂTEAU® VINYL DELUXE® CLICK COLLECTION

WARRANTY OWNER

This warranty extends only to the original end-user. Warranties are non-transferrable. No installer, retailer, distributor or agent, or employee of DuChâteau may alter the obligations or limitations of any DuChâteau warranty.

QUALIFYING PRODUCT

Vinyl DeLuxe Collection Click
Overall Thickness of Plank Products – 4mm.
Wearlayer Thickness – .3mm/12mil.

PRODUCTS

DuChâteau warrants its Luxury Vinyl DeLuxe Click Collection flooring to be free from manufacturing defects for the period of time specified below from the date of purchase.

25-YEAR RESIDENTIAL LIMITED WARRANTY

DuChâteau warrants its Luxury Vinyl DeLuxe Click Collection flooring to be free from manufacturing defects in residential environments for 25 years from the date of purchase.

6-YEAR LIGHT COMMERCIAL WARRANTY

DuChâteau warrants its Vinyl DeLuxe Click Collection flooring to be free from manufacturing defects in commercial spaces for 6 years from the date of purchase. Light commercial includes, but is not limited to, small retail shops, waiting rooms small office, and trade booths.

INSTALLATION

DuChâteau warrants the installation integrity of these products provided the floor was installed according to the DuChâteau Vinyl DeLuxe Click Installation Instructions. Installation integrity signifies that the products are installed to the recommendations of the adhesive manufacturer and installation guidelines.

WORKMANSHIP

DuChâteau does not warrant installers’ workmanship. Workmanship errors should be addressed to the contractor who installed the floor. Your DuChâteau floor should be professionally installed by contractors who have demonstrated expertise in installing commercial floors.

TERMS

If a defect covered by this warranty occurs and is reported in writing to the merchant from which the flooring was purchased within the warranty period specified above as applicable, DuChâteau will supply new flooring material of similar color and quality to replace the defective area. DuChâteau will NOT pay or be responsible for any labor costs.

LIMITATION ON DAMAGES

DuChâteau excludes and shall NOT pay any incidental or consequential damages under this warranty. This shall include any liability for lost profits or any indirect, special or consequential damages. The remedies contained herein are the only remedies available for a breach of warranty of any kind. DuChâteau’ sole obligation and Distributor’s sole remedy for claims arising hereunder for any and all losses and damages resulting from any cause shall be that DuChâteau shall repair, at the option of DuChâteau, or replace the defective material. In no event, including in the case of a claim on negligence, shall DuChâteau be liable for incidental or consequential damages.

EXCLUSIONS

The following exclusions are NOT covered under this warranty agreement:

- Improper installation. Improper maintenance. Any dissatisfaction related to the two.
- Differences in color between products, samples and/or photographs.
- Indentation from improper loading including high heels, spiked shoes, rolling loads, chairs or other furniture not using floor protectors.
- Discoloration, including but not limited to, U.V. light and heat sources.
- Failure of the floor to adhere to the subfloor due to, for example, moisture, alkaline or hydrostatic pressure from the subfloor.
- Inappropriate end-user activities.
- Damage caused by fire, flooding or intentional abuse.
- Exterior applications.
- Loss of gloss.
- Failure to follow manufacturer’s installation instructions.
- This limited warranty is void if, prior to installation, this flooring is not acclimated to room temperature (between 65°F and 85°F) at job site between 24 and 48 hours and, if post-installation, such flooring is not continuously maintained at such temperature.

THERE ARE NO OTHER WARRANTIES BEYOND THIS EXPRESS WARRANTY. ALL OTHER WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE (INCLUDING SLIP RESISTANCE, FIRE RESISTANCE OR ANY OTHER SAFETY FACTORS NOT SET FORTH IN COMPANY’S SPECIFICATIONS), ARE EXCLUDED. NO IMPLIED WARRANTIES OF ANY KIND ARE PROVIDED. EXCEPT AS HEREIN EXPRESSLY STATED, THERE ARE NO WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, BY OPERATION OF LAW OR OTHERWISE, FOR ANY BREACH OF CONTRACT, PRODUCTS LIABILITY, STRICT LIABILITY, NEGLIGENCE OR PART THEREOF FURNISHED HEREUNDER. THE PARTIES AGREE THAT THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER WARRANTIES AND/OR GUARANTEES, EXPRESS OR IMPLIED, ARE EXCLUDED FROM THIS TRANSACTION AND SHALL NOT APPLY FOR THE CONTRACT PRODUCTS.

Questions regarding the terms of this warranty, please contact DuChâteau at **1.888.DUCHATEAU.**

RESIDENTIAL & COMMERCIAL PRODUCTS LIMITED WARRANTY
DUCHÂTEAU® VINYL DELUXE® CLASSIC COLLECTION

WARRANTY OWNER

This warranty extends only to the original end-user. Warranties are non-transferrable. No installer, retailer, distributor or agent, or employee of DuChâteau may alter the obligations or limitations of any DuChâteau warranty.

QUALIFYING PRODUCT

Vinyl DeLuxe Collection
Overall Thickness of Plank Products – 3mm.
Wear layer thickness – .55mm/22mil

PRODUCTS

DuChâteau warrants its Vinyl DeLuxe Collection flooring to be free from manufacturing defects for the period of time specified below from the date of purchase.

20-YEAR RESIDENTIAL LIMITED WARRANTY

DuChâteau warrants its Vinyl DeLuxe Collection flooring to be free from manufacturing defects in residential environments for 20 years from the date of purchase.

10-YEAR COMMERCIAL WARRANTY

DuChâteau warrants its Vinyl DeLuxe Collection flooring to be free from manufacturing defects in commercial spaces for 10 years from the date of purchase.

INSTALLATION

DuChâteau warrants the installation integrity of these products provided the floor was installed according to the DuChâteau Vinyl DeLuxe Classic Installation Instructions. Installation integrity signifies that the products are installed to the recommendations of the adhesive manufacturer and installation guidelines.

WORKMANSHIP

DuChâteau does NOT warrant installers’ workmanship. Workmanship errors should be addressed to the contractor who installed the floor. Your DuChâteau flooring should be professionally installed by contractors who have demonstrated expertise in installing commercial floors.

TERMS

If a defect covered by this warranty occurs and is reported in writing to the merchant from which the flooring was purchased within the warranty period specified above as applicable, DuChâteau will supply new flooring material of similar color and quality to replace the defective area. DuChâteau will NOT pay or be responsible for any labor costs.

LIMITATION ON DAMAGES

DuChâteau excludes and shall not pay any incidental or consequential damages under this warranty. This shall include any liability for lost profits or any indirect, special or consequential damages. The remedies contained herein are the only remedies available for a breach of warranty of any kind. DuChateau’s sole obligation and Distributor’s sole remedy for claims arising hereunder for any and all losses and damages resulting from any cause shall be that DuChâteau shall repair, at the option of DuChâteau, or replace the defective material. In no event, including in the case of a claim on negligence, shall DuChâteau be liable for incidental or consequential damages.

EXCLUSIONS

The following exclusions are NOT covered under this warranty agreement:

- Improper installation and/or improper maintenance.
- Differences in color between products, samples and/or photographs.
- Indentation from improper loading, including high heels, spiked shoes, rolling loads, chairs or other furniture not using floor protectors.
- Discoloration, including but not limited to, U.V. light and heat sources.
- Failure of the floor to adhere to the subfloor due to, for example, moisture, alkaline or hydrostatic pressure from the subfloor.
- Inappropriate end-user activities.
- Installing over radiant floor heating.
- Damage caused by fire, flooding or intentional abuse.
- Failure to follow manufacturer’s installation instructions.
- This limited warranty is void if, prior to installation, this flooring is not acclimated to room temperature (between 65°F and 85°F) at job site for a minimum of 48 hours and, if post-installation, such flooring is not continuously maintained at such temperature.

THERE ARE NO OTHER WARRANTIES BEYOND THIS EXPRESS WARRANTY. ALL OTHER WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE (INCLUDING SLIP RESISTANCE, FIRE RESISTANCE OR ANY OTHER SAFETY FACTORS NOT SET FORTH IN COMPANY’S SPECIFICATIONS), ARE EXCLUDED. NO IMPLIED WARRANTIES OF ANY KIND ARE PROVIDED. EXCEPT AS HEREIN EXPRESSLY STATED, THERE ARE NO WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, BY OPERATION OF LAW OR OTHERWISE, FOR ANY BREACH OF CONTRACT, PRODUCTS LIABILITY, STRICT LIABILITY, NEGLIGENCE OR PART THEREOF FURNISHED HEREUNDER. THE PARTIES AGREE THAT THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER WARRANTIES AND/OR GUARANTEES, EXPRESS OR IMPLIED, ARE EXCLUDED FROM THIS TRANSACTION AND SHALL NOT APPLY FOR THE CONTRACT PRODUCTS.

Questions regarding the terms of this warranty, please contact DuChâteau at **1.888.DUCHATEAU.**



CONTACT

8480 Miralani Drive, San Diego, CA 92126

1-888-DUCHATEAU · DUCHATEAU.COM

© DuChâteau. All Rights Reserved.