



WITEX[®]
inside
LAMINATE

bonita	8
euro	16
marena	22
ariosa	36
piazza	40
color	46
Accessories	52
Service	60
Collection overview	63

LAMINATE

LAMINATE THE WHYS AND WHEREFORES

Innovative solutions for the floor. We have stayed true to this guiding principle with our products for over 30 years.

As one of the first manufacturers in Germany under the Witex brand, we started producing laminate flooring in 1991. Through many innovations and product optimisations up to today, we have helped to shape the development of laminate flooring into a multifaceted, quality product.

With the quality products in this catalogue, we show you a wide range of attractive decors as well as designer surfaces in the laminate flooring field, which meet all the requirements of modern living and furnishing, both in the residential and commercial sector. Divided into the bonita, euro, marena, piazza, ariosa and color collections, you will find the right thing for every taste and furnishing style.

With its excellent properties in terms of use, you will always make the right choice with a laminate floor from the wineo brand. Whether you are looking for a product suitable for chair castors or underfloor heating, with non-staining quality or optimized room acoustics. With the wineo product range we can offer you the right solution.

At the same time, we also pay particular attention the conservation of natural resources. As a manufacturer of products that are made of up to 90 percent wood, sustainability is a particular obligation for us.



This not only requires environmentally friendly manufacture but also covers ecologically sound waste disposal at the end of the product life cycle.

Windmüller stands for a conservational approach to natural resources with its products and innovations. Besides dealing with raw materials in a responsible manner, the focus is also on environmentally friendly production.



wineo laminate floors are long-lasting and durable products, whose coreboards are made of high density wood fibreboards. As wood is one of our renewable raw materials, wineo laminate flooring counts as an ecological product. Windmüller only uses raw materials like wood from sustainable forestry and never exotic timbers or wood from rain forests.

During the production of laminate floors in our factories, environmental protection is at the forefront. What starts with energy management is consistently continued when it comes to using sawmill waste, as this is used to generate process heat.

With a wineo laminate floor, you always make the right choice. Whether for the kitchen, bedroom, study, living room, hallway, children's room, loft, basement ... always the best choice.



THE WINEO QUALITY A CARE-FREE PRODUCT




All products made by Windmüller have one thing in common: they are produced according to the strictest quality criteria! What begins with the careful selection of our raw material suppliers, continues in each separate production step. A State-of-the-art logistics with a just-in-time delivery service and an expert service team focus on a single goal: The highest level of customer satisfaction!

You will find a collection of technical innovations in our wineo laminate floors. Many ideas and patents in this field have been developed and improved by Windmüller engineers. The result pleases craftsmen and customers alike. A floor that withstands a great deal and is easily laid. A genuine carefree product!

All wineo brand floors have optimal protection against moisture and damp. Edge protection on all sides, noticeable by the darker colour of the edges, in combination with coreboards that are protected against swelling, ensure the highest level of security. Collections with AquaProtect coreboards are even suitable for use in damp environments.

The seal on the click-in connection has two further benefits. Installation is much easier. The floor panels almost *slide* into each other, and because wood is not rubbing on wood here, *creaking* planks are a thing of the past.



Depending on the product, features such as anti-static, FSC certification, PEFC certification and V-joints belong to the repertoire of the wineo branded collections.

The wineo product range, besides featuring the classic laminate designs, also covers high gloss finishes in the color collection. Despite its high gloss finish, *color*, for example, easily achieves wear class 32. Just as *piazza* and *piazza maxi* make an ideal material for shop fitting and the contract sector.

The independently tested quality creates the framework conditions for important certifications in the construction sector for all wineo products. One of these is the building regulations approval by the German Institute for Building Technology (DIBT), plus the *CE mark* and the *sign of conformity* for externally monitored quality. Outstanding results and top marks from independent tests confirm the importance of these certificates.




SURFACES

VARIETY OF TEXTURES

The finishes on wineo laminate floors consist of up to three layers. On top there is a particularly resilient melamine resin overlay, which protects the floor from mechanical loads. The texture of the finishes varies depending on the collection and design. Besides tangible wood textures, there are soft finishes and fine wood grains, which are produced in various levels of sheen or in matt look. The second layer is a resin-coated decor paper, on which wood, tile or fantasy decors are depicted.

The *piazza* and *piazza maxi* collections feature the DPL+ system developed by Windmöller. A resin-coated reinforcing layer is pressed underneath the decor layer making the flooring particularly resilient. These floors are especially suited for use in the commercial sector and come with a 5-fold lifetime guarantee.




Fine wooden pore



Exclusive wood structure




Handscraped I




Silk matt



Matt surface



Rough sawn



Registered embossed surface



Soft surface




Tile texture



High gloss surface

LAMINATE PRODUCT COMPOSITION



- | | |
|---|--|
| <p>1 Waterproof edging
Water-repellent moisture protection</p> <p>2 Surface
particularly hardwearing
Melamine resin overlay</p> <p>3 Decor paper
Melamine decor film</p> <p>4 DPL+
Underlay, additionally resin-treated power film for the <i>piazza</i> and <i>piazza maxi</i> collections</p> | <p>5 Coreboard
Aqua-Protect®, HDF-Protect®, HDF board
PEFC FSC-certified</p> <p>6 Click installation
LocTec, the millionfold proven
Unilin® installation system</p> <p>7 Sound-Protect EcoPlus
Sound-Protect Eco Profi
The optimal acoustic system from Witex is available either as a roll or pre-installed.</p> |
|---|--|



My take-off und Landing strip

„For me there is nothing nicer than snuggling in bed after a long day, losing myself in my dreams and making a new start in the morning well refreshed.“

- Select wood decors
- Additional protection due to edge protection
- Suitable for installation on underfloor heating | suitable for chair castors | non-staining
- 20 decors with optional mat – Perfect room acoustics due to the laminated Sound-Protect basic acoustic system
- 8 fabulous decors with an authentic floor-board look- can be installed with the Sound-Protect acoustic system supplied on a role!

bonita bonita V2

Practical, durable and varied. Entry-level collections from the bonita range create a zest for home living. And they come with all the important quality criteria of a wineo branded floor. The bonita collection, with its 20 select decors and the ability to be combined with each other, creates a special style, making the entry to the wineo laminate world exciting and creative. 8 select decors with an authentic groove design ensure a fabulous cottage flair.

bonita

bonita



Maple cottage | AH180B | AH180BC
Single plank | Silk matt

Skirting board 1: 30030103 | 4A18
Skirting board 2: 30040109 | 7A18
Skirting board 3: 30050125 | VA18



Masuria apple tree | AP120B | AP120BC
Single plank | Silk matt

Skirting board 1: 30030156 | 4A10
Skirting board 2: 30040156 | 7A10
Skirting board 3: 30050131 | VA10



Distinctive apple tree | AP130B | AP130BC
2-strip | Silk matt

Skirting board 1: 30030157 | 4A19
Skirting board 2: 30040157 | 7A19



Beech royal | BU200B | BU200BC
3-strip | Fine wooden pore

Skirting board 1: 30030107 | 4B13
Skirting board 2: 30040113 | 7B13




Rose beech | BU370B | BU370BC
2-strip | Fine wooden pore

Skirting board 1: 30030215 | 4B37
Skirting board 2: 30040215 | 7B37



Old Lined oak | EI150B | EI150BC
2-strip | Fine wooden pore

Skirting board 1: 30030133 | 4E50
Skirting board 2: 30040136 | 7E50



Technical information

Decor surface:	1288 mm × 192 mm
Element thickness:	7 mm 9 mm (with acoustic system)
Coreboard:	HDF board (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating
Room acoustics:	Perfect room acoustics through the Sound-Protect acoustic system (optional)



Western oak | EI275B | EI275BC
2-strip | Rough sawn

Skirting board 1: 30030270 | 4EI27
Skirting board 2: 30040270 | 7EI27
Skirting board 3: 30050207 | VEI27



Californian oak | EI320B | EI320BC
3-strip | Fine wooden pore

Skirting board 1: 30030220 | 4E32
Skirting board 2: 30040220 | 7E32



White oak | EI470B | EI470BC
Single plank | Fine wooden pore

Skirting board 1: 30030132 | 4E47
Skirting board 2: 30040126 | 7E47
Skirting board 3: 30050117 | VE47



Almeria oak | EI730B | EI730BC
3-strip | Fine wooden pore

Skirting board 1: 30030224 | 4E73
Skirting board 2: 30040224 | 7E73



Labrador oak | EI840B | EI840BC
Single plank | Fine wooden pore

Skirting board 1: 30030235 | 4E84
Skirting board 2: 30040235 | 7E84



Spanish oak | EI910B | EI910BC
Single plank | Fine wooden pore

Skirting board 1: 30030236 | 4E91
Skirting board 2: 30040236 | 7E91

Perfect fitting skirting boards are available.

Additional accessories on page 52.

Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

bonita

bonita



Alder romantic | ER110B | ER110BC
3-strip | Fine wooden pore
Skirting board 1: 30030126 | 4E16
Skirting board 2: 30040130 | 7E16
Skirting board 3: 30050104 | VE16



Flemish cherry | KB100B | KB100BC
3-strip | Silk matt
Skirting board 1: 30030239 | 4KB10
Skirting board 2: 30040239 | 7KB10



Tropical cherry | KB140B | KB140BC
3-strip | Fine wooden pore
Skirting board 1: 30030139 | 4K14
Skirting board 2: 30040142 | 7K14
Skirting board 3: 30050108 | VK14




Mountain pine | KI100B | KI100BC
Single plank | Silk matt
Skirting board 1: 30030269 | 4KI10
Skirting board 2: 30040269 | 7KI10
Skirting board 3: 30050206 | VKI10



Austrian pine | KI105B | KI105BC
Single plank | Silk matt
Skirting board 1: 30030274 | 4KI105
Skirting board 2: 30040274 | 7KI105
Skirting board 3: 30050211 | VKI105



Walnut | NU220B | NU220BC
3-strip | Fine wooden pore
Skirting board 1: 30030144 | 4N13
Skirting board 2: 30040147 | 7N13
Skirting board 3: 30050115 | VN13



Technical information

Decor surface:	1288 mm × 192 mm
Element thickness:	7 mm 9 mm (with acoustic system)
Coreboard:	HDF board (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating
Room acoustics:	Perfect room acoustics through the Sound-Protect acoustic system (optional)



Walnut style | NU260B | NU260BC
Butcher block | Fine wooden pore
Skirting board 1: 30030145 | 4N45
Skirting board 2: 30040148 | 7N45
Skirting board 3: 30050116 | VN45



Country pine | PI240B | PI240BC
Single plank | Fine wooden pore
Skirting board 1: 30030193 | 4P24
Skirting board 2: 30040193 | 7P24
Skirting board 3: 30050120 | VP24



bonita

bonita V2



Swedish oak | E1100BV2
Single plank | Exclusive wood structure
Skirting board 1: 30030217 | 4E110
Skirting board 2: 30040217 | 7E110



Swedish smoked oak | E1110BV2
Single plank | Exclusive wood structure
Skirting board 1: 30030218 | 4E111
Skirting board 2: 30040218 | 7E111



Stained oak | E1120BV2
Single plank | Exclusive wood structure
Skirting board 1: 30030219 | 4E112
Skirting board 2: 30040219 | 7E112




Scottish oak | E1255BV2
Single plank | Silk matt
Skirting board 1: 30030289 | 4E1255
Skirting board 2: 30040289 | 7E1255
Skirting board 3: 30050226 | VE1255



Country oak | E1330BV2
Single plank | Silk matt
Skirting board 1: 30030124 | 4E13
Skirting board 2: 30040128 | 7E13
Skirting board 3: 30050103 | VE13



Yellowstone oak | E1770BV2
Single plank | Exclusive wood structure
Skirting board 1: 30030228 | 4E77
Skirting board 2: 30040228 | 7E77



Technical information

Decor surface:	1380 mm × 192 mm
Element thickness:	7 mm
Coreboard:	HDF-Protect® (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating



Ice oak | EI960BV2
Single plank | Exclusive wood structure
Skirting board 1: 30030238 | 4E96
Skirting board 2: 30040238 | 7E96



American pecan | PE100BV2
Single plank | Exclusive wood structure
Skirting board 1: 30030167 | 4P12
Skirting board 2: 30040167 | 7P12



Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

Perfect fitting skirting boards are available.
Additional accessories on page 52.



Our gourmet station

„We all need a little help getting started in the morning. A fresh glass of juice and the first rays of sunshine always help. And sometimes we just simply sit together and enjoy that.“

- Additional protection due to edge protection
- Different surface textures – matched to the decor
- 12 decors with two-sided authentic joint (euro nature V2)
- Laminate panel suitable for damp areas due to Aqua-Protect system (euro nature V2)
- Perfect room acoustics due to the laminated Sound Protect Eco acoustic system (optional)

With its 12 solid decors and 4 individual finishes, the euro collection is placed among the entry-level qualities in the laminate sector. 24 classic and trendy decors provide something for every taste. And those who prefer the country style will certainly find what they are looking for in euro nature V2.

12 modern and trendy oak decors with individually matched surface textures, from classic colours through to modern shades of grey, you will find the latest colours here. European style!

euro


euro actual



Acacia | AC610ERA | AC610ERAP
Single plank | Exclusive wood structure
Skirting board 1: 30030172 | 4AC61
Skirting board 2: 30040173 | 7AC61
Skirting board 3: 30050132 | VAC61



Beech tradition | BU320ERA | BU320ERAP
2-strip | Matt surface
Skirting board 1: 30030215 | 4B37
Skirting board 2: 30040215 | 7B37
Skirting board 3: 30050140 | VB37



Oak structure | EI310ERA | EI310ERAP
Single plank | Matt surface
Skirting board 1: 30030252 | 4EI31
Skirting board 2: 30040252 | 7EI31
Skirting board 3: 30050141 | VE31



Country oak | EI330ERA | EI330ERAP
Single plank | Exclusive wood structure
Skirting board 1: 30030124 | 4E13
Skirting board 2: 30040128 | 7E13
Skirting board 3: 30050103 | VE13



Virginia oak | EI920ERA | EI920ERAP
Single plank | Handscraped I
Skirting board 1: 30030237 | 4E92
Skirting board 2: 30040237 | 7E92
Skirting board 3: 30050142 | VE92



Trentino pine | KI1310ERA | KI1310ERAP
2-strip- | Exclusive wood structure
Skirting board 1: 30030253 | 4KI131
Skirting board 2: 30040253 | 7KI131
Skirting board 3: 30050143 | VKI131



AC4



LocTec



Technical information

Decor surface:	1288 mm × 192 mm
Element thickness:	8 mm 10 mm (with acoustic system)
Coreboard:	HDF board (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating
Room acoustics:	Perfect room acoustics through the Sound-Protect acoustic system (optional)



Walnut classic | NU250ERA | NU250ERAP
3-strip | Fine wooden pore

Skirting board 1: 30030146 | 4N49
Skirting board 2: 30040149 | 7N49
Skirting board 3: 30050114 | VN49



Walnut balance | NU310ERA | NU310ERAP
Single plank | Matt surface

Skirting board 1: 30030257 | 4N31
Skirting board 2: 30040257 | 7N31
Skirting board 3: 30050144 | VN31



Sardinian pine | PI310ERA | PI310ERAP
Single plank | Handscraped I

Skirting board 1: 30030248 | 4PI31
Skirting board 2: 30040248 | 7PI31
Skirting board 3: 30050145 | VPI31




Teak grey | TE310ERA | TE310ERAP
Single plank | Matt surface

Skirting board 1: 30030256 | 4TE31
Skirting board 2: 30040256 | 7TE31
Skirting board 3: 30050146 | VTE31



Teak creme | TE320ERA | TE320ERAP
Single plank | Matt surface

Skirting board 1: 30030255 | 4TE32
Skirting board 2: 30040255 | 7TE32
Skirting board 3: 30050147 | VTE32



Teak dark | TE610ERA | TE610ERAP
Single plank | Matt surface

Skirting board 1: 30030254 | 4TE61
Skirting board 2: 30040254 | 7TE61
Skirting board 3: 30050148 | VTE61

Perfect fitting skirting boards are available.

Additional accessories on page 52.

Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

euro

euro nature V2



Oak Wave grey | E1130ERNV
Single plank | Matt surface

Skirting board 1: 30030249 | 4E113
Skirting board 2: 30040249 | 7E113
Skirting board 3: 30050158 | VE113



Yellow oak | E1160ERNV
Single plank | Handscraped I

Skirting board 1: 30030128 | 4E25
Skirting board 2: 30040132 | 7E25
Skirting board 3: 30050130 | VE25



European oak | E1170ERNV
Single plank | Handscraped I

Skirting board 1: 30030245 | 4E17
Skirting board 2: 30040245 | 7E17
Skirting board 3: 30050149 | VE17



White washed oak | E1250ERNV
Single plank | Handscraped I

Skirting board 1: 30030131 | 4E46
Skirting board 2: 30040135 | 7E46
Skirting board 3: 30050150 | VE46




New Hampshire oak | E1280ERNV
Single plank | Handscraped I

Skirting board 1: 30030246 | 4E128
Skirting board 2: 30040246 | 7E128
Skirting board 3: 30050151 | VE28



Country oak | E1330ERNV
Single plank | Handscraped I

Skirting board 1: 30030124 | 4E13
Skirting board 2: 30040128 | 7E13
Skirting board 3: 30050103 | VE13



Technical information

Decor surface:	1380 mm × 192 mm
Element thickness:	8 mm
Coreboard:	Aqua-Protect® (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating



Michigan oak | EI370ERNV
Single plank | Handscraped I

Skirting board 1: 30030177 | 4E38
Skirting board 2: 30040178 | 7E38
Skirting board 3: 30050152 | VE38



Ontario oak | EI375ERNV
Single plank | Handscraped I

Skirting board 1: 30030176 | 4E37
Skirting board 2: 30040177 | 7E37
Skirting board 3: 30050153 | VE37



Oak Wave creme | EI450ERNV
Single plank | Matt surface

Skirting board 1: 30030250 | 4EI45
Skirting board 2: 30040250 | 7EI45
Skirting board 3: 30050156 | VEI45



Oak Wave dark | EI460ERNV
Single plank | Matt surface

Skirting board 1: 30030251 | 4EI46
Skirting board 2: 30040251 | 7EI46
Skirting board 3: 30050157 | VEI46



Oak | EI560ERNV
Single plank | Handscraped I

Skirting board 1: 30030247 | 4EI56
Skirting board 2: 30040247 | 7EI56
Skirting board 3: 30050154 | VEI56



Sand oak | EI675ERNV
Single plank | Handscraped I

Skirting board 1: 30030127 | 4E22
Skirting board 2: 30040131 | 7E22
Skirting board 3: 30050155 | VE22

Perfect fitting skirting boards are available.

Additional accessories on page 52.

Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

euro



My wonderland

„At home I like playing at being a princess best. Our hallway then turns into the royal room of mirrors: Mirror, mirror on the wall, who is the sweetest princess of all?“

- Fabulous wood and stone decors
- Additional protection due to edge protection
- Authentic groove design
- Anti-static
- Laminate panel suitable for damp areas due to Aqua-Protect system
- Optionally available with laminated Sound Protect acoustic mat or can be installed with the Sound-Protect acoustic system supplied on a role
- Authentic finishes from rough sawn through to matt looks

marena **marena V2** **marena maxi V2** **marena XL V4** **marena stone V4**

Versatile in every respect. Customers will certainly find the right thing in the marena collection. This is not only guaranteed by the large choice of *marena* in the standard version, but also the other four collections by means of authentic V-joints, stone looks, extra long and extra wide planks. Includes something for everyone.. Wide range of features such as anti-static and the moisture-resistant coreboard thanks to the Aqua Protect system make these floors genuine carefree products!

See for yourself.

marena

marena



Canadian mountain maple | AH300M | AH300MC
3-strip | Fine wooden pore

Skirting board 1: 30030100 | 4A11
Skirting board 2: 30040108 | 7A11
Skirting board 3: 30050106 | VA11



Noble maple | AH360M | AH360MC
Single plank | Silk matt

Skirting board 1: 30030161 | 4A36
Skirting board 2: 30040161 | 7A36



Traditional apple | AP100M | AP100MC
2-strip | Fine wooden pore

Skirting board 1: 30030102 | 4A17
Skirting board 2: 30040110 | 7A17



Reed bamboo | BA120M | BA120MC
feine Streifen | Silk matt

Skirting board 1: 30030212 | 4BA12
Skirting board 2: 30040212 | 7BA12




Rustic beech | BU270M | BU270MC
2-strip | Fine wooden pore

Skirting board 1: 30030111 | 4B23
Skirting board 2: 30040116 | 7B23
Skirting board 3: 30050102 | VB23



Ocean beech | BU300M | BU300MC
3-strip | Fine wooden pore

Skirting board 1: 30030108 | 4B17
Skirting board 2: 30040114 | 7B17
Skirting board 3: 30050101 | VB17



Technical information

Decor surface:	1288 mm × 192 mm
Element thickness:	8 mm 10 mm (with acoustic system)
Coreboard:	Aqua-Protect® (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating
Room acoustics:	Perfect room acoustics through the Sound-Protect acoustic system (optional)



Japanese white oak | EI700M | EI700MC
2-strip | Silk matt
Skirting board 1: 30030221 | 4E70
Skirting board 2: 30040221 | 7E70
Skirting board 3: 30050234 | VE70



Mexican oak | EI710M | EI710MC
3-strip | Fine wooden pore
Skirting board 1: 30030222 | 4E71
Skirting board 2: 30040222 | 7E71



Bergamo oak | EI750M | EI750MC
Single plank | Exclusive wood structure
Skirting board 1: 30030226 | 4E75
Skirting board 2: 30040226 | 7E75



Levantine oak | EI760M | EI760MC
Single plank | Exclusive wood structure
Skirting board 1: 30030227 | 4E76
Skirting board 2: 30040227 | 7E76



Pin oak | EI780M | EI780MC
Single plank | Silk matt
Skirting board 1: 30030229 | 4E78
Skirting board 2: 30040229 | 7E78



Oak ambience grey | EI800M | EI800MC
Single plank | Silk matt
Skirting board 1: 30030231 | 4E80
Skirting board 2: 30040231 | 7E80

Perfect fitting skirting boards are available.

Additional accessories on page 52.

Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

marena

marena



Oak ambience creme | EI820M | EI820MC

Single plank | Silk matt

Skirting board 1: 30030233 | 4E82

Skirting board 2: 30040233 | 7E82




Asturian oak | EI830M | EI830MC

Single plank | Silk matt

Skirting board 1: 30030234 | 4E83

Skirting board 2: 30040234 | 7E83



Cornwell oak | EI405M | EI405MC

2-strip | Silk matt

Skirting board 1: 30030184 | 4E48

Skirting board 2: 30040184 | 7E48

Skirting board 3: 30050233 | VE48



Virginia oak | EI920M | EI920MC

Single plank | Exclusive wood structure

Skirting board 1: 30030237 | 4E92

Skirting board 2: 30040237 | 7E92

Skirting board 3: 30050142 | VE92



Cavan cherry | KB310M | KB310MC

Single plank | Silk matt

Skirting board 1: 30030240 | 4K31

Skirting board 2: 30040240 | 7K31




Grey pine | KI180M | KI180MC

2-strip | Silk matt

Skirting board 1: 30030140 | 4K15

Skirting board 2: 30040145 | 7K15



Technical information

Decor surface: 1288 mm × 192 mm

Element thickness: 8 mm | 10 mm (with acoustic system)

Coreboard: Aqua-Protect® (PEFC certified)

Resistance to abrasion: AC 4 (EN 13329, Appendix E)

Installation: Suitable for laying on underfloor heating

Room acoustics: Perfect room acoustics through the Sound-Protect acoustic system (optional)



Walnut country | NU240M | NU240MC
2-strip | Fine wooden pore
Skirting board 1: 30030159 | 4E41
Skirting board 2: 30040159 | 7E41



Walnut classic | NU250M | NU250MC
3-strip | Fine wooden pore
Skirting board 1: 30030146 | 4N49
Skirting board 2: 30040149 | 7N49
Skirting board 3: 30050114 | VN49




American pecan | PE100M | PE100MC
Single plank | Exclusive wood structure
Skirting board 1: 30030167 | 4P12
Skirting board 2: 30040167 | 7P12



Toskanian pine | PI100M | PI100MC
2-strip | Silk matt
Skirting board 1: 30030150 | 4P10
Skirting board 2: 30040139 | 7P10



Panga Panga | PP300M | PP300MC
2-strip | Exclusive wood structure
Skirting board 1: 30030244 | 4PP30
Skirting board 2: 30040244 | 7PP30



African wengé | WE100M | WE100MC
2-strip | Exclusive wood structure
Skirting board 1: 30030153 | 4W10
Skirting board 2: 30040152 | 7W10
Skirting board 3: 30050109 | VW10

Perfect fitting skirting boards are available.

Additional accessories on page 52.

Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

marena V2



Old castle oak | EI105MV2
Single plank | Registered embossed surface

Skirting board 1: 30030282 | 4EI105
Skirting board 2: 30040282 | 7EI105
Skirting board 3: 30050219 | VEI105



Oak champagne | EI325MV2
Single plank | Registered embossed surface

Skirting board 1: 30030279 | 4EI325
Skirting board 2: 30040279 | 7EI325
Skirting board 3: 30050216 | VEI325



Walnut oak | EI335MV2
Single plank | Registered embossed surface

Skirting board 1: 30030280 | 4EI335
Skirting board 2: 30040280 | 7EI335
Skirting board 3: 30050217 | VEI335



Silver grey oak | EI390MV2
Single plank | Registered embossed surface

Skirting board 1: 30030283 | 4EI390
Skirting board 2: 30040283 | 7EI390
Skirting board 3: 30050220 | VEI390




Tirol oak cream | EI491MV2
Single plank | Registered embossed surface

Skirting board 1: 30030300 | 4EI491
Skirting board 2: 30040320 | 7EI491



Tirol oak bronze | EI492MV2
Single plank | Registered embossed surface

Skirting board 1: 30030301 | 4EI492
Skirting board 2: 30040321 | 7EI492



Technical information

Decor surface:	1380 mm × 192 mm
Element thickness:	8 mm
Coreboard:	Aqua-Protect® (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating




Tirol oak honey | EI493MV2
Single plank | Registered embossed surface
Skirting board 1: 30030302 | 4EI493
Skirting board 2: 30040322 | 7EI493



Tirol oak mocha | EI494MV2
Single plank | Registered embossed surface
Skirting board 1: 30030303 | 4EI494
Skirting board 2: 30040323 | 7EI494



Tirol oak silver | EI496MV2
Single plank | Registered embossed surface
Skirting board 1: 30030304 | 4EI496
Skirting board 2: 30040324 | 7EI496



Tirol oak anthracite | EI497MV2
Single plank | Registered embossed surface
Skirting board 1: 30030305 | 4EI497
Skirting board 2: 30040325 | 7EI497



Tirol oak white | EI498MV2
Single plank | Registered embossed surface
Skirting board 1: 30030306 | 4EI498
Skirting board 2: 30040326 | 7EI498



Tirol oak ochre | EI499MV2
Single plank | Registered embossed surface
Skirting board 1: 30030288 | 4EI49
Skirting board 2: 30040288 | 7EI49
Skirting board 3: 30050225 | VEI49

Perfect fitting skirting boards are available.

Additional accessories on page 52.

Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

marena

marena maxi V2




Salt oak | EI265MMV2
Single plank | Silk matt

Skirting board 1: 30030276 | 4EI26
Skirting board 2: 30040276 | 7EI26
Skirting board 3: 30050213 | VEI26



Natural castle oak | EI305MMV2
Single plank | Silk matt

Skirting board 1: 30030277 | 4EI30
Skirting board 2: 30040277 | 7EI30
Skirting board 3: 30050214 | VEI30



Coastal oak | EI315MMV2
Single plank | Silk matt

Skirting board 1: 30030278 | 4EI315
Skirting board 2: 30040278 | 7EI315
Skirting board 3: 30050215 | VEI315



Oak champagne | EI325MMV2
Single plank | Registered embossed surface

Skirting board 1: 30030279 | 4EI325
Skirting board 2: 30040279 | 7EI325
Skirting board 3: 30050216 | VEI325




Walnut oak | EI335MMV2
Single plank | Registered embossed surface

Skirting board 1: 30030280 | 4EI335
Skirting board 2: 30040280 | 7EI335
Skirting board 3: 30050217 | VEI335



Dark Kahlua oak | EI350MMV2
Single plank | Silk matt

Skirting board 1: 30030178 | 4E39
Skirting board 2: 30040179 | 7E39



Technical information

Decor surface:	1380 mm × 243 mm
Element thickness:	8 mm
Coreboard:	Aqua-Protect® (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating



Kahlua oak | EI355MMV2
Single plank | Silk matt
Skirting board 1: 30030131 | 4E46
Skirting board 2: 30040135 | 7E46



Michigan oak | EI370MMV2
Single plank | Silk matt
Skirting board 1: 30030177 | 4E38
Skirting board 2: 30040178 | 7E38
Skirting board 3: 30050152 | VE38



Ontario oak | EI375MMV2
Single plank | Silk matt
Skirting board 1: 30030176 | 4E37
Skirting board 2: 30040177 | 7E37
Skirting board 3: 30050153 | VE37



Alaska oak | EI630MMV2
Single plank | Silk matt
Skirting board 1: 30030275 | 4EI63
Skirting board 2: 30040275 | 7EI63
Skirting board 3: 30050212 | VEI63



French walnut | NU270MMV2
Single plank | Silk matt
Skirting board 1: 30030166 | 4N27
Skirting board 2: 30040166 | 7N27
Skirting board 3: 30050113 | VN27



Pecan exclusive | PE480MMV2
Single plank | Silk matt
Skirting board 1: 30030243 | 4PE48
Skirting board 2: 30040243 | 7PE48

Perfect fitting skirting boards are available.
Additional accessories on page 52.

Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

marena

marena XL V4



Columbian beech | BU305MXLV4
Single plank | Matt surface

Skirting board 1: 30030268 | 4B30
Skirting board 2: 30040268 | 7B30
Skirting board 3: 30050214 | VB30



Tennessee oak natural | EI101MXLV4
Single plank | Matt surface

Skirting board 1: 30030308 | 4E1101
Skirting board 2: 30040328 | 7E1101



Tennessee oak white | EI102MXLV4
Single plank | Matt surface

Skirting board 1: 30030309 | 4E1102
Skirting board 2: 30040329 | 7E1102



Tennessee oak mocha | EI103MXLV4
Single plank | Matt surface

Skirting board 1: 30030310 | 4E1103
Skirting board 2: 30040330 | 7E1103




Tennessee oak ochre | EI104MXLV4
Single plank | Matt surface

Skirting board 1: 30030311 | 4E1104
Skirting board 2: 30040331 | 7E1104



Tennessee oak umbra | EI106MXLV4
Single plank | Matt surface

Skirting board 1: 30030313 | 4E1106
Skirting board 2: 30040333 | 7E1106



Technical information

Decor surface:	1845 mm × 243 mm
Element thickness:	10 mm
Coreboard:	Aqua-Protect® (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating



Tennessee oak platinum | EI107MXLV4
 Single plank | Matt surface
 Skirting board 1: 30030314 | 4EI107
 Skirting board 2: 30040334 | 7EI107



Tennessee oak smoked | EI108MXLV4
 Single plank | Matt surface
 Skirting board 1: 30030312 | 4EI108
 Skirting board 2: 30040332 | 7EI108



Canyon oak white | EI235MXLV4
 Single plank | Matt surface
 Skirting board 1: 30030307 | 4EI235
 Skirting board 2: 30040327 | 7EI235



Welsh oak | EI465MXLV4
 Single plank | Rough sawn
 Skirting board 1: 30030285 | 4EI465
 Skirting board 2: 30040285 | 7EI465
 Skirting board 3: 30050222 | VEI465



Oak Hacienda | EI490MXLV4
 Single plank | Matt surface
 Skirting board 1: 30030185 | 4EI49
 Skirting board 2: 30040185 | 7EI49
 Skirting board 3: 30050119 | VEI49



Traditional oak | EI920MXLV4
 Single plank | Rough sawn
 Skirting board 1: 30030237 | 4E92
 Skirting board 2: 30040237 | 7E92
 Skirting board 3: 30050142 | VE92

Perfect fitting skirting boards are available.

Additional accessories on page 52.

Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

marena

marena stone V4



Scratch Concrete | P960MSV4
Stone optics | Soft surface
Skirting board 2: 30040335 | 7P960



Travertine Creme | P965MSV4
Travertine | Soft surface
Skirting board 2: 30040336 | 7P965



Travertine mocca | P970MSV4
Travertine | Soft surface
Skirting board 2: 30040337 | 7P970




Creativ rost | P975MSV4
Metal optics | Soft surface
Skirting board 2: 30040338 | 7P975



Creative grey | P980MSV4
Metal optics | Soft surface
Skirting board 2: 30040339 | 7P978



Volcanic rock | P985MSV4
Stone optics | Soft surface
Skirting board 2: 30040340 | P985



Technical information


Decor surface:	596 mm x 305 mm
Element thickness:	8 mm
Coreboard:	Aqua-Protect® (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating



Black Slate | S300MSV4
Stone optics | Tile texture
Skirting board 2: 30020535 | 7S300



Concrete | S310MSV4
Stone optics | Soft surface
Skirting board 2: 30020536 | 7S310



Limestone | S330MSV4
Stone optics | Soft surface
Skirting board 2: 30020538 | 7S330



Grey | S370MSV4
Stone optics | Soft surface
Skirting board 2: 30020541 | 7S370



Concrete light | S390MSV4
Stone optics | Soft surface
Skirting board 2: 30020543 | 7S390



Concrete dark | S400MSV4
Stone optics | Soft surface
Skirting board 2: 30020544 | 7S400

Perfect fitting skirting boards are available.
Additional accessories on page 52.

Skirting board **2** 



My touch of luxury

*„When they have turned out well
and I can enjoy them, in peace,
with plenty of time – because
chocolate makes you happy.“*

- Extra long laminate panel with four-sided authentic joint (V4)
- Surface textures matched to the wood decors – registered embossed
- Laminate panel suitable for damp areas due to Aqua-Protect system
- Can be installed with the Sound-Protect acoustic system supplied on a role!

ariosa

ariosa, the collection in the laminate range that gives you an appetite for more. With 8 fabulous decors in country style, including an authentic joint, this collection offers all the properties of a premium floor. The resilient and authentic surface, combined with the Aqua Protect coreboard suitable for damp areas, leaves nothing to be desired.

The 4-sided authentic joint gives the floor a solid character for all those who love real wood.

ariosa

ariosa



Oak cream | EI020ARA
Single plank | Registered embossed surface
Skirting board 1: 30030258/4EI020ARA
Skirting board 2: 30040258/7EI020ARA



Snow oak | EI030ARA
Single plank | Registered embossed surface
Skirting board 1: 30030259/4EI030ARA
Skirting board 2: 30040259/7EI030ARA



Oak espresso | EI050ARA
Single plank | Registered embossed surface
Skirting board 1: 30030260/4EI050ARA
Skirting board 2: 30040260/7EI050ARA




Oak slate | EI060ARA
Single plank | Registered embossed surface
Skirting board 1: 30030261/4EI060ARA
Skirting board 2: 30040261/7EI060ARA



Cinnamon oak | EI070ARA
Single plank | Registered embossed surface
Skirting board 1: 30030262/4EI070ARA
Skirting board 2: 30040262/7EI070ARA



Oak vanilla | EI080ARA
Single plank | Registered embossed surface
Skirting board 1: 30030263/4EI080ARA
Skirting board 2: 30040263/7EI080ARA



Technical information

Decor surface:	1845 mm × 188 mm
Element thickness:	12 mm
Coreboard:	Aqua-Protect® (PEFC certified)
Resistance to abrasion:	AC 5 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating



Oak nutmeg | EI090ARA
 Single plank | Registered embossed surface
 Skirting board 1: 30030264/4EI090ARA
 Skirting board 2: 30040264/7EI090ARA



Wenge cocoa | WE010ARA
 Single plank | Exclusive wood structure
 Skirting board 1: 30030265/4WE010ARA
 Skirting board 2: 30040265/7WE010ARA



Skirting board **1** 

Skirting board **2** 

Perfect fitting skirting boards are available.
 Additional accessories on page 52.

ariosa



My chill-out zone

*„The most precious thing for me:
lounging on the sofa, chasing after
daydreams or forgetting everything
else around me whilst reading a
gripping thriller.“*

- High quality, exclusive wood decors in both standard and wide formats
- Ecological laminate flooring due to FSC coreboard with the *Blue Angel* award
- Extra impact-resistant surface due to DPL+ | Suitable for machine cleaning*
- Laminate panel suitable for damp areas due to Aqua-Protect system
- Perfect room acoustics due to the laminated Sound Protect Eco Plus acoustic system or can be installed with the Sound-Protect acoustic system supplied on a role!

piazza piazza maxi

No compromise on quality, design and ecology. The wineo floors piazza and piazza maxi are a collection of technically feasible properties. For example, DPL+ ensures the best results in terms of resistance, and the use of the FSC-certified Aqua-Protect coreboard even makes these floors suitable for machine cleaning and damp areas. Using FSC-certified materials in conjunction with the Sound-Protect-Eco acoustic system means that these collections are surely the most sustainable in the laminate flooring sector at the moment.

piazza

piazza



African afzelia | AF100P | AF100PC
2-strip | Matt surface

Skirting board 1: 30030165 | 4K21
Skirting board 2: 30040165 | 7K21
Skirting board 3: 30050232 | VK21



Argentinean maple | AH315P | AH315PC
3-strip | Rough sawn

Skirting board 1: 30030272 | 4A31
Skirting board 2: 30040272 | 7A31
Skirting board 3: 30050209 | VA31



Columbian beech | BU305P | BU305PC
Single plank | Matt surface

Skirting board 1: 30030268 | 4B30
Skirting board 2: 30040268 | 7B30
Skirting board 3: 30050214 | VB30



Oak wave grey | EI130P | EI130PC
Single plank | Matt surface

Skirting board 1: 30030249 | 4E13
Skirting board 2: 30040249 | 7E13
Skirting board 3: 30050158 | VE13



Salt oak | EI265P | EI265PC
Single plank | Rough sawn

Skirting board 1: 30030276 | 4E126
Skirting board 2: 30040276 | 7E126
Skirting board 3: 30050213 | VE126



Coastal oak | EI315P | EI315PC
Single plank | Rough sawn

Skirting board 1: 30030278 | 4E1315
Skirting board 2: 30040278 | 7E1315
Skirting board 3: 30050215 | VE1315



Das Zeichen für verantwortungsvolle
Waldwirtschaft

Technical information

Decor surface:	1288 mm × 192 mm
Element thickness:	8 mm 10 mm (with acoustic system)
Coreboard:	Aqua-Protect® (FSC certified)
Resistance to abrasion:	AC 5 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating
Room acoustics:	Perfect room acoustics through the Sound-Protect acoustic system (optional)



White oak | EI410P | EI410PC
2-strip | Matt surface
Skirting board 1: 30030185 | 4E49
Skirting board 2: 30040185 | 7E49
Skirting board 3: 30050119 | VE49



Light burlington oak | EI420P | EI420PC
Single plank 1 + 2-strip | Matt surface
Skirting board 1: 30030187 | 4E52
Skirting board 2: 30040187 | 7E52




Oak wave creme | EI450P | EI450PC
Single plank | Matt surface
Skirting board 1: 30030250 | 4EI45
Skirting board 2: 30040250 | 7EI45
Skirting board 3: 30050156 | VEI45



Classic oak | EI635P | EI635PC
2-strip | Matt surface
Skirting board 1: 30030123 | 4E10
Skirting board 2: 30040127 | 7E10



Nordic oak | EI665P | EI665PC
Single plank | Matt surface
Skirting board 1: 30030271 | 4EI66
Skirting board 2: 30040271 | 7EI66
Skirting board 3: 30050208 | VEI66



Walnut anthracite | NU300P | NU300PC
2-strip | Matt surface
Skirting board 1: 30030273 | 4NU30
Skirting board 2: 30040273 | 7NU30
Skirting board 3: 30050210 | VNU30

Perfect fitting skirting boards are available.

Additional accessories on page 52.

Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

piazza

piazza maxi



Portuguese oak | E1430PM
Single plank | Matt surface
Skirting board 1: 30030189 | 4E43
Skirting board 2: 30040189 | 7E43



Bog oak | E1435PM
Single plank | Matt surface
Skirting board 1: 30030190 | 4E54
Skirting board 2: 30040190 | 7E54



Welsh pale oak | E1445PM
Single plank | Rough sawn
Skirting board 1: 30030284 | 4E1445
Skirting board 2: 30040284 | 7E1445
Skirting board 3: 30050221 | VE1445



Welsh dark oak | E1465PM
Single plank | Matt surface
Skirting board 1: 30030285 | 4E1465
Skirting board 2: 30040285 | 7E1465
Skirting board 3: 30050222 | VE1465



Ocean oak | E1475PM
Single plank | Matt surface
Skirting board 1: 30030286 | 4E147
Skirting board 2: 30040286 | 7E147
Skirting board 3: 30050223 | VE147



Volcano oak | E1485PM
Single plank | Matt surface
Skirting board 1: 30030287 | 4E148
Skirting board 2: 30040287 | 7E148
Skirting board 3: 30050224 | VE148



Das Zeichen für verantwortungsvolle
Waldwirtschaft

Technical information

Decor surface:	1380 mm × 243 mm
Element thickness:	10 mm
Coreboard:	Aqua-Protect® (FSC certified)
Resistance to abrasion:	AC 5 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating



Tirol oak cream | EI491PM
 Single plank | Rough sawn
 Skirting board 1: 30030300 | 4EI491
 Skirting board 2: 30040320 | 7EI491



Tirol oak honey | EI493PM
 Single plank | Rough sawn
 Skirting board 1: 30030302 | 4EI493
 Skirting board 2: 30040322 | 7EI493



Tirol oak | EI495PM
 Single plank | Rough sawn
 Skirting board 1: 30030288 | 4EI49
 Skirting board 2: 30040288 | 7EI49
 Skirting board 3: 30050225 | VEI49



Tirol oak silver | EI496PM
 Single plank | Rough sawn
 Skirting board 1: 30030304 | 4EI496
 Skirting board 2: 30040324 | 7EI496



Tirol oak white | EI498PM
 Single plank | Rough sawn
 Skirting board 1: 30030306 | 4EI498
 Skirting board 2: 30040325 | 7EI498



Alaska oak | EI630PM
 Single plank | Matt surface
 Skirting board 1: 30030275 | 4EI63
 Skirting board 2: 30040275 | 7EI63
 Skirting board 3: 30050212 | VEI63

Perfect fitting skirting boards are available.

Additional accessories on page 52.

Skirting board **1** 

Skirting board **2** 

Skirting board **3** 

piazza



My Bakery

„I have really earned this sweet time-out! After all, every master baker should also test why she has slaved away baking in the kitchen for half the day.“

- Classic plain colours, stone decors and creative decors with matt and high gloss finish
- 8 mm thick laminate panel suitable for damp areas due to Aqua-Protect system
- All-round micro-bevel
- Resilient surface hardened by electron beams
- Can be installed with the Sound-Protect acoustic system supplied on a role!

color

For those who like it especially refined: color turns rooms into experiences, in a choice of shiny or matt. Its selection of plain decors offers free scope to creative ideas.

Stone decors and also creative decors give the color collection a special place in the laminate sector.

color

color matt



White | CHC500CM
Matt surface
Skirting board 4: 30040342



Black | CHC510CM
Matt surface
Skirting board 4: 30040344




Umbra grey | CHC530CM
Matt surface
Skirting board 4: 30040346



Ruby red | CHC540CM
Matt surface



Sapphire blue | CHC550CM
Matt surface



Technical information

Decor surface:	853 mm x 329 mm
Element thickness:	8 mm
Coreboard:	Aqua-Protect® (PEFC certified)
Resistance to abrasion:	AC 4 (EN 13329, Appendix E)
Installation:	Suitable for laying on underfloor heating



Linen | CHC560CM
Matt surface



Wenge original | CHC650CM
Matt surface
Skirting board 4: 30040355



Raw Steel | CHC660CM
Matt surface
Skirting board 4: 30040356



Bone | CHC670CM
Matt surface
Skirting board 4: 30040357

Perfect fitting skirting boards are available.
Additional accessories on page 52.

Skirting board **4**



color

color high gloss




White | CHC500CH
High gloss surface
Skirting board 4: 30040341



Black | CHC510CH
High gloss surface
Skirting board 4: 30040343




Umbra grey | CHC530CH
High gloss surface
Skirting board 4: 30040345



Ruby red | CHC540CH
High gloss surface



Sapphire blue | CHC550CH
High gloss surface



Technical information

Decor surface:	853 mm x 329 mm
Element thickness:	8 mm
Coreboard:	Aqua-Protect® (PEFC certified)
Resistance to abrasion:	WR 3 (EN 14354, Anhang D)
Installation:	Suitable for laying on underfloor heating



Linen | CHC560CH
High gloss surface



Carrara Marble | CHC570CH
High gloss surface
Skirting board 4: 30040352



Asiatic Marble | CHC580CH
High gloss surface
Skirting board 4: 30040353



Travertine Creme | CHC590CH
High gloss surface
Skirting board 4: 30040354

Perfect fitting skirting boards are available.
Additional accessories on page 52.

Skirting board **4**




color

SKIRTING BOARDS WOOD OPTICS


The perfect finish. The right accessories are all part of a wineo branded floor.

Not only do these provide the optimum finish in terms of looks, but they also ensure what is required for a long product life – because the wineo branded accessories have been especially matched to the floors. You will therefore find the matching skirting boards and transition profiles for each product. The Sound-Protect Eco Plus acoustic system made of 95% natural raw materials with outstanding insulating properties deserves a special mention.



Clipstar fastening system

50 clips/set (25 sets/carton)
for approx. 25 running m. of
wineo skirting board 30020239



Skirting board 22/42

MDF support | 22 mm × 42 mm × 2400 mm
Selling Unit: 4 pieces



Skirting board 14/70

MDF support | 14 mm × 70 mm × 2400 mm
Selling Unit: 4 pieces



Skirting board 14/19

MDF support | 14 mm × 19 mm × 2400 mm
Selling Unit: 20 pieces

Skirting boards + Clipstar

For every wineo floor there is the perfectly matching skirting board for a harmonic wallfinish, also as paintable versions. Fit skirting boards quickly and invisibly with the wineo Clipstar fastening system. This also enables the skirting board to be easily removed – a great advantage when painting or wallpapering.

Skirting board white 22/42 | 30030195

Skirting board white 14/70 | 30040208

Skirting board white 14/19 | 30050121

EXCLUSIVE SKIRTING BOARDS INDIVIDUALLY



4



Skirting board 18/78

MDF support | 18 mm × 78 mm × 2400 mm

Selling Unit: 4 pieces



Polar white | matt | 30060345



Aluminium brushed | matt | 30060360



Stainless steel look | matt | 30060361




White | 30040341

30040342



Black | 30040343

30040344



Umbra grey | 30040345

30040346



Wenge Original | 30040355



Raw steel | 30040356




Bone | 30040357



Carrara Marble | 30040352



Asiatic Marble | 30040353




Travertine Creme | 30040354

ALUMINIUM PROFILES WOOD- AND METALOPTIC

wineo profiles are ideally suited for perfect colour and visual transitions between floorings and walls, adjoining doorways or other structures.

Apart from the *classic* flooring profiles made of aluminium, wineo also offers attractive wood optics alternatives for all closures and transitions. The necessary expansion joint is also taken into account.




Profitec Junior transition profile

Two-part aluminium profile for covering expansion joints.

For floor thicknesses of 6 – 12 mm
33 mm × 1 m | 2,7m

Packing Unit: 10 pieces/Box
Selling Unit: 1 piece




Profitec Junior adaptation profile

Two-part aluminium profile for transitions between floors of varying heights

For floor thicknesses of 6 – 12 mm
44 mm × 1 m | 2,7m

Packing Unit: 10 pieces/Box
Selling Unit: 1 piece




Profitec Junior end profile

Two-part aluminium profile, e.g. for transitions between floors and walls.


For floor thicknesses of 6 – 12 mm
26 mm × 1 m | 2,7m

Packing Unit: 10 pieces/Box
Selling Unit: 1 piece


1 m	2,7 m	1 m	2,7 m	1 m	2,7 m
48100449	48100425	48100457	48100433	48100465	48100441 Silver
48100448	48100424	48100456	48100432	48100464	48100440 Sand
48100450	48100426	48100458	48100434	48100466	48100442 Steel matt
48100453	48100429	48100461	48100437	48100469	48100445 Maple
48100451	48100427	48100459	48100435	48100467	48100443 Beech
48100452	48100428	48100460	48100436	48100468	48100444 Light Oak
48100454	48100430	48100462	48100438	48100470	48100446 Cherry
48100455	48100431	48100463	48100439	48100471	48100447 Walnut



Transition profile PS400PEP
Screwed two-part aluminium profile for covering expansion joints.
For floor thicknesses of 6–13 mm
36 mm × 1 m | 2,7m
Packing Unit: 10 pieces/Box
Selling Unit: 1 piece



Adaptation profile PS400PEP
Screwed two-part aluminium profile for transitions between floors of varying heights.
For floor thicknesses of 6–13 mm
44 mm × 1 m | 2,7m
Packing Unit: 10 pieces/Box
Selling Unit: 1 piece



End profile PS400PEP
Screwed two-part aluminium profile, e.g. for transitions between floors and walls.
For floor thicknesses of 6–13 mm.
25 mm × 1 m | 2,7 m
Packing Unit: 10 pieces/Box
Selling Unit: 1 piece

1 m	2,7 m	1 m	2,7 m	1 m	2,7 m
48100413	48100401	48100417	48100405	48100421	48100409 Silver
48100412	48100400	48100416	48100404	48100420	48100408 Sand
48100414	48100402	48100418	48100406	48100422	48100410 Steel matt
48100415	48100403	48100419	48100407	48100423	48100411 Steel polished

Increase block
Sand | Stainless steel matt | 48100502

Increase block
Silver | Stainless steel polished | 48100503

UNDERLAY MATERIAL THE PERFECT SOLUTION

For every wineo floor and every room situation there is the perfect underlay material.

Footfall noise insulation for underfloor heating, footfall noise insulation with integrated vapour barrier, insulating boards to improve walking comfort and to compensate for height differences, underlays with insulating properties and vapour barrier combined or underlays for optimal footfall noise insulation – the perfect solution for every application.



**wineo-insulation board
Sound Protect Eco Plus**

- Permanently elastic underlay material made from 93% natural raw materials
- Non woven polyester on one side
- Integrated vapour barrier through gluing the stair nosings with combination sealing tape
- Good room sound properties
- Ideal for use with under-floor heating

Footfall noise reduction: > 19 dB

Loudness reduction: about 26 %

Thermal resistance: 0,01 m² /kW

Thickness 2 mm | Width 1 m | Length 7 m

Art. No. 10020211

Packing Unit: 40 Rolls/Pallet

Selling Unit: 1 Roll/7 m²



**wineo-insulation board
Sound Protect Eco Profi**

- Permanently elastic underlay material made from 93% natural raw materials
- Non woven polyester on one side
- Integrated vapour barrier through gluing the stair nosings with combination sealing tape
- Good room sound properties
- Ideal for use with under-floor heating

Footfall noise reduction: > 20 dB

Loudness reduction: about 31 %

Thermal resistance: 0,01 m²/kW

Thickness 2,8 mm | Width 1 m | Length 5 m

Art. No. 10020212

Packing Unit: 40 Rolls/Pallet

Selling Unit: 1 Roll/5 m²



**wineo-insulation board
Sound-Protect Eco Plus S/D**

- Permanently elastic underlay material made from 93% natural raw materials
- Aluminium laminated on one side
- Even better integrated moisture barrier through gluing the stair nosings with combination sealing tape
- Good room sound properties
- Usable with under-floor heating

Footfall noise reduction: > 19 dB

Loudness reduction: about 26 %

Thermal resistance: 0,01 m² /kW

Thickness 2 mm | Width 1 m | Length 8 m

Art. No. 10020220

Packing Unit: 40 Rolls/Pallet

Selling Unit: 1 Roll/8 m²



wineo-insulation board
Sound Protect Eco Profi S/D

- Permanently elastic underlay material made from 93%
- Aluminium laminated on one side
- Even better integrated moisture barrier through gluing the stair nosings with combination sealing tape
- Good room sound properties
- Usable with under-floor heating

Footfall noise reduction: > 20 dB

Loudness reduction: about 31 %

Thermal resistance: 0,01 m²/kW

Thickness 3 mm | Width 1 m | Length 5 m

Art. No. 10020221

Packing Unit: 40 Rolls/Pallet

Selling Unit: 1 Roll/5 m²



wineo-Combi-Mat
Polystyrene insulation material, aluminium laminated

- Quality underlay with excellent insulation characteristics
- Combined with an effective vapour barrier
- User-friendly and quick to install
- Environmentally friendly, as free of FCFC
- Not suitable for laying on underfloor heating!

Footfall noise reduction: > 18 dB

Thickness 3 mm | Width 1 m | Length 15 m

Art.-Nr. 10020605

Packing Unit: 15 Rolls/Pallet

Selling Unit: 1 Roll/15m²

Footfall noise reduction: > 18 dB

Thickness 3 mm | Width 1,2 m | Length 25 m

Art. No. 10020600

Packing Unit: 11 Rolls/Pallet

Selling Unit: 1 Roll/30 m



wineo-insulation board

- FSC certified | natureplus® seal
- Improves the walking comfort | reduces the footfall
- Enables a height compensation of up to approx. 3 mm
- Good heat insulation
- Not optimal for laying on underfloor heating

Footfall noise reduction: ≥ 19 dB

Thermal resistance: 0,07 m²/kW

Thickness 5 mm | Width 0,59 m | Length 0,79 m

Art. No. 10020201

Packing Unit: 20 packs/pallet

Selling Unit: 1 pack/10,25 m²

UNDERLAY MATERIAL THE PERFECT SOLUTION



Combined foil

- Good footfall insulation for all hard floor coverings
- A combination of unlinked polyethylene foam and a special
- Diffufol® foil for the reduction of water vapour diffusion
- with a vapour barrier function
- Not suitable for laying on underfloor heating!

Footfall noise reduction: ≥ 18 dB

Thickness 2 mm | Width 1 m | Length 25m

Art.-Nr. 10020107

Packing Unit: 4 Rolls/Bag

Selling Unit: 1 Roll/25m²

Footfall noise reduction: ≥ 18 dB

Thickness 2 mm | Width 1 m | Length 150 m

Art.-Nr. 10020108

Packing Unit: 1 Roll/Beutel

Selling Unit: 1 Roll/150m²



PE vapour barrier

- Thin PE foil.
- As a separating layer between the floor screed and the insulating underlay under all types of hard floor coverings
- The PE vapour barrier has the same technical specification as the 0.2mm-thick PE foil
- With wooden subfloors, the PE vapour barrier is not absolutely necessary

Thickness 0,125 mm | Width 1 m | Length 30 m

Art. No. 10100015

Packing Unit: 100 Rolls/Pallet

Selling Unit: 1 Roll/30m²

Thickness 0,125 mm | Width 4 m | Length 25 m

Art.-Nr. 10100016

Packing Unit: 20 Rolls/Pallet

Selling Unit: 1 Roll/100m²



PE underlay foam

- Underlay foam designed to improve walking comfort
- Not suitable for use as a vapour barrier or for laying on underfloor heating!

Footfall noise reduction:
 ≥ 14 dB – 2mm PE underlay foam

Thickness 2mm | Width 1m | Length 25m

Art.-Nr. 10020106

Packing Unit: 5 Rolls/Bag

Selling Unit: 1 Roll/25m²

Footfall noise reduction:
 ≥ 18 dB – 3mm Envoy Basic

Thickness 3 mm | Width 1 m | Length 25 m

Art.-Nr. 10020110

Packing Unit: 4 Rolls/Bag

Selling Unit: 1 Roll/25m²



SERVICE

WE'RE HERE TO HELP

Our guarantees

Our floors have been developed for a long product life. And because only tested quality leaves our factory, we have come up with something special in our guarantee statement: a lifetime guarantee on product stability and the Click connection for all wineo laminate floors. On the *piazza* and *piazza maxi* collections there is even a 5-fold lifelong guarantee on product stability, click-in connection, abrasion, UV-resistance and resistance to stains. Registration for the lifetime guarantee is possible using either the guarantee card (obtainable from a specialist retailer) or the Internet. The guarantee conditions can be found on the guarantee card or on our website.

www.witex.com/garantie

Delivery

Your satisfaction is our goal. Therefore, all products are available ex stock, and thus as soon as possible at your site. Trust us!

Visit us on the Internet too

You will find all the information about us and our brands at www.wineo.de. From the product portfolio through to new product features and technical information, our Internet platform provides everything you are looking for.

Also take the opportunity on www.witex.com to show the laminate floors in an installed situation. Decide on your room and install the floor there as easy as anything.

Your local contact

If you are interested in our floors or have any further questions, then our local retail partner is happy to be of help. Under www.witex.com or www.windmoeller-flooring.com, you can quickly and easily find your local partner with the help of our dealer search. Simply enter your postcode and away you go!



windmüller flooring products GmbH

Nord-West-Ring 21

32832 Augustdorf

Tel.: +49 (0) 5237 609 - 0

Fax: +49 (0) 5237 609 - 309

Mail: info@wineo.de

www.wineo.de

All the illustrated decors are reproductions. | Art.-Nr.: 20090716 | 12/2012

Stage of life

wineo®