



wineo elastoclic elastoplan design vinyl	2
The wineo quality	4
Product structure	6
wineo elastoclic elastoplan design vinyl	8
Accessories	12
Service	16

MULTI-LAYER

ELASTOCLIC DESIGN VINYL THE WHYS AND WHEREFORES?

Innovative solutions for the floor. We have stayed true to this guiding principle with our products for over 30 years. As one of the first manufacturers in Germany, we started producing laminate flooring in 1991. With many innovations and product improvements, we have helped to develop this product into the versatile quality product it is today. Today, with our Multi-Layer Floorings, we stand for more than just laminate.



Design-oriented finishes in the elastoclic | elastoplan design vinyl field offer numerous options to meet the requirements of modern living and furnishing, both in the home and commercial sector. Being quiet and warm to the feet is just one aspect that this product range offers you.

Easy to install and thus perfectly suited for quick on-site renovation without gluing, makes elastoclic design vinyl a good choice for a modern floor.

Experience the many surface looks and formats that are offered to you in this collection. Matching every style of furnishing, not only will you find classic wood decors here, but you can also fall back on a portfolio of stone and fantasy looks. See for yourself and be inspired on the following pages!





THE WINEO QUALITY

A CARE-FREE PRODUCT



All products made bei Windmöller have one thing in common: they are produced according to the strictest quality criteria! What begins with the careful selection of our raw material suppliers, continues in each separate production step. A State-of-the-art logistics with a just-in-time delivery service and an expert service team focus on a single goal: The highest level of customer satisfaction!

All wineo brand floor coverings including the *Multi-Layer-Floors* are a collection of technical innovations. Many ideas and patents in this field have been developed and improved by Windmöller engineers. The result pleases craftsmen and customers alike. A floor that withstands a great deal and is easily laid. A genuine carefree product!

All wineo branded floors are ideally protected against moisture. Edge protection on all sides of the HDF core boards, visible by the darker colour on the edges, combined with swell-resistant core boards, ensure ultimate safety.

The seal on the click connection has two further benefits. Installation is much easier. The floor panels almost *slide* into each other, and because wood is not rubbing on wood here, *creaking* planks are a thing of the past. On elastoclic design vinyl, features such as anti-static, PEFC certification and authentic finishes belong to the repertoire of the wineo branded collections.


The independently tested quality creates the framework conditions for important certifications in the construction sector for all wineo products. One of these is the building regulations approval by the German Institute for Building Technology (DIBT), plus the *CE mark* and the *sign of conformity* for externally monitored quality. Outstanding results and top marks from independent tests confirm the importance of these certificates.



SURFACE PRODUCT STRUCTURE

elastoclic | *elastoplan design vinyl* from wineo is equipped with an extremely resilient vinyl surface. The strength of the surface makes realistic textures possible. *elastoclic* | *elastoplan design vinyl* is warm to the feet, has a soft finish and is odour-neutral.

The PU seal makes the surface resistant to heel marks and water stains, for example.



1 Wear layer
0,3 mm (WEL) | 0,3 mm (EPDV)

2 Surface | Top layer
1,8 mm (WEL) | 2 mm (EPDV)
100 % design vinyl + PU sealing,
exclusive wood structure

3 Coreboard
HDF-Protect® (WEL)

4 Click connection
LocTec, proven a million times
Unilin® connecting system

5 Sound-Protect Eco
The optimal acoustic system
from wineo pre-installed.





My free space

"For me, being creative means being free! In order to be able to work effectively, I have to spread myself out. Then the floor sometimes turns into an extended desk too."

- Resilient luxury vinyl surface
- Anti-static
- Perfect room acoustics due to the laminated Sound Protect Eco acoustic system
- Realistic, tangible textures for a natural look
- Quiet and warm to the feet – thanks to elastic surface
- Suitable for installation on underfloor heating suitable for chair castors | non-staining
- perfectly levels out uneven patches in the subfloor due to core board and Sound Protect acoustic system
- faster installation compared to classic glued products

elastoclic elastoplan design vinyl

The elastoclic quiet floor for the highest demands.

The luxury vinyl surface is distinguished by its natural appearance, yet at the same time is elastic.

The panel dimensions are perfectly matched to the respective decor in order to achieve a maximum degree of authenticity.

Unlike elastic flooring that comes on a roll, *elastoclic design vinyl* can be installed in a flash, and the preparation work is reduced to a minimum. The perfect renovation solution in a refined look is supplied with an integrated ecological acoustic system! This range offers you fabulous decors for direct installation. And if the application requires gluing down, we also offer you all the decors in the *elastoplan design vinyl* version.

design vinyl

elastoclic | elastoplan design vinyl



Classic Beech | DVH5203WEL | EPDV5203W
Single plank | exclusive wood structure
Skirting board: 30020724



Natural Pear | DVH4030WEL | EPDV4030W
Single plank | exclusive wood structure
Skirting board: 30020734



Sand Oak | DVH2150WEL | EPDV2150W
Single plank | exclusive wood structure
Skirting board: 30020732



Classic Oak | DVH3031WEL | EPDV3031W
Single plank | exclusive wood structure
Skirting board: 30020722



Windsor Oak | DVH3080WEL | EPDV3080W
Single plank | exclusive wood structure
Skirting board: 30020733



Smoked Oak | DVH3737WEL | EPDV3737W
Single plank | exclusive wood structure
Skirting board: 30020723



Technische Daten

Specifications

Decor surface, wood:

Wear layer:

Element thickness:

Core board:

Slip resistance:

elastoclic

elastoclic

1194 mm × 212 mm

0,3 mm

10 mm (incl. acoustic system)

HDF Protect® (PEFC-certified)

R 10 (DIN 51130: 2004 - 06)

elastoplan

elastoplan

1219,2 mm × 184,2 mm

0,3 mm

2 mm



Bleached Pine | DVH7101WEL | EPDV7101W
Single plank | exclusive wood structure
Skirting board: 30020738



Rustic Pine | DVH1101WEL | EPDV1101W
Single plank | exclusive wood structure
Skirting board: 30020730



Spruce Cottage | DVH5101WEL | EPDV5101W
Single plank | exclusive wood structure
Skirting board: 30020736



Smoked Larch | DVH2110WEL | EPDV2110W
Single plank | exclusive wood structure
Skirting board: 30020731



Classic Cherry | DVH0304WEL | EPDV0304W
Single plank | exclusive wood structure
Skirting board: 30020721



Homely Walnut | DVH6270WEL | EPDV6270W
Single plank | exclusive wood structure
Skirting board: 30020741

Perfect fitting skirting boards are available.

Additional accessories on page 12

Skirting board



elastoclic | elastoplan design vinyl



Charisma Oak | DVH4580WEL | EPDV4580W
Single plank | exclusive wood structure
Skirting board: 30020735



Oak Structure | DVH6911WEL | EPDV6911W
Single plank | exclusive wood structure
Skirting board: 30020737



Icelandic Travertine | DVH2911SEL-N | EPDV2911S
Single plank | exclusive wood structure
Skirting board: 30020742




Sandstone | DVH54031SEL-N | EPDV54031S
Single plank | exclusive wood structure
Skirting board: 30020740



Concrete Scratch | DVH1002FEL-N | EPDV1002F
Single plank | exclusive wood structure
Skirting board: 30020725



Black Slate | DVH10421SEL-N | EPDV10421S
Single plank | exclusive wood structure
Skirting board: 30020739



Specifications

Decor surface, wood:

Decor surface, stone | fantasie:

Wear layer:

Element thickness:

Core board:

Slip resistance:

elastoclic

1194 mm × 212 mm

608 mm × 291 mm

0,3 mm

10 mm (incl. acoustic system)

HDF Protect® (PEFC-certified)

R 10 (DIN 51130: 2004 - 06)

elastoplan

1219,2 mm × 184,2 mm

609,6 mm × 304,8 mm

0,3 mm

2 mm



Textile Silver | DVH5115FEL-N | EPDV5115F
Single plank | exclusive wood structure
Skirting board: 30020727



Steel | DVH9813FEL-N | EPDV9813F
Single plank | exclusive wood structure
Skirting board: 30020728



Rust | DVH9816FEL-N | EPDV9816F
Single plank | exclusive wood structure
Skirting board: 30020729



Textile Anthracite | DVH5111FEL-N | EPDV5111F
Single plank | exclusive wood structure
Skirting board: 30020726



Perfect fitting skirting boards are available.
Additional accessories on page 12

Skirting board



SKIRTING BOARDS

WOOD OPTICS | INDIVIDUALLY

The perfect finish. The right accessories are all part of a wineo branded floor.

Not only do these provide the optimum finish in terms of looks, but they also ensure what is required for a long product life – because the wineo branded accessories have been especially matched to the floors. You will therefore find the matching skirting boards and transition profiles for each product. The Sound-Protect Eco Plus acoustic system made of 95% natural raw materials with outstanding insulating properties deserves a special mention.



Clipstar fastening system

50 clips/set (25 sets/carton)
for approx. 25 running m. of
wineo skirting board 30020239

Skirting boards + Clipstar

For every wineo floor there is the perfectly matching skirting board for a harmonic wallfinish, also as paintable versions. Fit skirting boards quickly and invisibly with the wineo Clipstar fastening system. This also enables the skirting board to be easily removed – a great advantage when painting or wallpapering.



Skirting board 22/42

MDF support | 14 mm × 70 mm × 2400 mm
Selling Unit: 4 pieces

Skirting board white 14/70 | 30040208



Skirting board 18/78

MDF support | 18 mm × 78 mm × 2400 mm
Selling Unit: 4 pieces



Polar white | matt | 30060345



Aluminium brushed | matt | 30060360



Stainless steel look | matt | 30060361

UNDERLAY MATERIAL

THE PERFECT SOLUTION

For every wineo floor and every room situation there is the perfect underlay material.

Footfall noise insulation for underfloor heating, footfall noise insulation with integrated vapour barrier, insulating boards to improve walking comfort and to compensate for height differences, underlays with insulating properties and vapour barrier combined or underlays for optimal footfall noise insulation – the perfect solution for every application.



PE vapour barrier

- Thin PE foil.
- As a separating layer between the floor screed and the insulating underlay under all types of hard floor coverings
- The PE vapour barrier has the same technical specification as the 0.2mm-thick PE foil
- With wooden subfloors, the PE vapour barrier is not absolutely necessary

Thickness 0,125 mm

Width 1 m | Length 30 m

Art. No. 10100015

Packing Unit: 100 Rolls/Pallet

Selling Unit: 1 Roll/30 m²

Thickness 0,125 mm

Width 4 m | Length 25 m

Art.-Nr. 10100016

Packing Unit: 20 Rolls/Pallet

Selling Unit: 1 Roll/100 m²



wineo-insulation board

- FSC certified | natureplus® seal
- Improves the walking comfort | reduces the footfall
- Enables a height compensation of up to approx. 3 mm
- Good heat insulation
- Not optimal for laying on underfloor heating

Footfall noise reduction: ≥ 19 dB

Thermal resistance: 0,07 m²/kW

Thickness 5 mm

Width 0,59 m | Length 0,79 m

Art. No. 10020201

Packing Unit: 20 packs/pallet


Selling Unit: 1 pack/10,25 m²



ALUMINIUM PROFILES WOOD- AND METALOPTIC

wineo profiles are ideally suited for perfect colour and visual transitions between floorings and walls, adjoining doorways or other structures.

Apart from the *classic* flooring profiles made of aluminium, wineo also offers attractive wood optics alternatives for all closures and transitions. The necessary expansion joint is also taken into account.




Profitec Junior transition profile

Two-part aluminium profile for covering expansion joints.

For floor thicknesses of 6 – 12 mm
33 mm × 1 m | 2,7 m

Packing Unit: 10 pieces/Box
Selling Unit: 1 piece




Profitec Junior adaptation profile

Two-part aluminium profile for transitions between floors of varying heights

For floor thicknesses of 6 – 12 mm
44 mm × 1 m | 2,7 m

Packing Unit: 10 pieces/Box
Selling Unit: 1 piece




Profitec Junior end profile

Two-part aluminium profile, e.g. for transitions between floors and walls.

For floor thicknesses of 6 – 12 mm
26 mm × 1 m | 2,7 m

Packing Unit: 10 pieces/Box
Selling Unit: 1 piece


1 m	2,7 m	1 m	2,7 m	1 m	2,7 m
48100449	48100425	48100457	48100433	48100465	48100441 Silver
48100448	48100424	48100456	48100432	48100464	48100440 Sand
48100450	48100426	48100458	48100434	48100466	48100442 Steel matt
48100453	48100429	48100461	48100437	48100469	48100445 Maple
48100451	48100427	48100459	48100435	48100467	48100443 Beech
48100452	48100428	48100460	48100436	48100468	48100444 Light Oak
48100454	48100430	48100462	48100438	48100470	48100446 Cherry
48100455	48100431	48100463	48100439	48100471	48100447 Walnut

**Transition profile PS400PEP**

Screwed two-part aluminium profile for covering expansion joints.

For floor thicknesses of 6–13 mm
36 mm × 1 m | 2,7 m


Packing Unit: 10 pieces/Box
Selling Unit: 1 piece

**Adaptation profile PS400PEP**

Screwed two-part aluminium profile for transitions between floors of varying heights.

For floor thicknesses of 6–13 mm
44 mm × 1 m | 2,7 m

Packing Unit: 10 pieces/Box
Selling Unit: 1 piece

**End profile PS400PEP**

Screwed two-part aluminium profile, e.g. for transitions between floors and walls.

For floor thicknesses of 6–13 mm.
25 mm × 1 m | 2,7 m

Packing Unit: 10 pieces/Box
Selling Unit: 1 piece

48100413	48100401	48100417	48100405	48100421	48100409 Silver
48100412	48100400	48100416	48100404	48100420	48100408 Sand
48100414	48100402	48100418	48100406	48100422	48100410 Steel matt
48100415	48100403	48100419	48100407	48100423	48100411 Steel polished

Increase block

Sand | Stainless steel matt | 48100502

Increase block

silver | Stainless steel polished | 48100503

SERVICE

WE'RE HERE TO HELP

Our guarantees

Our floors have been developed for a long product life. And because only tested quality leaves our factory, we have come up with something special in our guarantee statement: a lifetime guarantee on product stability and the click connection for all wineo floors.

Registration for the lifetime guarantee is possible using either the guarantee card (obtainable from a specialist retailer) or the Internet. The guarantee conditions can be found on the guarantee card or on our website.

www.witex.com/garantie

Delivery

Your satisfaction is our goal. Therefore, all products are available ex stock, and thus as soon as possible at your site. Trust us!

Visit us on the Internet too

You will find all the information about us and our brands at www.wineo.de. From the product portfolio through to new product features and technical information, our Internet platform provides everything you are looking for.

Also take the opportunity on www.witex.com to show the floors in an installed situation. Decide on your room and install the floor there as easy as anything.

Your local contact

If you are interested in our floors or have any further questions, then our local retail partner is happy to be of help. Under www.witex.com or www.windmoeller-flooring.com, you can quickly and easily find your local partner with the help of our dealer search. Simply enter your postcode and away you go!



windmüller flooring products GmbH

Nord-West-Ring 21

32832 Augustdorf

Tel.: +49 (0) 5237 609 - 0

Fax: +49 (0) 5237 609 - 309

Mail: info@wineo.de

www.wineo.de

All the illustrated decors are reproductions. | Art.-No.: 20090719 | 12/2012

Stage of life

wineo®