

**THE VINYL
FLOORING
WITHOUT
VINYL**

Design flooring
MeisterDesign

**100 %
PRO** | Producer
Dealer
Craftsmen
www.meister.com

Rooms full of life.

MEISTER







MeisterDesign – The vinyl flooring without vinyl.

With all the
advantages of vinyl.
Without its
disadvantages.

—

Robust. Easy to maintain.
 Ecologically sound.
 For use anywhere.
 These are what make
 good flooring.
 The design flooring
 MeisterDesign has all
 these properties –
 And much more besides.

Different areas of the house make different demands on the floor covering. In the bathroom and entrance area, it has to withstand humidity, in the kitchen the outlines of the old tiles underneath may not be visible, whereas in the bedroom and living room the flooring should be particularly comfortable and pleasant to walk on barefoot. Not a problem for MeisterDesign!

The idea is simple: each of the 18 decors is available in four different product structures and thus provides the optimum solution for any application case.* The whole spectrum is available - from waterproof to extra-comfortable. This gives you the freedom to select your favourite decor to match the respective purpose. Simply genius, don't you think? We certainly think so.

Yet MeisterDesign is not only impressive in different living environments. Its high resilience and wear class 23|33 make the design flooring a good choice for commercial areas too.

* Stone decors are not available as MeisterDesign. pro.



MeisterDesign | Golden oak 6999 | Wood effect



And why without vinyl?

What many people do not know: »Vinyl« comes from the term PVC: Polyvinylchloride. This is not a bad thing per se, but it can contain plasticisers which can be harmful to the health and environment. Not to mention the smell of the vapours. Which is why MEISTER does not use any vinyl or PVC in and on its flooring. Only its advantages. Because these are undisputed: ease of maintenance, extreme resistance to wear, sturdiness and waterproofness.

One for everything: 18 decors, 4 variants

A thin floor easy to use for renovation work which does not reveal the outlines of the old tiles underneath? A light resilient floor with a cork insulating layer? Or the waterproof no hassle variant? The choice is yours with MeisterDesign design flooring!



www.blauer-engel.de/uz176

www.blauer-engel.de/uz120



**MADE
IN
GERMANY**





MeisterDesign. comfort

The comfortable feel-good floor with the extra layer of cork.



MeisterDesign. flex

The slim design flooring with low structural height.



MeisterDesign. life

The straightforward all-rounder for clicking.



MeisterDesign. pro

The extra-thin professional flooring for full-surface bonding.



1 MeisterDesign. comfort

The comfortable feel-good floor with the extra layer of cork.


» Kind to joints

» Particularly quiet

With its double layer of cork, the design flooring MeisterDesign. comfort achieves top combined footfall and impact sound values and does not need an additional insulating layer. Because it is so quiet, kind to joints, warm underfoot and comfortable, it is just perfect for all living rooms and bedrooms, but particularly for children's rooms.

Cork comfort layer

Multilayer *Puretec*® Plus surface with elastic special film (PVC-free)



Cork sound-absorbing cushion

Special AquaSafe board (swell-reduced) – on the basis of natural, renewable materials

MeisterDesign. comfort

| | |
|---------------------------------------|-------------------------------------------------------------|
| Wear class 23 33 | MEISTER warranty* |
| All-round micro-bevel | 25 years in living areas, |
| With 1mm cork sound-absorbing cushion | 5 years in commercial areas |
| Special AquaSafe board | Thickness: 9 mm |
| <i>Puretec</i> ® Plus surface | Effective measurement wood decors (DD 600 S): 1287 × 220 mm |
| Click system: MasterclickPlus | Effective measurement stone decors (DB 600 S): 853 × 395 mm |

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

2 MeisterDesign. flex

The slim design flooring with low structural height.


» **Renovation-friendly**

» **Flexible**

MeisterDesign. flex makes renovation work child's play. The subfloor does not have to be prepared elaborately either, quite the opposite: old subfloors such as tiles can simply stay where they are, because they will not show through the planks with sturdy special AquaSafe board. MeisterDesign. flex adapts elegantly to any unevenness in the floor. MeisterDesign. flex comes up trumps in many living situations, particularly in kitchens and living rooms which need to be renovated quickly and easily.

SilentTouch® surface –
PUR-based polymer coating (PVC-free)

Special AquaSafe board (swell-reduced) – on the basis
of natural, renewable materials



Backing for optimum dimensional
stability

MeisterDesign. flex

| | |
|-------------------------|-----------------------------------------------------------|
| Wear class 23 33 | MEISTER warranty* |
| All-round micro-bevel | 25 years in living areas, |
| Special AquaSafe board | 5 years in commercial areas |
| SilentTouch® surface | Thickness: 5 mm |
| Click system: Multiclic | Effective measurement wood decors (DD 400): 1290 × 216 mm |
| | Effective measurement stone decors (DB 400): 858 × 399 mm |

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

SilentTouch®
Made under license from PurChem Systems, Inc. Patented

SilentTouch®-Technologie

The surface of the MeisterDesign. flex design flooring is produced using innovative, patented SilentTouch® technology, making it exceptionally elastic, quiet, durable and easy to care for.






3 MeisterDesign. life

The straightforward all-rounder for clicking.

» **Waterproof**

» **Elastic**

Dirt and water? No problem whatsoever for the waterproof design flooring MeisterDesign. life. Even strong sunshine doesn't do any harm unlike with vinyl floors. In principle the flooring, which is quiet to walk on, is suitable for bathrooms and all living areas because of rugged surface, but it is especially suitable for rooms with direct access to the outdoors and for conservatories. By the way: you can install MeisterDesign. life floating on an area of up to 15 x 15 m – making it ideal for open-plan living spaces too.



Made with



MeisterDesign. life

| | |
|---------------------------------------|-----------------------------------------------------------|
| Wear class 23 33 | MEISTER-warranty* |
| All-round micro-bevel | 25 years in living areas, |
| Waterproof Suitable for humid rooms | 5 years in commercial areas |
| ecuran – waterproof and | Thickness: 5 mm |
| PVC-free base board | Effective measurement wood decors (DD 800): 1290 × 214 mm |
| Puretec® surface | Effective measurement stone decors (DB 800): 858 × 391 mm |
| Click system: Maxiclic | |

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

ecuran

ecuran is the high-performance composite material for demanding flooring solutions. It is based on so-called organic polyurethane which is made up to a large extent of vegetable oils such as rapeseed or castor oil and naturally occurring mineral components such as chalk. ecuran is non-harmful to health because it does without plasticisers, solvents and chlorine.


4 MeisterDesign. pro

The extra-thin professional flooring for full-surface bonding.

» **Waterproof**

» **Impact-resistant**

At only 2 mm thick, MeisterDesign. pro is first choice when the structural height has to be kept to a minimum. Following professional sub-floor preparation, it is the perfect (and waterproof) option for the bathroom, hallway and commercial applications such as shops or restaurants.



Made with



MeisterDesign. pro

| | |
|---------------------------------------|-----------------------------------|
| Wear class 23 33 | MEISTER warranty* |
| All-round micro-bevel | 25 years in living areas, |
| Waterproof Suitable for humid rooms | 5 years in commercial areas |
| ecuran – waterproof and | Thickness: 2 mm |
| PVC-free base board | Effective measurement wood decors |
| <i>Puretec</i> ®-surface | (DD 200): 1295 × 219 mm |
| For full-surface bonding | |

* Warranty according to the MeisterWerke warranty conditions at www.meister.com

ecuran

ecuran is the high-performance composite material for demanding flooring solutions. It is based on so-called organic polyurethane which is made up to a large extent of vegetable oils such as rapeseed or castor oil and naturally occurring mineral components such as chalk. ecuran is non-harmful to health because it does without plasticisers, solvents and chlorine







Decor overview

Wood decors



Page 22

Polar oak 6994 | Wood effect




Page 23

Arctic white oak 6995 | Wood effect



Page 24

Lakeside oak 6990 | Wood effect



Page 26

Desert oak 6998 | Wood effect



Page 27

Pure English oak 6985 | Wood effect



Page 28

Ocean oak 6989 | Wood effect




Page 29

Natural English oak 6983 | Wood effect




Page 30


Greige oak 6959 | Wood effect




Page 31

Grey wild oak 6977 | Wood effect


Page 32

Cabin board 6991 | Wood effect


Page 34

Golden oak 6999 | Wood effect

Page 36

Medium brown English oak 6984 | Wood effect

Page 37

Clay grey old wood oak 6986 | Wood effect


Page 38

Dark wild oak 6960 | Wood effect


Stone decors




Page 40

Galleria white 7322 | Decor

Page 41

Concrete 7321 | Imitation

Page 42

Cosmopolitan stone 7320 | Decor

Page 43

Black lava 7323 | Decor


















































For a perfect finish

With MEISTER, you can be sure that everything matches! Underlay materials, skirting boards, profiles and ends – you get everything from one source. Making your MeisterDesign into a long-lasting integrated furnishing solution that suits you perfectly.



Skirting board 19 PK profile | Plain white gloss 324 (decor)

Open for all styles – white skirting boards.

What does white have that other colours don't? The openness to adapt to any style and the capability of supplementing all other colours without effort. For this reason, our skirting boards with white decor film add that little something to every interior design style and can be combined excellently with all flooring types. The large selection of different profile shapes opens up the opportunity to set both classic and modern highlights, depending on individual tastes.

Worry-free all round – the waterproof skirting boards.

A waterproof floor offers you a worry-free all-round package in terms of durability and ease of maintenance – water-related swelling and warping are completely excluded. To ensure the whole floor system lasts, choose the waterproof skirting boards »Aqua« in white or stainless steel (decor film) to finish against the wall. This way, you will always be on the safe side.



Skirting board 20 PK Aqua profile | Plain white gloss 324

A harmonious appearance – with floor-matched skirting boards.

You are right to want pure harmony in your own four walls, starting with the base. With skirting boards matching the shade or decor of the respective floor, you will easily achieve your goal. The balanced interaction between flooring and skirting board is rounded off by the decor being continued from skirting board to skirting board. This is how good perfect harmony looks.



Skirting board 20 PK profile | Ocean oak 6989 | Wood




Skirting board 9 PK profile | White paintable 2222 (individual colour)


Colourful and with character – skirting boards you can paint yourself.

In the same colour as the wall? To match your furniture? Or something completely different? It's up to you: design your skirting boards exactly according to your own wishes! Covered with a paintable film, these skirting boards are ideally prepared for the implementation of your personal ideas. Let your imagination run wild!


Beautifully versatile: overview of skirting board profiles




Skirting board
1MK profile




Skirting board
2 PK profile



Skirting board
3 PK profile




Skirting board
5 PK profile




Skirting board
6 profile




Quarter round
7 profile




Skirting board
8 PK profile




Skirting board
9 PK profile




Skirting board
10 PK profile




Skirting board
11 PK profile




Skirting board
12 PK profile




Skirting board
13 PK profile




Skirting board
14 MK profile




Skirting board
15 MK profile




Skirting board
16 MK profile




Skirting board
17 profile



Skirting board
18 PK profile



Skirting board
19 PK profile



Skirting board
20 PK profile







Skirting board
20 PK Aqua profile

Know how: skirting board

To ensure that even difficult corners and edges fit perfectly, MEISTER supplies internal corners, external corners, end caps and connection pieces to match many skirting boards. Visit www.meister.com to see the complete range. Here, you will also find an overview of the different profiles available for adaptation to adjacent floor coverings or French windows, suitable radiator

roses, door stoppers and our recommended cleaning and care agents.





The complete system counts: Which underlay for which MeisterDesign variant?

Without good underlay, it's not a good floor. The underlay has a great influence on the durability of the flooring and is an important component of the functioning of the entire system as far as day-to-day wear is concerned. Premium quality flooring may suffer damage when laid on poor quality underlay. Whereas high quality underlay ensures long enjoyment of your flooring, by preventing damage to the click connections, for example, with the ideal pressure stability. Excessively soft underlay can have a significantly negative effect on fold-down connections, for example. When choosing underlay, both the floor to be installed and the subsurface are important. No matter whether for concrete floors, wooden floorboards, drywall constructions or existing flooring, such as tiles or stone: with a comprehensive underlay range, MEISTER ensures that every MEISTER floor can be laid on the appropriate subsurface.

| | SilenceGrip | Silence 25 DB with integrated vapour barrier | Silence 20 | Silence 15 DB with integrated vapour barrier | PE-Folie |
|---------------------------|--------------------------------|----------------------------------------------------|------------|----------------------------------------------------|----------------------------|
| MeisterDesign. comfort | insulating underlay integrated | | | | for mineral subsurfaces |
| MeisterDesign. flex | – | ✓ | ✓ | ✓ | for mineral subsurfaces |
| MeisterDesign. life | ✓ | – | – | – | – |
| MeisterDesign. pro | full-surface bonding | | | | |



The MEISTER underlay materials:

Thanks to the special PUR mineral blend, MEISTER-Silence 25 DB, MEISTER-Silence 20 or MEISTER-Silence 15 DB are the ideal insulating underlay for effective room and footfall noise reduction. The high self-weight of the products also has a positive effect on the sound-absorbing properties. In the case of Silence 25 DB and 15 DB the vapour barrier is already integrated, which means the laying of an additional PE-film is no longer necessary on mineral substrates.

The insulating underlay MEISTER-SilenceGrip is a 1.5 mm thick underlay made of a PUR mineral blend with non-slip effect and was especially developed for floor coverings with a solid, elastic and synthetic core with click system. The underlay fulfils the increased requirements of the technical bulletin issued by the MMFA (Multilayer Modular Flooring Association) for Class 2 floor coverings.

All MEISTER underlay materials can be installed on underfloor heating. They comply with the technical bulletin provided by the European Producers of Laminate Flooring (EPLF) based on CEN/TS 16354. The Silence products also meet the requirements of the technical bulletin issued by the Multilayer Modular Flooring Association (MMFA) »Underlay Materials under Multilayer Modular Floor Coverings (MMF) – Test Standards and Performance Indicators« for Class 1 (with HDF-core).

-
1. MEISTER-SilenceGrip | 1.5 mm
 2. MEISTER-Silence 25 DB
with integrated vapour barrier | 3 mm
 3. MEISTER-Silence 20 | 2.5 mm
 4. MEISTER-Silence 15 DB
with integrated vapour barrier | 2 mm
 5. PE-film (vapour barrier)



MeisterDesign at a glance

MeisterDesign. comfort

MeisterDesign. flex

| | DD 600 S | DB 600 S | DD 400 | DB 400 |
|------------------------------------------------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------------|----------------------------------------------|
| Thickness | 9 mm | 9 mm | 5 mm | 5 mm |
| Effective measurement | 1287 × 220 mm | 853 × 395 mm | 1290 × 216 mm | 858 × 399 mm |
| Base board | Special AquaSafe board swell-reduced | Special AquaSafe board swell-reduced | Special AquaSafe board swell-reduced | Special AquaSafe board swell-reduced |
| Surface | Multilayer Puretec® Plus surface | Multilayer Puretec® Plus surface | SilentTouch®-surface | SilentTouch®-surface |
| Click system | Masterclick Plus | Masterclick Plus | Multiclic | Multiclic |
| Joint | All-round micro-bevel | All-round micro-bevel | All-round micro-bevel | All-round micro-bevel |
| Suitable for humid rooms | – | – | – | – |
| Wear class | 23 33 | 23 33 | 23 33 | 23 33 |
| Suitable for water-based underfloor heating systems with thermal resistance | yes – 0.09 m² K/W | yes – 0.09 m² K/W | yes – 0.05 m² K/W with MEISTER-Silence 15 DB | yes – 0.05 m² K/W with MEISTER-Silence 15 DB |
| Type of installation | floating installation | floating installation | floating installation | floating installation |
| Max. installation surface without expansion joints for floating installation | 100 m² max. 10 × 10 m | 100 m² max. 10 × 10 m | 100 m² max. 10 × 10 m | 100 m² max. 10 × 10 m |
| Warranty living area commercial area | 25 years 5 years | 25 years 5 years | 25 years 5 years | 25 years 5 years |
| Fire protection class | B _{fl} -s1 hardly flammable | B _{fl} -s1 hardly flammable | C _{fl} -s1 hardly flammable | C _{fl} -s1 hardly flammable |
| Antistatic ≤ 2 kV | – | – | – | – |
| Non-slip level | R 9 | R 9 | R 9 | R 9 |
| Suitable for conservatories | with some reservations | with some reservations | with some reservations | with some reservations |



www.blauer-engel.de/uz176

MeisterDesign. comfort
MeisterDesign. flex



www.blauer-engel.de/uz120

MeisterDesign. life
MeisterDesign. pro



MeisterDesign. comfort
MeisterDesign. flex



MeisterDesign. life

MeisterDesign. pro

| DD 800 | DB 800 | DD 200 |
|-------------------------------------------------------------|--------------------------------------------------------------|----------------------------------------|
| 5 mm | 5 mm | 2 mm |
| 1290 × 214 mm | 858 × 391 mm | 1295 × 219 mm |
| ecuran waterproof and PVC-free | ecuran waterproof and PVC-free | ecuran waterproof and PVC-free |
| Multilayer Puretec®-surface | Multilayer Puretec®-surface | Multilayer Puretec®-surface |
| Maxiclic | Maxiclic | – |
| All-round micro-bevel | All-round micro-bevel | All-round micro-bevel |
| ✓ (A0) | ✓ (A0) | ✓ (A0) |
| 23 33 | 23 33 | 23 33 |
| yes – 0.1 m² K/W 0.02 m² K/W with MEISTER-SilenceGrip | yes – 0.01 m² K/W 0.02 m² K/W with MEISTER-SilenceGrip | yes – 0.01 m² K/W |
| floating installation full-surface bonding possible | floating installation full-surface bonding possible | full-surface bonding possible |
| 225 m² max. 15 × 15 m | 225 m² max. 15 × 15 m | no restriction |
| 25 years 5 years | 25 years 5 years | 25 years 5 years |
| C _{fl} -s1 hardly flammable | C _{fl} -s1 hardly flammable | C _{fl} -s1 hardly flammable |
| ✓ | ✓ | ✓ |
| R 9 | R 9 | R 9 |
| ✓ | ✓ | ✓ |



MeisterDesign. life
MeisterDesign. pro







Every day a masterpiece.

We have been impressing with innovative products, practical system solutions and attractive designs for more than 80 years. We are constantly developing ourselves, our company and our range. As we know: you expect the best all the time. And that's what we want to give you.

MEISTER is committed to its location.

We think internationally but remain a German company – over 650 employees guarantee »Made in Germany« premium quality day in day out.

MEISTER is a leading innovator.

Intelligent ideas make us the driving force behind the industry – over 200 patents and utility models are impressive evidence of this.

MEISTER accepts responsibility for the environment.

We act sustainably in all areas – careful product selection protects resources and the climate.

MEISTER stands for specialist retail.

We focus on reliable partnerships with specialist retail and specialist trade – our »100% PRO PRODUCER/ DEALER/ CRAFTSMEN« network guarantees first-class products, professional advice and expert assembly.



968008010A01 03|18



© 2018 by MeisterWerke Schulte GmbH
Colours and textures may vary due to printing conditions.
We reserve the right to make changes. No responsibility is assumed for errors.

MEISTER – a trademark of MeisterWerke Schulte GmbH
Johannes-Schulte-Allee 5 | 59602 Rüthen-Meiste | GERMANY
Telefon +49 2952 816-0 | Fax +49 2952 816-66 | www.meister.com