



wineo

THAT'S FLOORING

**PERFECT FIT
ACCESSORIES**

THE PERFECT FIT.



CONTENT

Underlay material	04
Skirting boards	16
Profiles	26
Stair nosing	30
Skirting boards External corners Inside corners Weld rods	34
Flash Coving Feature strips	36
Installation Cleaning & Repair	38



UNDERLAY MATERIAL PRODUCT FINDER
FOR PURLINE ORGANIC FLOORING OR DESIGN FLOORING

Installation of	Installation type	Installation	Product
PURLINE organic flooring or design flooring	for gluing	floating	silentPREMIUM
		glued	silentPLUS
	for clicking in	floating	silentCOMFORT
			silentRIGID



If a wineo PERFECT FIT PU underlay (soundPROTECT, soundSTOP, silentCOMFORT, silentPREMIUM, silentPLUS or silentRIGID) is used in combination with a suitable wineo flooring product, the wineo guarantee will be extended by 5 years.

UNDERLAY MATERIAL PRODUCT FINDER
FOR LAMINATE FLOORING AND PARQUET FLOORING

Installation of	Anforderung	Substrate	Product
Laminate flooring or parquet flooring	Underfloor heating	mineral based	soundPROTECT PROFI SD
			soundPROTECT SD
			soundSTOP
			noisePROTECT SD
		non-mineral based	soundPROTECT PROFI
			soundPROTECT
			soundSTOP
			noisePROTECT
	Heat insulation	mineral based	noiseREDUCT SD
		non-mineral based	noiseREDUCT
		mineral based	insulationBOARD + PE-Dampfbremse
		non-mineral based	insulationBOARD

PU UNDERLAYS
FOR PURLINE ORGANIC FLOORING
& DESIGN FLOORING



silentPREMIUM | Art. no. UPU1010



THE PREMIUM CLASS
FOR THE FLOATING INSTALLATION
OF ELASTIC FLOOR COVERINGS FOR GLUING

- self-adhesive top surface, floating installation, ultra-fast
- perfect solution for underfloor heating

Fits perfectly for PURLINE organic flooring & design flooring for gluing: wineo 400 | 600 | 1000 and all comparable elastic dryback floor coverings

silentPREMIUM is an underlay **with a self-adhesive top surface**. The underlay is **rolled out** in a **floating** arrangement, i.e. loose on the screed. Once the protective film has been removed, the flooring can be stuck on top. Working without adhesive is extremely clean and installation is **very quick**.

Technical characteristics	
Base material:	ecuran (bio-polyurethane)
Rolls / pallets:	40
Roll:	6.5 m²
Thickness:	1.8 mm
Width:	1 m
Length:	6.5 m
Weight:	2.6 kg / m²
Impact sound reduction:	~ 15 dB
Thermal resistance:	0.01 (m²K) / W

silentCOMFORT | Art. no. UCT1000



THE CONVENIENT MAT
FOR STABLE CLICKING INSTALLATION
OF ELASTIC FLOOR COVERINGS

- adhesive top surface, floating installation, ultra-stable
- perfect solution for underfloor heating

Fits perfectly for PURLINE organic flooring & design flooring for clicking in: wineo 400 | 600 | 800 | 1000 and all comparable elastic dryback floor coverings

silentCOMFORT is the best choice **for floating installation of click flooring**. The **adhesive surface** ensures the click connections of the flooring are stable so that the flooring does not slip on the underlay. **silentCOMFORT** is therefore the most stable underlay for comfortable click installation of elastic flooring.

Technical characteristics	
Base material:	ecuran (bio-polyurethane)
Rolls / pallets:	40
Roll:	10 m²
Thickness:	1.5 mm
Width:	1 m
Length:	10 m
Weight:	1.5 kg / m²
Impact sound reduction:	~ 16 dB
Thermal resistance:	0.01 (m²K) / W

PU UNDERLAYS
FOR PURLINE ORGANIC FLOORING
OR DESIGN FLOORING



silentPLUS | Art. no. UPU1020



THE PLUS IN QUIETNESS
FOR FULL-SURFACE BONDING
OF ELASTIC FLOOR COVERINGS FOR GLUING

- self-adhesive below, full-surface bonding above, ultra-quiet
- perfect solution for underfloor heating

Fits perfectly for PURLINE organic flooring & design flooring for gluing: wineo 400 | 600 | 800 | 1000 | 1500 and all comparable elastic dryback floor coverings

silentPLUS is an underlay with a **self-adhesive lower surface**. Once the protective film has been removed, the underlay is stuck to the substrate. The flooring is then fitted with an additional adhesive on the entire upper surface. This double adhesive method reduces impact noise up to 17 dB and guarantees that special bonus of very low noise.

Technical characteristics	
Base material:	ecuran (bio-polyurethane)
Rolls / pallets:	40
Roll:	8 m²
Thickness:	2 mm
Width:	1 m
Length:	8 m
Weight:	2 kg / m²
Impact sound reduction:	~ 17 dB
Thermal resistance:	0.01 (m²K) / W

silentRIGID | Art. no. UPU1030



DAS MUST-HAVE
FOR THE INSTALLATION
OF RIGID-FLOORS FOR CLICKING IN

- no break in the click connection
- super stabilising
- laid as a floating floor

Fits perfectly for rigid design flooring for clicking in: wineo 600 rigid and any comparable rigid design flooring

The **silentRIGID** PU underlay was developed especially for rigid design flooring. It provides **extreme stability** and therefore keeps the click locking intact. Moreover, it permanently reduces walking noise to a minimum.

Technical characteristics	
Base material:	ecuran (bio-polyurethane)
Rolls / pallets:	54
Roll:	9 m²
Thickness:	1,2 mm
Width:	1 m
Length:	9 m
Weight:	1.5 kg / m²
Impact sound reduction:	~ 13 dB
Thermal resistance:	0.01 (m²K) / W

PU UNDERLAYS
FOR LAMINATE FLOORING



BEST INGREDIENTS FOR BEST RESULTS

The basis of wineo PU underlays is *ecuran*, the unique bio-polyurethane from Windmöller. *ecuran* is based on plant oils such as canola or castor oil and naturally occurring mineral components such as chalk.

Canola or castor oil

+

Chalk

Made with

your flooring upgrade

PU underlays made of ecuran

- fast, energy-efficient distribution of ground heat
- excellent noise reduction with hard and soft floor coverings
- long-life performance of at least 30 years
- recovery almost 100 %
- sustainable raw materials
- without the addition of chlorine, plasticisers or solvents

soundSTOP | Art. no. UPU300



THE EXPERT
WITH EXTREME
SOUND-REDUCTION

- self-adhesive top layer, adhesive bottom layer, especially quiet
- efficient
- for stable click connections

Fits perfectly for laminate flooring: wineo 500 and comparable laminate flooring with fold-down connection and triple-layer parquet

soundSTOP is a special underlay for laminate and parquet flooring and features a **self-adhesive top layer and adhesive bottom layer**. Impact and walking noise is therefore reduced to an excellent level.

Technical characteristics	
Base material:	ecuran (bio-polyurethane)
Rolls / pallets:	40
Roll:	8 m²
Thickness:	2 mm
Width:	1 m
Length:	8 m
Weight:	1.7 kg / m²
Impact sound reduction:	~ 18 dB
Reflected walking sound:	~ 50%
Thermal resistance:	0.01 (m²K) / W

PU UNDERLAYS
FOR LAMINATE FLOORING



soundPROTECT | Art. no. UPU200



THE ALL-ROUNDER
WITH LONG-LIFE PERFORMANCE
2 mm

- ultra-quiet, efficient, for a stable click connection
- perfect solution for underfloor heating, suitable for non-mineral subsurfaces (a vapour barrier must be used with mineral subsurfaces)

Fits perfectly for laminate flooring:
wineo 300 | 500 | 550 and all comparable standard laminate and parquet products

soundPROTECT is the perfect 2 mm underlay for laminate and parquet flooring. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	ecuran (bio-polyurethane)
Rolls / pallets:	40
Roll:	8 m²
Thickness:	2 mm
Width:	1 m
Length:	8 m
Weight:	1.7 kg / m²
Impact sound reduction:	~ 19 dB
Reflected walking sound:	~ 28 %
Thermal resistance:	0.01 (m²K) / W



soundPROTECT SD | Art. no. UPU200SD



THE ALL-ROUNDER
WITH LONG-LIFE PERFORMANCE
2 mm

- ultra-quiet, efficient, for a stable click connection
- suitable for mineral subsurfaces (such as screed) thanks to integrated vapour barrier
- perfect solution for underfloor heating

Fits perfectly for laminate flooring:
wineo 300 | 500 | 550 and all comparable standard laminate and parquet products

soundPROTECT SD is the perfect 2 mm underlay for laminate and parquet flooring with integrated vapour barrier. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	ecuran (bio-polyurethane)
Rolls / pallets:	40
Roll:	8 m²
Thickness:	2 mm
Width:	1 m
Length:	8 m
Weight:	1.7 kg / m²
Impact sound reduction:	~ 19 dB
Reflected walking sound:	~ 28 %
Thermal resistance:	0.01 (m²K) / W
SD value:	> 75 m



PU UNDERLAYS
FOR LAMINATE FLOORING



soundPROTECT PROFI | Art. no. UPU100



THE ALL-ROUNDER FOR PROFESSIONALS
WITH LONG-LIFE PERFORMANCE
3 mm

- ultra-quiet, efficient, for a stable click connection
- perfect solution for underfloor heating, suitable for non-mineral subsurfaces (a vapour barrier must be used with mineral substrates)

Fits perfectly for laminate flooring:
wineo 300 | 500 | 550 and all comparable standard laminate and parquet products

soundPROTECT PROFI is the perfect 3 mm underlay for laminate and parquet flooring. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	ecuran (bio-polyurethane)
Rolls / pallets:	40
Roll:	5.5 m²
Thickness:	3 mm
Width:	1 m
Length:	5.5 m
Weight:	2.8 kg / m²
Impact sound reduction:	~ 20 dB
Reflected walking sound:	~ 31 %
Thermal resistance:	0.01 (m²K) / W



soundPROTECT PROFI SD | Art. no. UPU100SD



THE ALL-ROUNDER FOR PROFESSIONALS
WITH LONG-LIFE PERFORMANCE
3 mm

- ultra-quiet, efficient, for a stable click connection
- suitable for mineral subsurfaces (such as screed) thanks to integrated vapour barrier
- perfect solution for underfloor heating

Fits perfectly for laminate flooring:
wineo 300 | 500 | 550 and all comparable standard laminate and parquet products

soundPROTECT PROFI SD is the perfect 3 mm underlay for laminate and parquet flooring with integrated vapour barrier. It ensures maximum reduction in impact and reflected walking sound levels, stable retention of the click connection, and is extremely durable.

Technical characteristics	
Base material:	ecuran (bio-polyurethane)
Rolls / pallets:	40
Roll:	5.5 m²
Thickness:	3 mm
Width:	1 m
Length:	5.5 m
Weight:	2.8 kg / m²
Impact sound reduction:	~ 20 dB
Reflected walking sound:	~ 31 %
Thermal resistance:	0.01 (m²K) / W
SD value:	> 75 m



PE UNDERLAYS
FOR LAMINATE FLOORING

noisePROTECT | Art. no. UPE100



THE RELIABLE PROTECTION
FOR NOISE REDUCTION

- quiet, lightweight, for use with underfloor heating

Fits perfectly for laminate flooring:
wineo 300 and all comparable standard laminate and parquet products

noisePROTECT is the **entry level underlay for laminate and parquet flooring**. This underlay is **suitable for underfloor heating**, is easy to handle and has good impact and reflected walking sound reducing characteristics.

Technical characteristics	
Material:	Polyethylen (PE)
Rolls / carton:	6
Roll:	15 m²
Thickness:	2 mm
Width:	1 m
Length:	15 m
Weight:	0.2 kg / m²
Impact sound reduction:	~ 19 dB
Reflected walking sound:	20 %
Thermal resistance:	0.038 (m²K) / W

noisePROTECT SD | Art. no. UPE100SD



THE RELIABLE PROTECTION
FOR NOISE REDUCTION

- quiet, lightweight, for use with underfloor heating
- suitable for mineral subsurfaces (such as screed) thanks to integrated vapour barrier

Fits perfectly for laminate flooring:
wineo 300 and all comparable standard laminate and parquet products

noisePROTECT SD is the **entry level underlay for laminate and parquet flooring with integrated vapour barrier**. This underlay is **suitable for underfloor heating**, is easy to handle and has good impact and reflected walking sound reducing characteristics.

Technical characteristics	
Material:	Polyethylen (PE)
Rolls / pallets:	20
Roll:	15 m²
Thickness:	2.2 mm
Width:	1 m
Length:	15 m
Weight:	0.32 kg / m²
Impact sound reduction:	~ 19 dB
Reflected walking sound:	15 %
Thermal resistance:	0.038 (m²K) / W
SD value:	> 75 m

XPS UNDERLAYS
FOR LAMINATE FLOORING

noiseREDUCT | Art. no. UXPS100



THE SIMPLE MAT
FOR NOISE REDUCTION

- quiet, lightweight, for use as heat insulation (not suitable for underfloor heating)

Fits perfectly for laminate flooring:
wineo 300 and all comparable standard laminate and parquet products

noiseREDUCT is the **entry level underlay for laminate and parquet flooring**. This underlay is **suitable for heat insulation (not for underfloor heating)**, is easy to handle and has good impact and reflected walking sound reducing characteristics.

Technical characteristics	
Material:	Polystyrol (XPS)
Rolls / carton:	24
Roll:	16.5 m²
Thickness:	2 mm
Width:	1.1 m
Length:	15 m
Weight:	0.09 kg / m²
Impact sound reduction:	~ 20 dB
Reflected walking sound:	14 %
Thermal resistance:	0.075 (m²K) / W

noiseREDUCT SD | Art. no. UXPS100SD



THE SIMPLE MAT
FOR NOISE REDUCTION

- quiet, lightweight, for use as heat insulation (not suitable for underfloor heating)
- suitable for mineral subsurfaces (such as screed) thanks to integrated vapour barrier


Fits perfectly for laminate flooring:
wineo 300 and all comparable standard laminate and parquet products

noiseREDUCT SD is the **entry level underlay for laminate and parquet flooring with integrated vapour barrier**. This underlay is **suitable for heat insulation (not for underfloor heating)**, is easy to handle and has good impact and reflected walking sound reducing characteristics.

Technical characteristics	
Material:	Polystyrol (XPS)
Rolls / carton:	24
Roll:	16.5 m²
Thickness:	2 mm
Width:	1.1 m
Length:	15 m
Weight:	0.09 kg / m²
Impact sound reduction:	~ 20 dB
Reflected walking sound:	14 %
Thermal resistance:	0.075 (m²K) / W
SD value:	> 75 m

FIBREBOARD
FOR LAMINATE FLOORING

insulationBOARD | Art. no. UHF100



THE STRONG INSULATION BOARD
FOR PROFESSIONALS

- very good heat insulation, height compensation up to approx. 3 mm, high durability

Fits perfectly for laminate flooring:
wineo 300 | 500 | 550 and all comparable standard laminate and parquet products

insulationBOARD has a proven track record with installation professionals as a **heat insulation underlay**. The insulating board has very good compensation characteristics and is very durable.

Technical characteristics	
Material:	Fibreboard
Boxes/pallets:	24
Quantity/box:	7 m² (15 pieces)
Thickness:	5 mm
Width:	0.59 m
Length:	0.79 m
Weight:	1.65 kg / m²
Impact sound reduction:	~ 22 dB
Reflected walking sound:	11 %
Thermal resistance:	0.1 (m²K)/W



PE FILM & MULTI-PURPOSE SEALING TAPE
FOR LAMINATE FLOORING

PE vapour barrier | Art. no. UZUB200



- thin PE film for use under all hard flooring (not required for wood substrates)
- provides a separating layer between screed and underlay materials
- certified to B2

Fits perfectly for: soundPROTECT, soundPROTECT PROFI, noisePROTECT, noiseREDUCT, insulationBOARD	
Technical characteristics	
Rolls/pallets:	100
Roll:	30 m²
Thickness:	0.125 mm
Width:	1 m
Length:	30 m

Multi-purpose sealing tape | Art. no. UZUB100



- special adhesive tape for sealing the edges of underlay
- required for all underlays with integrated vapour barrier

Fits perfectly for: soundPROTECT SD, soundPROTECT PROFI SD, noisePROTECT SD, noiseREDUCT SD	
Technical characteristics	
Roll:	1
Width:	50 mm
Length:	50 m



PRODUCT RANGE COMPARISON

	silent PREMIUM	silentPLUS	silentCOMFORT	silentRIGID	soundSTOP	soundPROTECT	soundPROTECT SD	soundPROTECT PROFI	soundPROTECT PROFI SD	noisePROTECT	noisePROTECT SD	noiseREDUCT	noiseREDUCT SD	insulation BOARD
Pressure stability	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★	★★	★★★	★★★★	★★★★★
Thermal conductivity	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★	★★	★
Recovery	★★★★★	★★★★★	★★★★★	★★★★★	—	—	—	—	—	—	—	—	—	—
Impact sound reduction	★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
Reflected walking sound	—	—	—	—	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★	★★	★★	★
Floor levelling properties	★★	★★	★★	★★	★★★	★★★★	★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
Service life	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★	★★	★	★	★★★★★
Sustain-ability	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★	★	★	★	★★★★★
Energy saving for underfloor heating	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★	★★★★	★	★	★
	For elastic floor coverings					For hard floor coverings								

Evaluation: The more stars the better.



SKIRTING BOARDS
COMFORT SKIRTING

Contrast | Art. no. F01CT60



60 x 16 x 2380 mm
MDF material | Unit = 4

Unity





MATCHED DECOR

Successive ASSORTMENT CHANGEOVER

■ also available in a decor to match your wineo flooring, see next page

SKIRTING BOARDS
PREMIUM SKIRTING

Classic | Art. no. F01CS80





80 x 18 x 2380 mm
MDF material | Unit = 4

Classic Stainless Steel | Art. no. F02CS80







80 x 18 x 2380 mm |
MDF material | Unit = 4

Design | Art. no. F01DS80





80 x 18 x 2380 mm
MDF material | Unit = 4

Hamburg | Art. no. F01HB80 | Art. no. F01HB100



80 x 18 x 2380 mm | 100 x 18 x 2380 mm
MDF material | Unit = 4

Waterproof | Art. no. F01WP60



SUITABLE FOR DAMP AREAS

60 x 16 x 2380 mm
ABS-Material | Unit = 4

Aluminium | Art. no. F03ALU6011 | Art. no. F03ALU6013





PRACTICAL SLIDE-IN FUNCTION

60 x 11 x 2700 mm | Dryback 2-3 mm | Unit = 10
60 x 13 x 2700 mm | Design-Klick 4-5 mm | Unit = 10

SKIRTING BOARD ACCESSORIES
SKIRTING CLIPS

Skirting clips | Art. no. 30020241



MATCHES PRESENT RANGE

■ invisible skirting board fixings
■ not for Aluminium skirting

ca. 15 rm | box = 30 clips

Skirting clips NEW | Art. no. FCLIPK







MATCHES THE NEW RANGE

■ invisible skirting board fixings
■ not for Aluminium skirting





























ca. 20 rm | box = 50 clips

INSIDE AND EXTERNAL CORNERS | END CAPS | CONNECTION PIECES

	Fits perfectly for	Type (self-adhesive)	Unit	Colour	Art. no.
 Contrast	Contrast and Waterproof skirting board	Inside corners	4	White	FIE01-60
		External corners	2	White	FAE01-60
		End caps	2	White	FAK01-60
		Connection pieces	2	White	FCP01-60
 Unity	Unity skirting board	Inside corners	4	Stainless steel	FIE02-60
		External corners	2	Stainless steel	FAE02-60
		End caps	2	Stainless steel	FAK02-60
		Connection pieces	2	Stainless steel	FCP02-60
 Design	Classic and Design skirting board	Inside corners	4	White	FIE01-80
		External corners	2	White	FAE01-80
		End caps	2	White	FAK01-80
		Connection pieces	2	White	FCP01-80
 Design	Classic Stainless Steel skirting board	Inside corners	4	Stainless steel	FIE02-80
		External corners	2	Stainless steel	FAE02-80
		End caps	2	Stainless steel	FAK02-80
		Connection pieces	2	Stainless steel	FCP02-80
 Hamburg	Hamburger 80 skirting board	Inside corners	4	White	FIE01-80H
		External corners	2	White	FAE01-80H
		End caps	2	White	FAK01-80H
		Connection pieces	2	White	FCP01-80H
 Hamburg	Hamburger 100 skirting board	Inside corners	4	White	FIE01-100H
		External corners	2	White	FAE01-100H
		End caps	2	White	FAK01-100H
		Connection pieces	2	White	FCP01-100H

SKIRTING BOARDS
FOR PURLINE ORGANIC FLOORING
































wineo 1000

Design		Fits perfectly for (Decor art. no.)	14,5/50 Art. no.	16/60 Art. no.
Arctic Oak		PL008R PLC008R	30060414	F56002UY60
Ascona Pine Nature		PL052R PLC052R	30060515	F58020UY60
Calistoga Cream		PL054R PLC054R MLP054R	30060410	F54041UY60
Calistoga Grey		PL003R PLC003R MLP003R	30060409	F58010UY60
Calistoga Nature		PL001R PLC001R MLP001R	30060407	F54033UY60
Canyon Oak		PL007R PLC007R MLP007R	30060413	F54029UY60
Carmel Pine		PL048R PLC048R	30060516	F54039UY60
Dacota Oak		PL017R PLC017R MLP017R	30060423	F74003UY60
Garden Oak		PL005R PLC005R MLP005R	30060411	F34022UY60
Island Oak Honey		PL043R PLC043R	30060518	F58016UY60
Island Oak Moon		PL045R PLC045R MLP045R	30060519	F56003UY60
Island Oak Sand		PL044R PLC044R MLP044R	30060520	F58003UY60
Malmoe Pine		PL019R PLC019R	30060425	F34020UY60
Manhattan Factory		PL058R PLC058R	30060432	F01CT60 (white)
Milan Opera		PL059R PLC059R	30060432	F01CT60 (white)
Mocca Cream		PL039R PLC039R	30060432	F01CT60 (white)
Nordic Pine Modern		PL050R PLC050R	30060521	F58019UY60
Nordic Pine Style		PL049R PLC049R	30060522	F11005UY60
Paris Art		PL057R PLC057R	30060432	F01CT60 (white)
Patina Teak		PL046R PLC046R	30060523	F58013UY60
Puro Silver		PL028R PLC028R	30060432	F01CT60 (white)
Scivaro Slate		PL038R PLC038R	30060432	F01CT60 (white)
Stockholm Loft		PL055R PLC055R	30060432	F01CT60 (white)
Summer Beech		PL047R PLC047R	30060524	F54002UY60
Traditional Oak Brown		PL051R PLC051R MLP051R	30060525	F34003UY60
Valley Oak Mud		PL042R PLC042R	30060526	F58023UY60
Valley Oak Soil		PL041R PLC041R MLP041R	30060527	F58012UY60
Venice Harbour		PL056R PLC056R	30060432	F01CT60 (white)



SKIRTING BOARDS
FOR PURLINE ORGANIC FLOORING

wineo 1500 wood XS | wood L | wood XL

Design		Fits perfectly for (Decor art. no.)	14,5/50 Art. no.	16/60 Art. no.
Canyon Oak Honey		PL076C	30060607	F54029UY60
Canyon Oak Sand		PL075C	30060606	F34009UY60
Classic Oak Autumn		PL073C	30060604	F74007UY60
Classic Oak Spring		PL071C	30060602	F34011UY60
Classic Oak Summer		PL072C	30060602	F54044UY60
Classic Oak Winter		PL074C	30060605	F76003UY60
Crafted Oak		PL080C	30060630	F54008UY60
Crystal Pine		PL098C	30060628	F11007UY60
Fashion Oak Cream		PL092C	30060622	F34012UY60
Fashion Oak Grey		PL093C	30060623	F36012UY60
Fashion Oak Natural		PL091C	30060621	F34016UY60
Garden Oak		PL005C	30060411	F34022UY60
Golden Pine Mixed		PL077C	30060608	F01CT60 (white)
Island Oak Moon		PL045C	30060519	F56003UY60
Native Ash		PL099C	30060629	F34025UY60
Noble Elm		PL081C	30060611	F74006UY60
Polar Pine		PL082C	30060612	F56009UY60
Pure Black		PL194C	30060598	F99999UY60
Pure Pine		PL079C	30060610	F11003UY60
Pure White		PL025C	30060432	F01CT60 (white)
Queen's Oak Amber		PL096C	30060626	F34003UY60
Queen's Oak Pearl		PL097C	30060627	F58008UY60
Royal Chestnut Desert		PL085C	30060616	F54019UY60
Royal Chestnut Grey		PL084C	30060615	F78003UY60
Royal Chestnut Mocca		PL086C	30060617	F74004UY60
Silver Pine Mixed		PL078C	30060609	F01CT60 (white)
Supreme Oak Grey		PL070C	30060601	F76002UY60
Supreme Oak Natural		PL068C	30060599	F34006UY60
Supreme Oak Silver		PL069C	30060600	F56007UY60
Uptown Pine		PL083C	30060613	F34023UY60
Village Oak Brown		PL088C	30060619	F74016UY60



SKIRTING BOARDS
FOR PURLINE ORGANIC FLOORING













wineo 1500 wood XS | wood L | wood XL

Design		Fits perfectly for (Decor art. no.)	14,5/50 Art. no.	16/60 Art. no.
Village Oak Cream		PL087C	30060618	F34024UY60
Village Oak Grey		PL089C	30060620	F56010UY60
Western Oak Cream		PL094C	30060624	F58016UY60
Western Oak Desert		PL095C	30060625	F54005UY60
Wild Wood		PL100C	30060614	F34026UY60



SKIRTING BOARDS
FOR DESIGN FLOORING

























wineo 400

Design		Fits perfectly for (Decor art. no.)	19/58 Art. no.	16/60 Art. no.
Adventure Oak Rustic		DB00111 DLC00111 MLD00111	30060566	F58016UY60
Ambition Oak Calm		DB00122 DLC00122 MLD00122	30060575	F36009UY60
Comfort Oak Mellow		DB00129 DLC00129 MLD00129	30060582	F54012UY60
Compassion Oak Tender		DB00109 DLC00109 MLD00109	30060558	F54047UY60
Courage Stone Grey		DB00137 DLC00137 MLD00137	30060590	F56015UY60
Desire Oak Light		DB00108 DLC00108 MLD00108	30060563	F58009UY60
Dream Pine Light		DB00105 DLC00105 MLD00105	-	F01CT60 (white)
Embrace Oak Grey		DB00110 DLC00110 MLD00110	30060565	F74005UY60
Emotion Oak Rustic		DB00123 DLC00123 MLD00123	30060576	F36010UY60
Energy Oak Warm		DB00114 DLC00114 MLD00114	30060569	F54036UY60
Eternity Oak Brown		DB00120 DLC00120 MLD00120	30060435	F54048UY60
Eternity Oak Grey		DB00121 DLC00121 MLD00121	30060435	F36011UY60
Fairytale Stone Pale		DB00142 DLC00142 MLD00142	30060595	F56016UY60
Fortune Stone Rusty		DB00143 DLC00143 MLD00143	30060596	F74017UY60
Glamour Concrete Modern		DB00141 DLC00141 MLD00141	30060594	F76006UY60
Grace Oak Smooth		DB00106 DLC00106 MLD00106	30060561	F58002UY60



SKIRTING BOARDS
FOR DESIGN FLOORING

























wineo 400

Design		Fits perfectly for (Decor art. no.)	19/58 Art. no.	16/60 Art. no.
Harmony Stone Sandy		DB00134 DLC00134 MLD00134	30060587	F34030UY60
Hero Stone Gloomy		DB00138 DLC00138 MLD00138	30060591	F76005UY60
Inspiration Oak Clear		DB00113 DLC00113 MLD00113	30060568	F34027UY60
Intuition Oak Brown		DB00130 DLC00130 MLD00130	30060583	F54044UY60
Joy Oak Tender		DB00126 DLC00126 MLD00126	30060579	F54016UY60
Kindness Oak Pure		DB00125 DLC00125 MLD00125	30060578	F34010UY60
Liberation Oak Timeless		DB00128 DLC00128 MLD00128	30060581	F54007UY60
Luck Oak Sandy		DB00127 DLC00127 MLD00127	30060580	F34010UY60
Magic Stone Cloudy		DB00136 DLC00136 MLD00136	30060589	F34031UY60
Memory Oak Silver		DB00132 DLC00132 MLD00132	30060585	F58007UY60
Miracle Oak Dry		DB00117 DLC00117 MLD00117	30060572	F76002UY60
Moonlight Pine Pale		DB00104 DLC00104 MLD00104	30060435	F36008UY60
Paradise Oak Essential		DB00112 DLC00112 MLD00112	30060567	F58018UY60
Patience Concrete Pure		DB00139 DLC00139 MLD00139	30060592	F38005UY60
Romance Oak Brilliant		DB00119 DLC00119 MLD00119	30060574	F54006UY60
Silence Oak Beige		DB00124 DLC00124 MLD00124	30060577	F34008UY60
Soul Apple Mellow		DB00107 DLC00107 MLD00107	30060562	F54046UY60
Spirit Oak Silver		DB00115 DLC00115 MLD00115	30060570	F58013UY60
Starlight Oak Soft		DB00116 DLC00116 MLD00116	30060571	F56011UY60
Summer Oak Golden		DB00118 DLC00118 MLD00118	30060573	F54024UY60
Valour Oak Smokey		DB00133 DLC00133 MLD00133	30060586	F78004UY60
Vision Concrete Chill		DB00135 DLC00135 MLD00135	30060588	F58024UY60
Wisdom Concrete Dusky		DB00140 DLC00140 MLD00140	30060593	F36013UY60
Wish Oak Smooth		DB00131 DLC00131 MLD00131	30060584	F58027UY60



SKIRTING BOARDS
FOR DESIGN FLOORING





















wineo 600

Design		Fits perfectly for (Decor art. no.)	19/58 Art. no.	16/60 Art. no.
#AmsterdamLoft		DB195W6 RLC195W6	-	F54020UY60
#BarcelonaLoft		DB191W6 RLC191W6	-	F54060UY60
#BerlinLoft		DB200W6 RLC200W6	-	F76004UY60
#BrooklynFactory		DB206W6 RLC206W6	-	F78006UY60
#CamdenFactory		DB202W6 RLC202W6	-	F56022UY60
#ChelseaFactory		DB203W6 RLC203W6	-	F56023UY60
#CopenhagenLoft		DB189W6 RLC189W6	-	F34006UY60
#CozyPlace		DB186W6 RLC186W6	-	F74021UY60
#ElegantPlace		DB187W6 RLC187W6	-	F56003UY60
#LisbonLoft		DB192W6 RLC192W6	-	F54016UY60
#LondonLoft		DB193W6 RLC193W6	-	F54029UY60
#MilanoLoft		DB190W6 RLC190W6	-	F34010UY60
#ModernPlace		DB188W6 RLC188W6	-	F78007UY60
#MoscowLoft		DB198W6 RLC198W6	-	F54059UY60
#NaturalPlace		DB183W6 RLC183W6	-	F34011UY60
#NewtownFactory		DB204W6 RLC204W6	-	F56024UY60
#NewYorkLoft		DB197W6 RLC197W6	-	F54061UY60
#NoordFactory		DB201W6 RLC201W6	-	F11010UY60
#ParisLoft		DB199W6 RLC199W6	-	F58007UY60
#SmoothPlace		DB185W6 RLC185W6	-	F58005UY60
#SoHoFactory		DB205W6 RLC205W6	-	F56025UY60
#SydneyLoft		DB194W6 RLC194W6	-	F54062UY60
#ViennaLoft		DB196W6 RLC196W6	-	F54012UY60
#WarmPlace		DB184W6 RLC184W6	-	F54008UY60



SKIRTING BOARDS
FOR DESIGN FLOORING


wineo 800 wood | wood XL

Design		Fits perfectly for (Decor art. no.)	19/58 Art. no.	16/60 Art. no.
Balearic Wild Oak		DB00078 DLC00078	30060557	F58021UY60
Clay Calm Oak		DB00062 DLC00062	30060540	F58005UY60
Copenhagen Frosted Pine		DB00076 DLC00076	30060550	F38003UY60
Corn Rustic Oak		DB00064 DLC00064	30060542	F54031UY60
Crete Vibrant Oak		DB00075 DLC00075	30060558	F74009UY60
Cyprus Dark Oak		DB00066 DLC00066	30060544	F74014UY60
Göteborg Calm Oak		DB00077 DLC00077	30060556	F58009UY60
Helsinki Rustic Oak		DB00068 DLC00068	30060546	F36007UY60
Honey Warm Maple		DB00081 DLC00081	30060553	F54045UY60
Infinity Dark Solid		DB00073	30060548	F58017UY60
Infinity Light Solid		DB00074	30060549	F34007UY60
Lund Dusty Oak		DB00065 DLC00065	30060543	F58007UY60
Mud Rustic Oak		DB00063 DLC00063	30060541	F54043UY60
Ponza Smoky Oak		DB00067 DLC00067	30060545	F76004UY60
Riga Vibrant Pine		DB00082 DLC00082	30060554	F56008UY60
Salt Lake Oak		DB00079 DLC00079	30060549	F34007UY60
Santorini Deep Oak		DB00061 DLC00061	30060539	F74002UY60
Sardinia Wild Walnut		DB00083 DLC00083	30060555	F74008UY60
Sicily Dark Oak		DB00069 DLC00069	30060547	F78005UY60
Wheat Golden Oak		DB00080 DLC00080	30060552	F54050UY60














SKIRTING BOARDS
FOR LAMINATE FLOORING

ROCK’N’GO

Design		Fits perfectly for (Decor art. no.)	15/70 Art. no.	16/60 Art. no.
Born to be wild		LA151SYS	30040448	F01CT60 (white)
Dancing in the Dark		LA149SYSV4	30040440	F99999UY60
Here comes the sun		LA145SYSV4	30040444	F54049UY60
Hotel California		LA144SYSV4	30040443	F34005UY60
House of the rising sun		LA145N	30040442	F34028UY60
I was made for loving you		LA147SYSV4	30040446	F56013UY60
Knocking on heavens door		LA148SYSV4	30040439	F01CT60 (white)
London Calling		LA150SYSV4	30040447	F58022UY60
Man on the Moon		LA142SYSV4	30040441	F36011UY60
Paint it Black		LA153SYS	30040450	F99999UY60
Under Pressure		LA152SYS	30040449	F01CT60 (white)
Whiskey in the Jar		LA146SYSV4	30040445	F54030UY60


























SKIRTING BOARDS
FOR LAMINATE FLOORING

wineo 300





Design		Fits perfectly for (Decor art. no.)	16/60 Art. no.
Ascona Pine Grey		LA018N(C)	F58014UY60
California Oak		LA144N(C)	F34005UY60
Canadian Maple		LA001N(C)	F34005UY60
Classic Beech		LA004N(C)	F54002UY60
Classic Oak		LA010N(C)	F54008UY60
London Oak		LA150N(C)	F58022UY60
Moon Oak		LA142N(C)	F36011UY60
Natural Walnut		LA012N(C)	F74010UY60
Sun Oak		LA145N(C)	F54049UY60
Traditional Oak Brown		LA024N(C)	F34003UY60
Welsh Dark Oak		LA009N(C)	F58010UY60
Welsh Pale Oak		LA008N(C)	F54013UY60




SKIRTING BOARDS
FOR LAMINATE FLOORING

wineo 500

Design		Fits perfectly for (Decor art. no.)	16/60 Art. no.
Balanced Oak Beige		LA180MV4 LA180LV4 LA180XXLV4	F34011UY60
Balanced Oak Brown		LA181MV4 LA181LV4 LA181XXLV4	F54055UY60
Balanced Oak Darkbrown		LA182MV4 LA182LV4 LA182XXLV4	F54056UY60
Balanced Oak Grey		LA183MV4 LA183LV4 LA183XXLV4	F56018UY60
Balanced Oak White		LA179MV4 LA179LV4 LA179XXLV4	F34006UY60
Flowered Oak Beige		LA170MV4 LA170LV4 LA170XXLV4	F34011UY60
Flowered Oak Brown		LA171MV4 LA171LV4 LA171XXLV4	F34012UY60
Flowered Oak Darkbrown		LA172MV4 LA172LV4 LA172XXLV4	F54044UY60
Flowered Oak Grey		LA173MV4 LA173LV4 LA173XXLV4	F36014UY60
Flowered Oak White		LA169MV4 LA169LV4 LA169XXLV4	F11008UY60
Smooth Oak Beige		LA165MV4 LA165LV4 LA165XXLV4	F54047UY60
Smooth Oak Brown		LA166MV4 LA166LV4 LA166XXLV4	F54029UY60
Smooth Oak Darkbrown		LA167MV4 LA167LV4 LA167XXLV4	F74020UY60
Smooth Oak Grey		LA168MV4 LA168LV4 LA168XXLV4	F56003UY60
Smooth Oak White		LA164MV4 LA164LV4 LA164XXLV4	F11009UY60
Strong Oak Beige		LA175MV4 LA175LV4 LA175XXLV4	F34011UY60
Strong Oak Brown		LA176MV4 LA176LV4 LA176XXLV4	F54058UY60
Strong Oak Darkbrown		LA177MV4 LA177LV4 LA177XXLV4	F54044UY60
Strong Oak Grey		LA178MV4 LA178LV4 LA178XXLV4	F56003UY60
Strong Oak White		LA174MV4 LA174LV4 LA174XXLV4	F34006UY60
Wild Oak Beige		LA185MV4 LA185LV4 LA185XXLV4	F34011UY60
Wild Oak Brown		LA186MV4 LA186LV4 LA186XXLV4	F54016UY60
Wild Oak Darkbrown		LA187MV4 LA187LV4 LA187XXLV4	F54057UY60
Wild Oak Grey		LA188MV4 LA188LV4 LA188XXLV4	F56019UY60
Wild Oak White		LA184MV4 LA184LV4 LA184XXLV4	F38006UY60





PREMIUM PROFILES
TRANSITION PROFILES & ADJUSTMENT PROFILES

TRANSITION PROFILES								
Application	Fits perfectly for	Product type	Fixing	Colour	Length (mm)	Width (mm)	Art. no.	Packers (up to 18 mm)
	Hard flooring/ multilayers (6 - 13 mm)	Transition profile		Silver	1000	36	PPHA1Silb	PPEBlocSilb
				Silver	2700	36	PPHA27Silb	PPEBlocSilb
				Stainless steel	1000	36	PPHA1Edel	PPEBlocEdelMe
				Stainless steel	2700	36	PPHA27Edel	PPEBlocEdelMe
				Brass	1000	36	PPHA1Mess	PPEBlocEdelMe
				Brass	2700	36	PPHA27Mess	PPEBlocEdelMe
Doorways/ thresholds same flooring height	Elastic flooring for clicking in (3.5 - 8.5 mm)	Transition profile		Silver	1000	27	PPEA1Silb	
				Silver	2700	27	PPEA27Silb	
				Stainless steel	1000	27	PPEA1Edel	
				Stainless steel	2700	27	PPE27Edel	
				Brass	1000	27	PPEA1Mess	
				Brass	2700	27	PPEA27Mess	
	Elastic flooring for gluing (3 mm)	Expansion joint		Silver	2500	10	PPDD25Silb	

ADJUSTMENT PROFILES								
Application	Fits perfectly for	Product type	Fixing	Colour	Length (mm)	Width (mm)	Art. no.	Packers (up to 18 mm)
	Hard flooring/ multilayers (6 - 13 mm)	Adjustment profile		Silver	1000	44	PPHB1Silb	PPEBlocSilb
				Silver	2700	44	PPHB27Silb	PPEBlocSilb
				Stainless steel	1000	44	PPHB1Edel	PPEBlocEdelMe
				Stainless steel	2700	44	PPHB27Edel	PPEBlocEdelMe
				Brass	1000	44	PPHB1Mess	PPEBlocEdelMe
				Brass	2700	44	PPHB27Mess	PPEBlocEdelMe
Doorways/ thresholds different flooring heights	Elastic for clicking in (3.5 - 8.5 mm)	Adjustment profile		Silver	1000	34	PPEB1Silb	
				Silver	2700	34	PPEB27Silb	
				Stainless steel	1000	34	PPEB1Edel	
				Stainless steel	2700	34	PPEB27Edel	
				Brass	1000	34	PPEB1Mess	
				Brass	2700	34	PPEB27Mess	

Minimum order quantity = 1

PREMIUM PROFILES
END PROFILE




END PROFILES								
Application	Fits perfectly for	Product type	Fixing	Colour	Length (mm)	Width (mm)	Art. no.	Packers (up to 18 mm)
	Hard flooring/ multilayers (6 - 13 mm)	End strip		Silver	1000	25	PPHC1Silb	PPEBlocSilb
				Silver	2700	25	PPHC27Silb	PPEBlocSilb
				Stainless steel	1000	25	PPHC1Edel	PPEBlocEdelMe
				Stainless steel	2700	25	PPHC27Edel	PPEBlocEdelMe
				Brass	1000	25	PPHC1Mess	PPEBlocEdelMe
				Brass	2700	25	PPHC27Mess	PPEBlocEdelMe
Flooring depth windows	Elastic flooring for clicking in (3.5 - 8.5 mm)	End strip		Silver	1000	23	PPEC1Silb	
				Silver	2700	23	PPEC27Silb	
				Stainless steel	1000	23	PPEC1Edel	
				Stainless steel	2700	23	PPEC27Edel	
				Brass	1000	23	PPEC1Mess	
				Brass	2700	23	PPEC27Mess	
	Elastic flooring for gluing (3 mm)	L-shaped end strip		Silver	2500	23	PPDL25Silb	







Minimum order quantity = 1

COMFORT PROFILES

TRANSITION PROFILE SELF ADHESIVE | STAIR NOSING & ANGLED PROFILES

TRANSITION PROFILE SELF-ADHESIVE							
Application	Fits perfectly for	Product type	Fixing	Colour	Length (mm)	Width (mm)	Art. no.
	Hard flooring / multilayers (6 - 13 mm)	Transition profile (smooth)		Silver	1000	30	PCHA1Silb
				Silver	2700	30	PCHA27Silb
				Stainless steel	1000	30	PCHA1Edel
				Stainless steel	2700	30	PCHA27Edel
				Brass	1000	30	PCHA1Mess
				Brass	2700	30	PCHA27Mess
Doorways / thresholds same flooring height	Elastic flooring for clicking in or gluing (0 - 10 mm)	Transition profile (fluted)		Silver	1000	25	PCEA1Silb
				Silver	2700	25	PCEA27Silb
				Stainless steel	1000	25	PCEA1Edel
				Stainless steel	2700	25	PCEA27Edel
				Brass	1000	25	PCEA1Mess
				Brass	2700	25	PCEA27Mess

STAIR NOSING PROFILE & ANGLED PROFILE							
Application	Fits perfectly for	Product type	Fixing	Colour	Length (mm)	Width (mm)	Art. no.
 Stair end piece	Hard flooring / multilayers (7 - 15 mm)	Stair nosing profile		Silver	2500	30 x 25	PPHT25Silb
	Elastic flooring for clicking in (6 - 6,5 mm)			Silver	2500	43,5	PPET25Silb
	Elastic flooring for gluing (2,5 mm)			Silver	2500	39,5	PPDT25Silb
 Plinths / shelves	Hard flooring / multilayers	Angled profile		Silver	2700	15 x 8,5	PCW27Silb1
	Elastic flooring for clicking in			Silver	2700	24,5 x 15	PCW27Silb2
	Elastic flooring for gluing						

Minimum order quantity = 1



STAIR NOSING

TYPE A FOR WINEO 400 AND WINEO 1000



Stair nose A has a single return, cannot be connected on the leading edge, and forms a closed, straight end piece.

- non-slip thanks to R9 surface, durable, easy to clean

Ordering:

- When ordering, please provide the article number of the stair type and the decor code for the flooring.
- Delivery is approximately 2 weeks.

Technical characteristics								
wineo 400 wood Connect			wineo 400 wood XL Connect			wineo 400 stone Connect		
Art. no.:	20080852		Art. no.:	0080855		Art. no.:	20080858	
Thickness:	4.5 mm		Thickness:	4.5 mm		Thickness:	4.5 mm	
Length:	1212 mm		Length:	1507 mm		Length:	1200 mm	
Width:	TYPE A	ca. 144 mm*	Width:	TYPE A	ca. 192 mm*	Width:	TYPE A	ca. 273 mm*
	TYPE B	ca. 150 mm*		TYPE B	ca. 198 mm*		TYPE B	ca. 279 mm*
	TYPE C	ca. 123 mm**		TYPE C	ca. 171 mm**		TYPE C	ca. 252 mm**
wineo 400 wood Multi-Layer			wineo 400 wood XL Multi-Layer			wineo 400 stone Multi-Layer		
Art. no.:	20080861		Art. no.:	20080864		Art. no.:	20080867	
Thickness:	9 mm		Thickness:	9 mm		Thickness:	9 mm	
Length:	1222 mm		Length:	1520 mm		Length:	1202 mm	
Width:	TYPE A	ca. 139 mm*	Width:	TYPE A	ca. 187 mm*	Width:	TYPE A	ca. 267 mm*
	TYPE B	ca. 145 mm*		TYPE B	ca. 193 mm*		TYPE B	ca. 273 mm*
	TYPE C	ca. 118 mm**		TYPE C	ca. 166 mm**		TYPE C	ca. 246 mm**
wineo 1000 wood Connect			wineo 1000 wood XXL Multi-Layer			wineo 1000 stone Connect		
Art. no.:	20080873		Art. no.:	20080870		Art. no.:	20080876	
Thickness:	5 mm		Thickness:	9 mm		Thickness:	5 mm	
Length:	1295 mm		Length:	1845 mm		Length:	859 mm	
Width:	TYPE A	ca. 152 mm*	Width:	TYPE A	ca. 194 mm*	Width:	TYPE A	ca. 354 mm*
	TYPE B	ca. 155 mm*		TYPE B	ca. 200 mm*		TYPE B	ca. 360 mm*
	TYPE C	ca. 132 mm**		TYPE C	ca. 174 mm**		TYPE C	ca. 333 mm**

*Tolerance: +/- 1.5 mm | **Tolerance: +/- 3 mm

STAIR NOSING

TYPE B FOR WINEO 400 AND WINEO 1000



Stair nose B has a single return and can be connected on both the leading and rear edges. This allows continuous installation on block stairs.

- non-slip thanks to R9 surface, durable, easy to clean

Ordering:


- When ordering, please provide the article number of the stair type and the decor code for the flooring.
- Delivery is approximately 2 weeks.

Technical characteristics								
wineo 400 wood Connect			wineo 400 wood XL Connect			wineo 400 stone Connect		
Art. no.:	20080853		Art. no.:	20080856		Art. no.:	20080859	
Thickness:	4.5 mm		Thickness:	4.5 mm		Thickness:	4.5 mm	
Length:	1212 mm		Length:	1507 mm		Length:	1200 mm	
Width:	TYPE A	ca. 144 mm*	Width:	TYPE A	ca. 192 mm*	Width:	TYPE A	ca. 273 mm*
	TYPE B	ca. 150 mm*		TYPE B	ca. 198 mm*		TYPE B	ca. 279 mm*
	TYPE C	ca. 123 mm**		TYPE C	ca. 171 mm**		TYPE C	ca. 252 mm**
wineo 400 wood Multi-Layer			wineo 400 wood XL Multi-Layer			wineo 400 stone Multi-Layer		
Art. no.:	20080862		Art. no.:	20080865		Art. no.:	20080868	
Thickness:	9 mm		Thickness:	9 mm		Thickness:	9 mm	
Length:	1222 mm		Length:	1520 mm		Length:	1202 mm	
Width:	TYPE A	ca. 139 mm*	Width:	TYPE A	ca. 187 mm*	Width:	TYPE A	ca. 267 mm*
	TYPE B	ca. 145 mm*		TYPE B	ca. 193 mm*		TYPE B	ca. 273 mm*
	TYPE C	ca. 118 mm**		TYPE C	ca. 166 mm**		TYPE C	ca. 246 mm**
wineo 1000 wood Connect			wineo 1000 wood XXL Multi-Layer			wineo 1000 stone Connect		
Art. no.:	20080874		Art. no.:	20080871		Art. no.:	20080877	
Thickness:	5 mm		Thickness:	9 mm		Thickness:	5 mm	
Length:	1295 mm		Length:	1845 mm		Length:	859 mm	
Width:	TYPE A	ca. 152 mm*	Width:	TYPE A	ca. 194 mm*	Width:	TYPE A	ca. 354 mm*
	TYPE B	ca. 155 mm*		TYPE B	ca. 200 mm*		TYPE B	ca. 360 mm*
	TYPE C	ca. 132 mm**		TYPE C	ca. 174 mm**		TYPE C	ca. 333 mm**

*Tolerance: +/- 1.5 mm | **Tolerance: +/- 3 mm

STAIR NOSING

TYPE C FOR WINEO 400 AND WINEO 1000 UP TO 5 MM THICKNESS



Stair nose C has a double return and is suitable for underlays up to 5 mm. This variant cannot be connected on the leading edge, forming a closed, straight end piece.

- non-slip thanks to R9 surface, durable, easy to clean

Ordering:

- When ordering, please provide the article number of the stair type and the decor code for the flooring.
- Delivery is approximately 2 weeks.

Technical characteristics					
wineo 400 wood Connect		wineo 400 wood XL Connect		wineo 400 stone Connect	
Art. no.:	20080854	Art. no.:	20080857	Art. no.:	20080860
Thickness:	4.5 mm	Thickness:	4.5 mm	Thickness:	4.5 mm
Length:	1212 mm	Length:	1507 mm	Length:	1200 mm
Width:	TYPE A ca. 144 mm*	Width:	TYPE A ca. 192 mm*	Width:	TYPE A ca. 273 mm*
	TYPE B ca. 150 mm*		TYPE B ca. 198 mm*		TYPE B ca. 279 mm*
	TYPE C ca. 123 mm**		TYPE C ca. 171 mm**		TYPE C ca. 252 mm**
wineo 1000 wood Connect		wineo 1000 stone Connect			
Art. no.:	20080875	Art. no.:	20080878		
Thickness:	5 mm	Thickness:	5 mm		
Length:	1295 mm	Length:	859 mm		
Width:	TYPE A ca. 152 mm*	Width:	TYPE A ca. 354 mm*		
	TYPE B ca. 155 mm*		TYPE B ca. 360 mm*		
	TYPE C ca. 132 mm**		TYPE C ca. 333 mm**		

*Tolerance: +/- 1.5 mm | **Tolerance: +/- 3 mm

STAIR NOSING

TYPE C FOR WINEO 400 AND WINEO 1000 UP TO 9 MM THICKNESS



Stair nose C has a double return and is suitable for underlays up to 9 mm. This variant cannot be connected on the leading edge, forming a closed, straight end piece.

- non-slip thanks to R9 surface, durable, easy to clean

Ordering:

- When ordering, please provide the article number of the stair type and the decor code for the flooring.
- Delivery is approximately 2 weeks.

Technical characteristics					
wineo 400 wood Multi-Layer		wineo 400 wood XL Multi-Layer		wineo 400 stone Multi-Layer	
Art. no.:	20080863	Art. no.:	20080866	Art. no.:	20080869
Thickness:	9 mm	Thickness:	9 mm	Thickness:	9 mm
Length:	1222 mm	Length:	1520 mm	Length:	1202 mm
Width:	TYPE A ca. 139 mm*	Width:	TYPE A ca. 187 mm*	Width:	TYPE A ca. 267 mm*
	TYPE B ca. 145 mm*		TYPE B ca. 193 mm*		TYPE B ca. 273 mm*
	TYPE C ca. 118 mm**		TYPE C ca. 166 mm**		TYPE C ca. 246 mm**
wineo 1000 wood XXL Multi-Layer					
Art. no.:	20080872				
Thickness:	9 mm				
Length:	1845 mm				
Width:	TYPE A ca. 194 mm*				
	TYPE B ca. 200 mm*				
	TYPE C ca. 174 mm**				

IMPORTANT!
The **width** refers to the visible decor width (height = 40 mm, bottom edge = 20 mm). For the respective internal dimensions subtract the material thickness.




















*Tolerance: +/- 1.5 mm | **Tolerance: +/- 3 mm


SKIRTING BOARDS | EXTERNAL CORNERS | INSIDE CORNERS | WELD RODS

- available for all wineo 1500 roll designs
- uniform rounding due to machine-finished reinforcement
- very robust – no additional supporting profile
- high stability in corner area, no maintenance joint
- elastic material compensates screed sink
- practical skirting dimensions from 2.40 m long – no customising of strips
- flush thresholds guaranteed
- materials do not need to be heated during installation
- also available as acoustic variant for PURLINE flooring with integrated underlay
- no additional templates required
- order-specific scope of delivery




Technical characteristics	Skirting boards	External corners	Inside corners	Welding rods
Height	100 mm	100 mm	100 mm	4 mm
Width	100 mm	100 mm	100 mm	4 mm
Length	2400 mm	230 mm je Seite	210 mm je Seite	60 m / Roll

Design	Fits perfectly for		Skirting board	External corner	Inside corner	Welding rods
Apple Green	PLR185C		PH185	PEA185	PEI185	PS185
Apple Green Acoustic	PLR185CACT		PH185ACT	PEA185ACT	PEI185ACT	PS185
Bright.One	PLR115C		PH115	PEA115	PEI115	PS115
Bright.Two	PLR116C		PH116	PEA116	PEI116	PS116
Bright.Three	PLR117C		PH117	PEA117	PEI117	PS117
Bright.Four	PLR118C		PH118	PEA118	PEI118	PS118
Cappuccino	PLR004C		PH004	PEA004	PEI004	PS004
Cool.One	PLR107C		PH107	PEA107	PEI107	PS107
Cool.Two	PLR108C		PH108	PEA108	PEI108	PS108
Cool.Three	PLR109C		PH109	PEA109	PEI109	PS109
Cool.Four	PLR110C		PH110	PEA110	PEI110	PS110
Cottage Oak	PLR038C		PH038	PEA038	PEI038	PS038
Denim Blue Stars	PLR132C		PH132	PEA132	PEI132	PS132
Denim Blue Stars Acoustic	PLR132CACT		PH132ACT	PEA132ACT	PEI132ACT	PS132
Floating Wood Sand	PLR134C		PH134	PEA134	PEI134	PS134
Floating Wood Snow	PLR133C		PH133	PEA133	PEI133	PS133
Halifax Oak	PLR036C		PH036	PEA036	PEI036	PS036
Halifax Oak Acoustic	PLR036CACT		PH036ACT	PEA036ACT	PEI036ACT	PS036
Honey Mustard	PLR128C		PH128	PEA128	PEI128	PS128
Jungle Green	PLR018C		PH018	PEA018	PEI018	PS018
Light Grey	PLR021C		PH021	PEA021	PEI021	PS021

Design	Fits perfectly for		Skirting board	External corner	Inside corner	Welding rods
Light Grey Acoustic	PLR021CACT		PH021ACT	PEA021ACT	PEI021ACT	PS021
Melange	PLR003C		PH003	PEA003	PEI003	PS003
Midnight Grey	PLR024C		PH024	PEA024	PEI024	PS024
Midnight Grey Stars	PLR126C		PH126	PEA126	PEI126	PS126
Midnight Grey Stars Acoustic	PLR126CACT		PH126ACT	PEA126ACT	PEI126ACT	PS126
Missouri Oak	PLR039C		PH039	PEA039	PEI039	PS039
Napa Walnut Brown	PLR136C		PH136	PEA136	PEI136	PS136
Napa Walnut Cream	PLR135C		PH135	PEA135	PEI135	PS135
Navi Blue	PLR129C		PH129	PEA129	PEI129	PS129
Navi Blue Stars	PLR131C		PH131	PEA131	PEI131	PS131
Pacific Oak	PLR037C		PH037	PEA037	PEI037	PS037
Pacific Oak Acoustic	PLR037CACT		PH037ACT	PEA037ACT	PEI037ACT	PS037
Pure Black Stars	PLR127C		PH127	PEA127	PEI127	PS127
Pure White	PLR025C		PH025	PEA025	PEI025	PS025
Pure White Stars	PLR123C		PH123	PEA123	PEI123	PS123
Pure.One	PLR111C		PH111	PEA111	PEI111	PS111
Pure.Two	PLR112C		PH112	PEA112	PEI112	PS112
Pure.Three	PLR113C		PH113	PEA113	PEI113	PS113
Pure.Four	PLR114C		PH114	PEA114	PEI114	PS114
Racing Green	PLR019C		PH019	PEA019	PEI019	PS019
Red Rubin	PLR011C		PH011	PEA011	PEI011	PS011
Silver Grey	PLR022C		PH022	PEA022	PEI022	PS022
Silver Grey Acoustic	PLR022CACT		PH022ACT	PEA022ACT	PEI022ACT	PS022
Silver Grey Stars	PLR124C		PH124	PEA124	PEI124	PS124
Silver Grey Stars Acoustic	PLR124CACT		PH124ACT	PEA124ACT	PEI022ACT	PS124
Sinai Sand	PLR002C		PH002	PEA002	PEI002	PS002
Sinai Sand Acoustic	PLR002C		PH002ACT	PEA002ACT	PEI002ACT	PS002
Sinai Sand Stars	PLR130C		PH130	PEA130	PEI130	PS130
Steel Grey	PLR023C		PH023	PEA023	PEI023	PS023
Summer Sky	PLR014C		PH014	PEA014	PEI014	PS014
Terracotta Dark	PLR009C		PH009	PEA009	PEI009	PS009
Terracotta Dark Acoustic	PLR009CACT		PH009ACT	PEA009ACT	PEI009ACT	PS009
Warm.One	PLR119C		PH119	PEA119	PEI119	PS119
Warm.Two	PLR120C		PH120	PEA120	PEI120	PS120
Warm.Three	PLR121C		PH121	PEA121	PEI121	PS121
Warm.Four	PLR122C		PH122	PEA122	PEI122	PS122

FLASH COVING

The flash coving set makes installing the basin-like skirtings easier. These accessories ensure perfect and accurate external and inside corners.



FEATURE STRIPS

When installed between the panels, the feature strips create outstanding effects from an authentic plank or tile look to optically extending the length of the room. Whether in discrete colours or sharp contrast, the feature strips must be glued with all elastic wineo flooring.



Unicoloured-design	2 mm	2.5 mm	
Anthracite	AAN20DL	AAN25DL	
Cream	ACR20DL	ACR25DL	
Dark brown	ADB20DL	ADB25DL	
Black	ASW20DL	ASW25DL	
Silver grey	ASG20DL	ASG25DL	
Technical characteristics			
Width:	5 mm		
Thickness:	2 mm or 2.5 mm		
Length:	1000 mm		
Box:	50 m		



Technical characteristics	
Unit:	1 inside corner template, 1 template for relieving material tension



Technical characteristics	
Format:	B 15 mm x H 15 mm x L 2500 mm
Unit:	20 pieces



Technical characteristics	
Content:	300 g (1 cartridge contains approx. 10 rm)
Unit:	1 cartridge
available for all wineo 1500 roll decors	

INSTALLATION TOOLS | CLEANING AND REPAIR

Rubber hammer | Art. no. 20021004



■ the essential tool for professionals – the rubber hammer

Round cord | Art. no. 20080300



■ approx. 6 mm Ø, 10 m length, insert for expansion joints, for sealing with acrylic paste

Hard wax repair set, colour | Art. no. 10040063



■ 20x4 cm long hard wax sticks in a range of colours, can be blended

Blue Marlin knife | Art. no. 20021003



■ the professional knife for installing flooring (supplied without blade)

Cleaning set | Art. no. 10040065



■ contains: flooring wiper, microfibre mop, PU cleaner, spray bottle (empty)

Hard wax repair set, transparent | Art. no. 10040062



■ 4 cm long hard and soft wax sticks (3 of each) and 8 cm filler (2 pieces)

- LAMINATE FLOORING
- DESIGN FLOORING
- ORGANIC FLOORING

Assembly aid pro | Art. no. 10030652



■ with practical handle – makes installing click-in flooring easier

PU cleaner (separate) | Art. no. 10040068



■ PU cleaner 750 ml – replacement order for the cleaning set

Gas soldering iron pro | Art. no. 10040101



■ professional gas soldering iron for heating up and working hard wax

Assembly aid | Art. no. 10030657



■ solid wood, improves installation of elastic flooring for clicking-in

Micro-fibre mop (separate) | Art. no. 10040066



■ replacement micro-fibre mop

Filler plane | Art. no. 10040061



■ for planing fillers – matt or polished finish for excess wax

Windmüller GmbH

Nord-West-Ring 21

D-32832 Augustdorf

Tel.: +49 (0) 52 37 609 - 0

Fax: +49 (0) 52 37 609 - 309

info@wineo.de

www.wineo.de

Product no. 20091021 | 03/2020

wineo