



# **JUXTAPOSE YOUR LIFE**

Hardy and nonporous, DuChâteau Porcelain DeLuxe carries the brilliance of our hardwoods in a quality design and inspired finish that propels design sensibilities forward from every angle. A floor that balances the artistry of nature against modern manufacturing innovation – DuChâteau Porcelain DeLuxe exemplifies what it is to be a luxury hardwood alternative.



# **VERSATILE**

Exceptional for both interiors and exteriors,

DuChâteau Porcelain DeLuxe Collection features a multitude of

design potential that blurs the line between indoor


and outdoor environments.


Inspired design

# **TACTILE**

True to the texture of our hardwood roots, Porcelain DeLuxe mimics the distinct character of our signature hardwood collections in four-foot nominal lengths.

Tile edges have been kept sharp to ensure tighter grout lines for a more seamless finished floor, one befitting the DuChâteau aesthetic.





# **IMPERMEABLE**

Ideal for both residential and commercial applications, Porcelain DeLuxe is an excellent option for those wanting a low-maintenance, hard-wearing floor.

Because of its impermeability over traditional ceramic, our porcelain is stain-resistant and performs well in wet or damp environments.

# Innovative quality

## SUSTAINABLE WITH STYLE

DuChâteau Porcelain DeLuxe offers a breathtaking spectrum of seven natural wood tones to create a compelling composition for any design space – all made of post-consumer recycled material, all contribute to LEED\* credits and all are Greenguard\* certified to meet the strictest safety standards for low-VOC emissions.







# GREENGUARD° CERTIFIED

Each Porcelain DeLuxe tile is certified through the internationally recognized GREENGUARD Certification Program™ of the GREENGUARD Environmental Institute (GEI) for its low chemical emissions. DuChâteau Porcelain DeLuxe also includes a percentage of pre-consumer recycled material, plus six percent (6%) post-consumer recycled glass – a feat rarely seen in porcelain. Meeting such stringent indoor air quality criteria and using more recycled materials in its production is how DuChâteau is changing the face of tile.











# COLORED BODY The tones on the tile surface are coordinated with the color used in

the body of the tile, making it ideal for high-traffic areas.\*



# VARIATION

As in nature, our products feature a subtle shade variance within the same color pallette to create greater individual beauty from piece to piece.







# COLORS

One of the finest luxury hardwood alternatives, our exclusive porcelain line invites the design conscious to rethink what we can ask of a flooring element. No longer a rich color palette reserved solely for DuChâteau's famed hardwood collections, Porcelain DeLuxe incorporates the warmth of simulated wood finishing and reinvigorates how we experience our world. Exceptionally durable and well-suited for damp environments, DuChâteau Porcelain DeLuxe offers a new level of sophistication to your next space however you wish to see it.





## **SPECIFICATIONS**

Common

8 inches x 48 inches | 20 cm x 121 cm

Actual

7.71 inches x 47.4 inches | 19.6 cm x 120.4 cm

THICKNESS 0.31 inches 8.0 mm

PLANK SIZE

**BOX** 6 Planks / 60 lbs. / 15.58 sf.

**WARRANTY** I-Year Limited Warranty


**ENVIRONMENTAL** Contributes to LEED® Credits

Pre-Consumer Recycled Material Post-Consumer Recycled Material Certified Greenguard® Standard

**APPLICATIONS** Commercial & Residential

Interior & Exterior





# TECHNICAL PRODUCT SPECIFICATIONS\*

PHYSICAL PROPERTIES	TEST	INDUSTRY STANDARDS	DUCHÂTEAU RESULTS
Water Absorption Size	ASTM C <sub>373</sub>	o.5% Maximum	≤0.1%
Deep Abrasion	ASTM C1243	$<$ 175 mm $^3$	< 150mm <sup>3</sup>
Frost Resistance (Freeze/Thaw)	ASTM C1026	No sample must show alterations to surface	No cracking or spalling occurred
Chemical Resistance	ASTM C650	No requirement	Class A
Breaking Strength	ASTM C648	250 lbf or greater	≥350 lbf
Coefficient of Friction (Static)	ASTM C1028	No requirement	C1028 COF Acutest COF  Dry≥0.75* Wet≥0.42  Dry≥0.80**  Wet≥0.60


# TECHNICAL PRODUCT SPECIFICATIONS DATA

Data taken from a representative colored body collection.

Coefficient of Friction: All values given are for matte or honed material. No values are given for polished material.

DuChâteau does not recommend polished surfaces in areas subject to exposure from grease, oil or water.

(All values are based on ASTM C1028 and Acutest DCOF.) \* Applies to the following products: Palermo, Carrara, Ferrara & Padua. \*\* Applies to the following products: Monza, Capri & Modena.







### PRODUCT DISCLAIMER

Created to be a one-of-a-kind piece of nature's artistry, each and every Duchâteau® porcelain product carries distinct variations in its finish and overall texturing to recreate the unique diversity and natural elegance of our hardwood collections. It is virtually impossible to capture – in a small sample – the entire range of color variation and texturing that will be present in the porcelain flooring you will receive. It is recommended to mix tiles from several boxes during installation to achieve best color range. To better understand the distinct look of a DuChâteau finished porcelain flooring in your space, we recommend consulting your sales representative for more details.

\*Excludes cracking, chipping and visible damage not associated with normal wear and tear.

### CONTACT

1-888-DUCHATEAU · DUCHATEAU.COM



1-888-DUCHATEAU

DUCHATEAU.COM