



WALL COVERINGS / the new dimension of elegance



DUCHÂTEAU PRESENTS ITS EXCLUSIVE LINE OF LUXURY
WALL COVERINGS - AVAILABLE IN 12 STYLES WITH AN
EXQUISITE SELECTION OF COLORS AND FINISHES. THESE
ARCHITECTURAL ELEMENTS OFFER A MODERN, ARTFUL
PERSPECTIVE, USING GEOMETRIC-INSPIRED DESIGNS.

EACH STYLE REPRESENTS A REIMAGINING OF THE NATURAL WORLD THAT HIGHLIGHTS THE BEAUTY OF THE POSITIVE AND NEGATIVE SPACE. LIGHT AND SHADOW PLAY AGAINST THE NATURAL TONALITIES OF THE WOOD. RICH, DISTINCT SURFACE TREATMENTS CAPTURE THE ATTENTION, AND ALL COME TOGETHER BRILLIANTLY TO CREATE THE VERY SHAPE OF LUXURY AND ELEGANCE TO COME.

THIS IS DUCHÂTEAU WALL COVERINGS.

 $\mathsf{C}\,\mathsf{U}\,\mathsf{R}\,\mathsf{V}\,\mathsf{A}$

PARALLELS

WAVE

VERTEX

KUADRA

KRESCENT

ARK CHEVRON

CURVA CHEVRON

INFUSE

KUBIK

EDGE

SCALE RECKT

the beauty within the curve the expression of continuity and precision a celebration of charging linear motion the balanced perfection of the angle achieving balanced depth and arrangement defining texture through the negative space of the crescent a classic redefined through volume a dramatic reinterpretation of the curve the infusion of positive and negative space linear simplicity at its core the duality of inverted angles

the harmony of overlapping shapes with volume

CURVA





SPECIES White Oak or Walnut / see color chart

GRADE Aged Character with Knots

SURFACE TEXTURE Fine Sawn or Smooth / see color chart

CUT PATTERN Curved

THICKNESS *1-3/16 inches (30.16 mm)

COVERAGE/TILE *1.29 sf. (0.120 m²)

COVERAGE/BOX *20.64 sf. (1.92 m²)

TILES/BOX 16

WEIGHT/TILE Walnut - *4.00 lbs. • White Oak - *4.40 lbs.


WEIGHT/BOX
Walnut - *67.85 lbs. • White Oak - *74.25 lbs.

INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 12 Available

the beauty within the curve







ICEBERG

WHITE OAK | FINE SAWN

2 TABAK

WHITE OAK | FINE SAWN

OLDE DUTCH

WHITE OAK | FINE SAWN



7 LUGANO

WHITE OAK | FINE SAWN




NOIR


WHITE OAK | FINE SAWN



9
AMERICAN WALNUT







4 SILVER

WHITE OAK | FINE SAWN

5 SAND

WHITE OAK | FINE SAWN

6 SMOKE

WHITE OAK | FINE SAWN



 $10_{_{\text{BROWN ASH}}}$



GOLDEN OAK

12 STOUT

PARALLELS





SPECIES (s) White Oak or Walnut / see color chart

GRADE Aged Character with Knots

SURFACE TEXTURE Light Wire-Brush or Smooth / see color chart

CUT PATTERN Straight

THICKNESS *3/4 inches (19.05 mm)

COVERAGE/TILE *1.29 sf. (0.120 m²)

COVERAGE/BOX *20.64 sf. (1.92 m²)

TILES/BOX 16

WEIGHT/TILE Walnut - *3.50 lbs. • White Oak - *3.80 lbs.


WEIGHT/BOX Walnut - *59.85 lbs. • White Oak - *64.65 lbs.

INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 12 Available

the expression of continuity and precision







LICEBERG

WHITE OAK | LIGHT WIRE-BRUSH

2

WHITE OAK | LIGHT WIRE-BRUSH


OLDE DUTCH

WHITE OAK | LIGHT WIRE-BRUSH



7 LUGANO

WHITE OAK | LIGHT WIRE-BRUSH



NOIR

WHITE OAK | LIGHT WIRE-BRUSH



9
AMERICAN WALNUT







4.
SILVER

WHITE OAK | LIGHT WIRE-BRUSH

5 SAND

WHITE OAK | LIGHT WIRE-BRUSH

6 SMOKE

WHITE OAK | LIGHT WIRE-BRUSH




10 Brown ash



J J GOLDEN OAK

1Z stout

WAVE





SPECIES (s) White Oak or Walnut / see color chart

GRADE Aged Character with Knots

SURFACE TEXTURE Fine Sawn or Smooth / see color chart

CUT PATTERN Curved

THICKNESS *1-3/16 inches (30.16 mm)

COVERAGE/TILE *1.29 sf. (0.120 m²)

COVERAGE/BOX *20.64 sf. (1.92 m²)

TILES/BOX 16

WEIGHT/TILE Walnut - *3.80 lbs. • White Oak - *4.14 lbs.


WEIGHT/BOX
Walnut - *64.65 lbs. • White Oak - *70.12 lbs.

INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 12 Available

a celebration of charging linear motion







ICEBERG

WHITE OAK | FINE SAWN

2

WHITE OAK | FINE SAWN

OLDE DUTCH

WHITE OAK | FINE SAWN



7 LUGANO

WHITE OAK | FINE SAWN





NOIR


WHITE OAK | FINE SAWN



9
AMERICAN WALNUT







SILVER

WHITE OAK | FINE SAWN

SAND


WHITE OAK | FINE SAWN

SMOKE

WHITE OAK | FINE SAWN



BROWN ASH



GOLDEN OAK



STOUT

VERTEX





SPECIES (s) White Oak or Walnut / see color chart

GRADE Aged Character with Knots

SURFACE TEXTURE Light Wire-Brush or Smooth / see color chart

CUT PATTERN Angled

THICKNESS *3/4 inches (19.05 mm)

COVERAGE/TILE *1.29 sf. (0.120 m²)

COVERAGE/BOX *20.64 sf. (1.92 m²)

TILES/BOX 16

WEIGHT/TILE Walnut - *3.05 lbs. • White Oak - *3.40 lbs.


WEIGHT/BOX
Walnut - *52.65 lbs. • White Oak - *58.25 lbs.

INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 12 Available

the balanced perfection of the angle







LICEBERG

WHITE OAK | LIGHT WIRE-BRUSH

2

WHITE OAK | LIGHT WIRE-BRUSH


3 OLDE DUTCH

WHITE OAK | LIGHT WIRE-BRUSH



7 LUGANO

WHITE OAK | LIGHT WIRE-BRUSH



O

WHITE OAK | LIGHT WIRE-BRUSH



9
AMERICAN WALNUT







4. SILVER


WHITE OAK | LIGHT WIRE-BRUSH

5 SAND

WHITE OAK | LIGHT WIRE-BRUSH

6 SMOKE

WHITE OAK | LIGHT WIRE-BRUSH



 $10^{\rm BROWN\ ASH}$



GOLDEN OAK

12 stout

KUADRA





SPECIES (s) White Oak or Walnut / see color chart

GRADE Aged Character with Knots

SURFACE TEXTURE Light Wire-Brush or Smooth / see color chart

CUT PATTERN Straight

THICKNESS *11/16 inches (17.46 mm)

COVERAGE/TILE *1.29 sf. (0.120 m²)

COVERAGE/BOX *20.64 sf. (1.92 m²)

TILES/BOX 16

WEIGHT/TILE Walnut - *3.35 lbs. • White Oak - 3.85 lbs.

WEIGHT/BOX Walnut - *57.45 lbs. • White Oak - *65.45 lbs.

INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 12 Available

achieving balanced depth and arrangement







ICEBERG

WHITE OAK | LIGHT WIRE-BRUSH

2

WHITE OAK | LIGHT WIRE-BRUSH

3 OLDE DUTCH

WHITE OAK | LIGHT WIRE-BRUSH



7 LUGANO

WHITE OAK | LIGHT WIRE-BRUSH




NOIR

WHITE OAK | LIGHT WIRE-BRUSH



9
AMERICAN WALNUT







4. SILVER

WHITE OAK | LIGHT WIRE-BRUSH

5

WHITE OAK | LIGHT WIRE-BRUSH

6 SMOKE

WHITE OAK | LIGHT WIRE-BRUSH



 $10_{_{\text{BROWN ASH}}}$



GOLDEN OAK

12 stout

KRESCENT





SPECIES (s) White Oak or Walnut / see color chart

GRADE Aged Character with Knots

SURFACE TEXTURE Fine Sawn or Smooth / see color chart

CUT PATTERN Curved

THICKNESS *1-3/16 inches (30.16 mm)

COVERAGE/TILE *1.29 sf. (0.120 m²)

COVERAGE/BOX *20.64 sf. (1.92 m²)

TILES/BOX 16

WEIGHT/TILE Walnut - *3.95 lbs. • White Oak - *4.15 lbs.


WEIGHT/BOX
Walnut - *67.05 lbs. • White Oak - *70.25 lbs.

INSTALL DIRECTION Horizontal, Vertical or Diagonal


INSTALLATION Construction Glue & Fine Needle Nails

COLORS 12 Available

defining texture through the negative space of the crescent







ICEBERG

WHITE OAK | FINE SAWN

2 TABAK

WHITE OAK | FINE SAWN

OLDE DUTCH

WHITE OAK | FINE SAWN



LUGANO

WHITE OAK | FINE SAWN



NOIR

WHITE OAK | FINE SAWN



9
AMERICAN WALNUT







4 SILVER

WHITE OAK | FINE SAWN

5 SAND


WHITE OAK | FINE SAWN

6 SMOKE

WHITE OAK | FINE SAWN



 $10_{_{\text{BROWN ASH}}}$



GOLDEN OAK

12

STOUT

ARK CHEVRON





SPECIES (s) White Oak or Walnut / see color chart

GRADE Aged Character with Knots

SURFACE TEXTURE Fine Sawn or Smooth / see color chart

CUT PATTERN Curved

THICKNESS *1-3/16 inches (30.16 mm)

COVERAGE/TILE *1.23 sf. (0.114 m²)

COVERAGE/BOX *19.68 sf. (1.83 m²)

SETS/BOX

WEIGHT/TILE Walnut - *4.70 lbs. • White Oak - *5.12 lbs.

WEIGHT/BOX
Walnut - *79.05 lbs. • White Oak - *85.77 lbs.

INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 12 Available

a classic redefined through volume







ICEBERG

WHITE OAK | FINE SAWN

2

WHITE OAK | FINE SAWN

OLDE DUTCH

WHITE OAK | FINE SAWN



7 LUGANO

WHITE OAK | FINE SAWN



NOIR

WHITE OAK | FINE SAWN



9
AMERICAN WALNUT







4 SILVER

WHITE OAK | FINE SAWN

5 SAND

WHITE OAK | FINE SAWN

6 SMOKE

WHITE OAK | FINE SAWN








GOLDEN OAK

12

STOUT

CURVA CHEVRON





GRADE Aged Character with Knots

SURFACE TEXTURE Fine Sawn or Smooth / see color chart

CUT PATTERN Curved

THICKNESS *1-3/16 inches (30.16 mm)

COVERAGE/TILE *1.23 sf. (0.114 m²)

COVERAGE/BOX *19.68 sf. (1.83 m²)

SETS/BOX 16

WEIGHT/TILE Walnut - *3.22 lbs. • White Oak - *3.51 lbs.

WEIGHT/BOX
Walnut - *55.37 lbs. • White Oak - *60.01 lbs.

INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 12 Available

a dramatic reinterpretation of the curve







ICEBERG

WHITE OAK | FINE SAWN

2

WHITE OAK | FINE SAWN

OLDE DUTCH

WHITE OAK | FINE SAWN



LUGANO

WHITE OAK | FINE SAWN




NOIR

WHITE OAK | FINE SAWN



9
AMERICAN WALNUT







WHITE OAK | FINE SAWN

5 SAND

WHITE OAK | FINE SAWN

6

 $\mathsf{S}\,\mathsf{M}\,\mathsf{O}\,\mathsf{K}\,\mathsf{E}$

WHITE OAK | FINE SAWN



10 BROWN ASH




GOLDEN OAK

1

STOUT

WHITE OAK | SMOOTH

INFUSE





GRADE Aged Character with Knots

SURFACE TEXTURE Fine Sawn & Light Wire-Brush or Smooth / see color chart

CUT PATTERN Curved & Straight

THICKNESS *1-3/8 inches (34.93 mm)

COVERAGE/TILE *1.29 sf. (0.120 m²)

COVERAGE/BOX *20.64 sf. (1.92 m²)

TILES/BOX 16

WEIGHT/TILE Walnut - *2.50 lbs. • White Oak - *2.70 lbs.

WEIGHT/BOX
Walnut - *43.85 lbs. • White Oak - *47.05 lbs.

INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 11 Available

the infusion of positive and negative space





LICEBERG

WHITE OAK | FINE SAWN & LIGHT WIRE-BRUSH

2 OLDE DUTCH

WHITE OAK | FINE SAWN & LIGHT WIRE-BRUSH



6 LUGANO

WHITE OAK | FINE SAWN & LIGHT WIRE-BRUSH




NOIR


WHITE OAK | FINE SAWN & LIGHT WIRE-BRUSH



8
AMERICAN WALNUT







WHITE OAK | FINE SAWN & LIGHT WIRE-BRUSH

SAND

WHITE OAK | FINE SAWN & LIGHT WIRE-BRUSH

5

WHITE OAK | FINE SAWN & LIGHT WIRE-BRUSH








LU GOLDEN OAK



⊥ ⊥ stout

KUBIK





GRADE Aged Character with Knots

SURFACE TEXTURE Light Wire-Brush or Smooth / see color chart

CUT PATTERN Straight

THICKNESS *15/16 inches (23.81 mm)

COVERAGE/TILE *1.29 sf. (0.120 m²)

COVERAGE/BOX *20.64 sf. (1.92 m²)

TILES/BOX 16

WEIGHT/TILE Walnut - *2.35 lbs. • White Oak - *2.55 lbs.

WEIGHT/BOX
Walnut - *41.45 lbs. • White Oak - *44.65 lbs.


INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 11 Available

linear simplicity at its core





ICEBERG

WHITE OAK | LIGHT WIRE-BRUSH



WHITE OAK | LIGHT WIRE-BRUSH



6 LUGANO

WHITE OAK | LIGHT WIRE-BRUSH



NOIR

WHITE OAK | LIGHT WIRE-BRUSH



8
AMERICAN WALNUT







WHITE OAK | LIGHT WIRE-BRUSH

SAND

WHITE OAK | LIGHT WIRE-BRUSH

5

WHITE OAK | LIGHT WIRE-BRUSH







9 Brown ash IO GOLDEN OAK

⊥ ⊥ stout

E D G E





GRADE Aged Character with Knots

SURFACE TEXTURE Light Wire-Brush or Smooth / see color chart

CUT PATTERN Straight & Angled

THICKNESS *15/16 inches (23.81 mm)

COVERAGE/TILE *1.29 sf. (0.120 m²)

COVERAGE/BOX *20.64 sf. (1.92 m²)

TILES/BOX 16

WEIGHT/TILE Walnut - *2.35 lbs. • White Oak - *2.45 lbs.

WEIGHT/BOX
Walnut - *41.45 lbs. • White Oak - *43.05 lbs.


INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 11 Available

the duality of inverted angles





ICEBERG

WHITE OAK | LIGHT WIRE-BRUSH

OLDE DUTCH

WHITE OAK | LIGHT WIRE-BRUSH



6 LUGANO

WHITE OAK | LIGHT WIRE-BRUSH



NOIR

WHITE OAK | LIGHT WIRE-BRUSH



8
AMERICAN WALNUT







WHITE OAK | LIGHT WIRE-BRUSH

4

SAND

5

SMOKE

WHITE OAK | LIGHT WIRE-BRUSH

WHITE OAK | LIGHT WIRE-BRUSH








9 BROWN ASH 10
GOLDEN OAK

⊥ ⊥ stout

WALNUT | SMOOTH WHITE OAK | SMOOTH

S C A L E R E C K T





GRADE Aged Character with Knots

SURFACE TEXTURE Smooth / see color chart

CUT PATTERN Straight

THICKNESS *1-3/16 inches (30.16 mm)

COVERAGE/TILE *1.32 sf. (0.123 m²)

COVERAGE/BOX *21.12 sf. (1.96 m²)

TILES/BOX 16

WEIGHT/TILE Walnut - *3.10 lbs. • White Oak - *3.38 lbs.

WEIGHT/BOX
Walnut - *53.45 lbs. • White Oak - *57.93 lbs.

INSTALL DIRECTION Horizontal, Vertical or Diagonal

INSTALLATION Construction Glue & Fine Needle Nails

COLORS 4 Available

the harmony of overlapping shapes with volume






AMERICAN WALNUT

WALNUT | SMOOTH

BROWN ASH

WALNUT | SMOOTH



3 GOLDEN OAK

WHITE OAK | SMOOTH



4

STOUT

PRODUCT SAMPLE DISCLAIMER

Created to be a one-of-a-kind piece of nature's artistry, each and every Duchâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.


INSTALLATION AND PERFORMANCE DISCLAIMER


Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

* Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

















































































































WALL COVERINGS / mouldings

DuChâteau Wall Coverings offers a complete line of color-matched mouldings to transition and frame your luxury wall coverings.











WALL COVERINGS / technical drawings

DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.




1

CURVA




2

PARALLELS




3

WAVE




4

VERTEX




5

KUADRA




6

KRESCENT




9


INFUSE





10

KUBIK









12
SCALE RECKT



1.888.DUCHATEAU • DUCHATEAU.COM

©DuChâteau All Rights Reserved

