

Designing living spaces

MEISTER

**100%
PRO** | Producer
Dealer
Craftsmen

www.meister.com

Rooms full of life.

Welcome to **MeisterWerke.**

We have been passionately developing and making products for rooms full of life for many years. At our company headquarters in Rütten-Meiste, in the beautiful region of Sauerland, it is our daily challenge to perfect these and therefore ensure the greatest benefit for our customers.

Our love of innovation is evident in everything: in our huge range, in our company and in the way we work together. Always collaboratively and fairly but also purposefully and reliably. Our company motto is: a MeisterWerke masterpiece every day!

As a family-run company we also think about future generations. That's why respect for nature and natural resources is a matter of course for us. We place great importance on environmentally sound origin and short transport routes when choosing our materials. Independent test institutes verify that the materials used are harmless. Resulting in products that combine top quality, maximum comfort and a great feeling year after year. For your rooms full of life.



Innovative products and system solutions are always the result of teamwork at MeisterWerke.



The careful selection of materials and decor guarantees the best result.



Our products undergo extensive quality tests on their way to becoming the perfect interior design object.



Link to MeisterWerke:
www.meisterwerke.com

First class products for floors, walls and ceilings.

We designed this brochure to give you a brief overview of our diverse programme all around flooring, wall and ceiling. You can receive more information in the specialist trade or at www.meister.com

The best for stylish furnishing

Design flooring Catega® Flex	4
Design flooring Classic	14
Longlife parquet	18
Lindura wood flooring	30
Laminate flooring	40
Nadura flooring	50
Design, cork and lineoleum flooring	54
Panels	62
Accessories	68

Collections

Design flooring Catega® Flex	70
Design flooring Classic	72
Longlife parquet	73
Lindura wood flooring	79
Laminate flooring	80
Nadura flooring	86
Design, cork and lineoleum flooring	87

Rooms full of life.



Design flooring Catega® Flex | Clay grey old wood oak 6941 | Wood effect



DESIGN FLOORING CATEGA® FLEX
**Celebrate life.
And your floor too.**

MEISTER

The incredible lightness of your floor

As warm and beautiful as wood, as easy to clean and durable as laminate, with no plasticisers too, easy to install and ideal for renovations – no it's not a fairytale but a real dream for your home. The Catega Flex flooring innovation makes you want to stay at home and cuts a fine figure across the board. From authentically natural to somewhat unusual, 18 decors provide a rich variety of different looks.

The inner values are naturally impressive too: With just 5mm installation height but a generous plank format, Catega Flex is sleek and slimline and can be easily and securely installed using Multiclic – the best prerequisites for renovations. And totally healthy living at the same time: Catega Flex does not contain any PVC or artificial plasticisers. And because we have total trust in our new design flooring there is a 20 year warranty for Catega Flex in living areas.





Design flooring Catega® Flex | Old wood oak 6954 | Wood effect



Design flooring Catega® Flex | Vintage ash 6950
Wood effect



Design flooring Catega® Flex | Natural English oak 6952 | Wood effect



Floors make rooms.

Our new design flooring never stays completely private. Even in public spaces, Catega Flex gives its all and is not fazed by real life. A little gift with wear class 23 | 33. That's a promise.



Design flooring Catega® Flex | Pure maple 6944 | Wood effect



Design flooring Catega® Flex | Pure maple 6944 | Wood effect



Fits under doors

With its super streamlined product thickness of just 5 mm the floors fit under doors and are therefore ideal for renovations.



Pleasant to walk on barefoot


Warmth and exceptional elasticity make this floor a living companion that is kind to feet.





Quiet room noise

The special surface absorbs noises and ensures the necessary quiet.



No plasticisers

With no phthalates or any other plasticisers at all, this floor is completely non-harmful to health.




Dynamic surfaces

The Catega Flex planks are smooth, slim and incomparably flexible.

Intelligent quality through and through.

Thanks to the patented Multiclic system and dimensionally stable AquaSafe special board there is a secure joint.



Standard vinyl flooring with thermoplastic core and open joint.



Catega Flex AquaSafe special board with secure click connection and closed joint.



Outward appearances with depth.

At MEISTER we are only satisfied once the combination of decor and surface structure imitate the natural ideal as perfectly as possible. At that point, a floor makes the leap into the MEISTER Premium collection.



Special pore effect (PS)

Embossed surfaces give MEISTER Design floors even more authenticity – especially with the special pore effect printing.

As with this the pores, filled knots and cracks are individually coordinated to the decor pattern underneath. Different depths and degrees of gloss determine the variety of the special pore structures and give these floors a really authentic look.



Raw wood pore structure (RP)

An elegant surface structure that imitates the natural appearance of untreated or naturally oiled real woods. With this technology the finest planing tool marks visually and tangibly emphasise the look of freshly sanded wood.




Wood finish matt structure (WM)

A deeply embossed relief emphasises the grain run of the reproduced wood fibres and conveys an impression of a brushed wood surface. The matt appearance visibly and tangibly produces the natural impression of untreated or naturally oiled real wood.

Product structure

MEISTER design flooring is distinguished by its intelligent multi-layer structure with dimensionally stable AquaSafe special board made from special wood materials. The high quality patented SilentTouch technology makes the floor quiet, durable and easy to clean.

In contrast to standard PVC design flooring, MEISTER design flooring is odourless. All floors are suitable for installation on hot water underfloor heating.



Wear class 23

The ideal floor for all living areas with heavy wear such as kitchens, hallways, home offices etc.



Wear class 33

The ideal floor for commercial areas with heavy wear such as open-plan offices, department stores, public buildings etc.

Design flooring is not suitable for installation in humid rooms (bathrooms, saunas etc.)



Design flooring Classic | White Island 6961 | Decor



CLASSIC DESIGN FLOORING.
A floor for all eventualities.



Design flooring Classic | White Island 6961 | Decor



Design flooring Classic | Cinnamon oak 6965 | Wood effect

Design flooring Classic
Cinnamon oak 6965
Wood effect

Design flooring Classic
Light Smokey Wood 6963
Wood effect



Design flooring Classic
Catalana oak 6968
Wood effect



Flexible. Compact. Easy to clean.

Do you like modern design? But comfortable nevertheless? Then the Classic design flooring is the right choice for you. Design flooring is uncomplicated flooring and is made for healthy and beautiful living. Modern surfaces meet innovative production technologies here. As a result, floors are created that more than meet all the requirements for perfect design, strength and durability. From »Cinnamon Oak« to »White Island« there are floors in 8 thrilling, beautiful and trendy decors and two different widths – real design flooring in fact.

And it doesn't just look good! Classic design flooring is extremely warm to the foot and therefore not just the very first choice for children's bedrooms. Renovators will love it too: as extremely thin flooring Classic design flooring fits into any room. Annoying and laborious trimming of doors and frames is therefore unnecessary in many cases. Classic design flooring is perfect for installing on existing subfloors, for example tiles because old floors aren't visible on the product surface.



Design flooring Classic | White Island 6961 | Decor

Awarded

MEISTER Classic design flooring



except for: Smoked oak



MEISTER

The SilentTouch® technology

The Classic design flooring surface is produced using the innovative, patented SilentTouch® technology and is therefore extremely elastic, quiet, durable and easy to clean.

SilentTouch®
Made under license from PurChem Systems, Inc. Patented



PD 400 Cottage | White vintage larch lively 8287 | UV-oiled

LOGLIFE PARQUET.
**Real wood stays
beautiful for
longer.**



The nature's endless variety of wood in seven parquet themes.

Trends come and go but your parquet is here to stay. It's good if it can adapt to different living styles, because it is rare to find just one style in an apartment or house. To offer you the right guidance, we arrange our entire parquet range into themes. Inspired by global trends, these themes illustrate various philosophies in terms of lifestyle, product design and materials.



PC 400 Style | Oak country 8263 | planked, brushed | naturally oiled *Registered design® EU 2244319*



PD 400 Cottage | Steamed oak canyon 8301 | brushed | naturally oiled



PC 400 Style | Oak country 8263 | planked, brushed | naturally oiled

NATURAL STYLE.

Uneven edges, a natural play on colours, tangible life and visible age – accentuated NATURAL STYLE exudes real character at your feet.

**PS 300** | Pure oak harmonious 8230 | brushed | UV-oiled**PC 400** Style | Pure country oak 8264 | planked, brushed naturally oiled

■ PURE LINE.

As much as necessary, as little as possible – harmonious to lively surfaces that remain visually close to their raw state due to carefully finishing and enrich the room with their own essence in PURE LINE.

PS 300 | Pure oak harmonious 8230 brushed | UV-oiled

Longlife parquet

Longlife parquet is stable, natural, healthy for living, quiet, ecological, energy-saving and easy to clean. Only genuine with this sign.



PD 400 Cottage | Light clay grey oak harmonious 8234 | brushed | UV-oiled



■ COLOURFUL GREY.

From shabby chic, to the modern, to country house style, anything is possible – COLOURFUL GREY underlines and accentuates the house's style without dominating it.



PS 300 | Cream grey oak harmonious 8231 | brushed | UV-oiled



PC 400 Style | Cream grey oak harmonious 8261

3D, brushed | naturally oiled

Registered design® EU 2244319



PD 400 Cottage | Silver grey oak distinctive 8305 | brushed high-gloss varnished

PD 400 Cottage | Steamed oak canyon 8304 | brushed high-gloss varnished

■ LUXURY AFFAIRS.

Deep black, snow white, breathtaking gold and shimmering silver. Sometimes just that little bit more is required. Baroque, sensual, opulent – indulge in LUXURY AFFAIRS.




MEISTER



PQ 500 | Pure country oak 8271 | planked, brushed | naturally oiled

NEW CLASSICS.

Herringbone and squares interpreted in a lavish, modern way. Turning timeless classics into products that are totally trendy time and time again – because NEW CLASSICS simply never go out of fashion.



PS 400 | Oak lively 8047 | varnished



■ WILD MOUNTAIN.

Long live comfort but in a modern look please. WILD MOUNTAIN stages rooms with woods that exude fine rusticity with that special Alpine charm.



MEISTER

PD 400 Cottage | White vintage larch lively 8287 | UV-oiled





PS 300 | Oak harmonious 8027 | brushed | UV-oiled

PD 400 Cottage | American walnut lively 8275
UV-oiled

PD 400 Cottage | Cognac oak lively 8229 | brushed
UV-oiled




PS 300 | Oak harmonious 8027
brushed | UV-oiled



■ PERFECT BASICS.

It doesn't always have to look exceptional but it should always be exceptionally good – lay a solid basis for a feel-good atmosphere in your home with PERFECT BASIC.



MEISTER

Longlife parquet - and real wood stays beautiful for longer.

Live and let live with MEISTER Longlife parquet nothing is easier than that. With traditional professional care, a great deal of sensitivity, many years of experience and comprehensive technical knowledge we ensure that flooring is made out of a valuable natural product that makes life easier and more beautiful. On these pages you can learn about the many details that as a whole account for the unique quality of our Longlife parquet.

Easy to install

thanks to the patented Masterclig Plus click system

MASTERCLIGPLUS®

DE 102006037614 B3/WO 2008/017301

Longside: Produced under the license of Unilin™

The Masterclig Plus locking system means fast installation with automatic end connection system. The homogeneous HDF middle layer allows a precise profile geometry to be milled without any splinters. This guarantees comfortable and smooth installation as well as permanent joint closing.



Wood is elegant, beautiful and also good for every day life.

Naturally oiled – *Weartec®Nature*




Natural oils and waxes are the basis for our Longlife parquet's naturally oiled surfaces. *Weartec®Nature* penetrates deep into the wood and forms a protective, breathable surface. This kind of finish creates a natural appearance with subtle brilliance, emphasises the grain as well as structure, regulates humidity and ensures a healthy living climate. All Longlife parquet floors with *Weartec®Nature* finish are treated ready for residential use and do not have to be treated with oil after installation. However, the naturally oiled surface does require a regular polish, which gives the floor a natural shine and ensures exceptional resistance. If required, it can be re-oiled and partly refinished without any sanding down.

UV-hardened oil surface protection

Our UV-hardened oil really brings out the best in many types of wood. It receives a warm, natural look from this. The *Weartec®* surface is a high quality UV-hardened oil surface with a special basic treatment applied at the factory. The floor is treated ready for residential use, is similarly easy to clean to varnished parquet flooring and therefore does not need to be re-oiled.

Varnish finish

Our Longlife parquet's *Duratec Plus* natural matt varnish or high-gloss varnish is extremely durable, easy to clean and naturally environmentally friendly, as it does not contain any solvents. The Plus stands for our seven-layer *Duratec* varnish structure. The mixture of varnishes in the individual layers and their order takes into account that parquet floors may possibly be sanded down. The entire composition consists of a formaldehyde-free, UV-hardened and ecologically non-harmful acrylic varnish. As a result *Duratec Plus* provides an easy to clean and durable parquet surface.





Noise reducing

as a result of its own high weight

Greater mass produces less vibrations. Thanks to the use of HDF as a middle layer, the own weight of the installed area significantly increases. This has a positive effect on room noise and walking noise properties.



Ecological

thanks to the use of 2.5mm covering layers that save resources

MEISTER parquet actively contributes to environmental protection. As a result of the perfect combination of the 2.5mm wear layer and the special HDF middle layer, only roughly a tenth of wood, a valuable resource, is required to produce MEISTER parquet, compared to a solid wood floor.



Healthy living

thanks to the use of natural materials

Parquet is a natural product. It regulates humidity and ensures a healthy living climate. The flooring is particularly hygienic thanks to it being easy to clean and maintain. All materials are selected carefully and are subject to regular tests in our labs.

Stable

thanks to the extremely resistant HDF middle layer

This is the most important reason why we only produce our floors with a HDF middle layer: the press-in behaviour. The extremely dimensionally stable and high quality HDF base board stabilises the covering layer, making it extremely tough and resistant towards pressure.



MEISTER parquet with HDF middle layer



Parquet with spruce middle layer

Energy-saving

thanks to low thermal resistance

With a floating installation, the floor covering on top of a hot water underfloor heating should also not exceed the limit of 0.15m² K/W laid down by regulations* in order to quickly transport the heat supplied to the surface.

* Federal Association of Surface Heating and Surface Cooling



Variety

thanks to the extensive range on offer

The combination of plank formats, types of wood, structures as well as surface looks and finishes provides a wide selection for specific customer requirements.

Over 190 different products!



Awarded

MEISTER Longlife parquet




The mark of responsible forestry






HD 300 | Clay grey rustic oak 8411 | brushed | naturally oiled



LINDURA WOOD FLOORING
**A strong character.
Unique. Beautiful!**



Skirting board profile 11 PK Plain white gloss 324 (decorative film)




HD 300 | Rustic oak 8410 | brushed | naturally oiled



Real wood with depth.

Lindura stands for a distinctive rustic nature, as knots, cracks and wooden ores are emphasised particularly due to the unique production process.

Naturally oiled and with a rich play on colours, each plank is a greeting from nature and is not just tough but also unique from every perspective thanks to the fine wood powder content.





HD 300 | Black washed rustic oak 8412 | brushed | naturally oiled

An idea that stands out –
with solid arguments.

Lasting beauty.

Lindura is the name for a new floor in the real wood flooring range from MEISTER that is based on wood powder technology. A real wood covering layer, wood powder, an HDF middle layer and wood powder backing are permanently fused together under pressure and heat. Resulting in floors that are tough, pleasantly warm to the foot, resistant and easy to clean. The lively to rustic real wood covering layers made from oak and larch give Lindura a particularly natural appearance.






High-tech meets nature.

The fusion of innovative technology and natural raw materials produces a fascinating combination in Lindura. Wood powder is a material mix made from fine wood fibres and other natural additives which was invented by the Swedish company Välinge. MEISTER was the first company in the world to develop a manufacturing technology for series production in order to be able to offer innovative floors based on wood powder.

Lindura – multi-layer structure:



Weartec Nature surface
(naturally oiled)

Real wood covering

Wood powder layer

HDF middle layer

Wood powder backing





Lindura – for all phases of life.

Tough


Lindura loves challenges and takes high heels at a party just as much in its stride as football boots that you can even leave on after the match. What is more: through everyday use the floor acquires a sheen over time that accentuates the used look of the planks even more.

Durable

A comparison test in our laboratory clearly shows: A metal ball dropped with 4000 newtons of pressure leaves behind a clearly visible dent on standard parquet. With Lindura wood floors there are hardly any traces to be seen.



Standard parquet



MEISTER Lindura wood flooring

Renovation-friendly! Lindura in château plank format.

Convincing arguments speak in favour of Lindura from MEISTER:

- | the high-quality, carefully selected materials,
- | simple installation,
- | easy cleaning
- | unique look and
- | special carrying capacity.

Lindura formats

Lindura is available in two attractive plank formats, which are also suitable for renovations with their low installation height of 11mm.

Lindura gradings

Thanks to wood powder technology, the crack, knot and pore fillings are given a totally new, fine look that could never be achieved as authentically using standard filling techniques.



First impression:
lively!

In this grading we deliberately offer surfaces with strong colours and structures, which emphasise the wood's natural character. Healthy distinctive knots and splints are part of the overall lively image. Knot holes and cracks are filled perfectly using wood powder technology.



The special touch:
rustic!

This grading provides a rustic appearance with an interesting play on colours and structures. Healthy distinctive knots are not limited in their diameter or frequency. The natural and raw character of the floor is emphasised by larger knots and varying degrees of cracks, which are individually filled using wood powder technology.



HD 300

Width 270 mm

Width 320 mm



Laminate flooring Melango | Medium oak 6131 | Wood effect

LAMINATE FLOORING. Tracing nature.



A MEISTER master class of natural selection.

Nature is a master of form and colour. Our claim for premium laminate flooring from MEISTER is to get as close to this as possible. To do this we take the utmost care when developing our decors. We are only satisfied once you can no longer see the difference between the surfaces and real wood, stone or textiles at first glance. Many totally different factors influence your choice. Often the colour is the crucial concept. It harmoniously complements the furnishing or creates dramatic contrasts. We have therefore broken down our laminate flooring into three colour schemes for guidance and inspiration.



Laminate flooring Talamo | Vanilla oak 6265 | Wood effect

Laminate flooring Melango
Polar oak 6381 | Wood effect

Laminate flooring
Talamo | Vanilla oak
6265 | Wood effect

Laminate flooring Micala
Casablanca oak 6414
Wood effect



LIGHT

Laminate flooring in the light colour scheme supports many furnishing styles when used with both complementary and contrasting colours creating pleasant tranquillity. From lively to harmonious, you decide which floor should go with your furnishings.





MEDIUM

These floors are masters of perfect balancing acts and change their expression according to their environment. They ground the flighty and give wings to the down-to-earth. You decide how you use laminate flooring from the medium colour scheme creatively in your home.





Laminate flooring Micala
Café latte oak 6267
Wood effect

Laminate flooring Micala
Chianti oak 6392
Wood effect



Laminate flooring Classic | Habanera oak 6429 | Wood effect

Laminate flooring Melango
Medium oak 6131 | Wood effect

Laminate flooring LD 300 | 25 Melango
White grey oak 6277
Wood effect



Laminate flooring
Talamo | Natural oak 6446
Wood effect





Laminate flooring Melango | Smoked oak 6035 | Wood effect


Laminate flooring Micala
Style Factory 6408
Wood effect



Laminate flooring Melango
Smoked oak 6035 | Wood effect



Laminate flooring Talamo
Dark oak 6445 | Wood effect



■ DARK

Laminate flooring creates an irresistible ambience in rich dark colours. The decors from this colour scheme elegantly complement any furnishing, from the tasteful to the modern. You decide whether the dark flooring should act as a striking exclamation mark or harmoniously complement your home.



MEISTER

Laminate flooring Micala | Style Factory 6408 | Wood effect

Outward appearances with depth.

At MEISTER we are only satisfied once the combination of decor and surface structure imitate the natural ideal as perfectly as possible. At that point, a laminate floor makes the leap into the MEISTER premium collection.




Special pore effect (PS)

Embossed surfaces give MEISTER laminate floors even more authenticity—especially with the special pore effect printing. As with this the pores, filled knots and cracks are individually coordinated to the decor pattern underneath. Different depths and degrees of gloss determine the variety of the special pore structures and give this laminate floor a really authentic appearance.



Raw wood pore structure (RP)

An elegant surface structure that imitates the natural appearance of untreated or naturally oiled real woods. With this technology the finest planing tool marks visually and tangibly emphasise the look of freshly sanded wood.



Wood finish matt structure (WM)

A deeply embossed relief emphasises the grain run of the reproduced wood fibres and conveys an impression of a brushed wood surface. The matt appearance visibly and tangibly produces the natural impression of untreated or naturally oiled real wood.



Elegant pore structure (EP)

This high quality structure is based on the principle of the special pore effect printing. The embossed pores run parallel to the wood fibres' decor pattern underneath. In combination with the matt surface the silk matt shimmering pores produce an elegant and natural overall look.



Wood finish structure (WF)

A deeply embossed relief along the grain run of the reproduced wood fibres conveys the impression of a brushed wood surface. The result: authenticity that can be seen and felt.



Matt pore structure (MP)

Matt surfaces with a fine even structure lend select wood effects an elegant and sophisticated character.



Pore structure (P)

Subtle but effective: the fine pore structure makes laminate flooring look alive and authentic. Individual wood grains look far more realistic due to this.




Saw-cut structure (S)

With laminate flooring in saw-cut look saw cuts running across the grain are recreated. They are clearly visible and tangible and extra emphasis is added visually by the matt gloss surface finish.



Stone pore structure (SP)

A visible and tangible stone structure is embossed into the surface to achieve this very special look. It is almost impossible for the naked eye to tell the difference between real stone floors.



Matt-gloss look (MG)

Captivatingly beautiful: a silky shimmer combined with subtle surface structure enhances the effect of plain colours and accentuates old wood, metal and textile looks.

Intelligent quality through and through.

Two things give MEISTER premium laminate flooring its amazingly long life: the high quality, carefully selected materials and the intelligent multi-layer structure. Together with the dimensionally stable HDF middle layer used by us, this guarantees you a resistant floor that remains beautiful over many years.

Easy to install

thanks to the patented Mastercllic Plus click system



DE 102006037614 B3/WO 2008/017301

Longside: Produced under the license of Unilin™

The Mastercllic Plus locking system means fast installation with automatic end connection system. The homogeneous HDF middle layer allows a precise profile geometry to be milled without any splinters. This guarantees comfortable and smooth installation as well as permanent joint closing.


Technology for a long life

MEISTER premium laminate flooring stays beautiful for longer. The reasons for this are the *Diamond Pro*®-surface for high scratch-resistance, the AquaSafe system for maximum reduction of the laminate floor's swelling ability and the protective antistatic layer.




Diamond Pro®

Newly developed test methods impressively prove that the new *Diamond Pro*® surface even increases our laminate flooring's resistance to micro-scratches and abrasion and provides additional protection against wear.



AquaSafe-System

The special impregnation, AquaSafe anti-swelling HDF base board and lasting, secure joint that results from the profile's specially developed and patented geometry, are the compelling advantages of the AquaSafe system. As this is how it effectively prevents surfaces, floors and edges from swelling in the event of contact with water.



Antistatic

All MEISTER laminate flooring is also equipped with an antistatic layer. This reduces the development of personal static electricity to < 2 kV and protects against discharge on metallic objects, e.g. when touching door handles. It also means that less dirt is attracted to the floor, making cleaning much easier.

Awarded


MEISTER laminate flooring



Association of European Producers of Laminate Flooring



MEISTER



The new
flooring class.

nadura

As hard as a rock. As warm as wood.


As hard as a rock. As warm as wood. **Nadura.**

The combination of a naturally warm material and a rock hard nature is fascinating. For this, fine wood powder is mixed with mineral ingredients and compressed together using pressure and temperature. The resulting material combines the best qualities of the two main components: the pleasant warmth of wood and the extreme toughness of rock. Making innovative Nadura floors and panels from MEISTER an extremely durable and healthy living alternative to many ceramic, fine stoneware and PVC tiles.

Nadura is happy to face the consequences of a spirited life: when children bring half the football pitch into the house on their boots, during cooking marathons when sauce is splattered on the floor, followed by pots and plates – Nadura flooring is very forgiving without any consequences. The fact that Nadura still looks good at the same time, is warm underfoot and can be installed and cleaned easily, all speak for this original from MEISTER.

Nadura advantages


- | Warm underfoot
- | Durable
- | Easy to clean
- | Resistant to humidity
- | Abrasion resistant
- | Pressure-mark resistant



Cross-section of Nadura element with heavily reinforced wear layer directly attached to a special board, in an electron microscope.

Close examination of Nadura

The significantly reinforced wear layer consists of a special mix of wood fibres, mineral substances and colouring. It is applied onto a special AquaSafe board, which is based on a wood material. The final backing provides for stability.



Cross-section of laminate with a wear layer made of overlay, decor paper and HDF middle layer, in an electron microscope.

Layered structure of laminate

Laminate elements are structured over several layers. The special sequence of individual layers ensures greater strength on the one hand and protects the decor paper due to the overlay on the surface on the other hand. The illustration clearly shows: the wear layer is thinner compared to the Nadura element.

Nadura – the favourite for cleaning that forgives plenty.



NB 400 | Sandstone 6301 | Imitation

If only everything were as easy to clean as Nadura flooring.

| Red wine, oils and other liquids can permanently discolour the necessary cement joints between stone and ceramic tiles. They can be removed without a trace from the Nadura joints.

| With Nadura there are no partial repairs and resulting differences in colour as with cement joints.

Nadura. Because the joint makes the difference.



Cement joints between tiles soak up liquids and oils and are often permanently discoloured.

The alternative: Nadura flooring.

Nadura – pleasantly warm to the foot.



Nadura floors are also distinguished by their exceptional comfort and the warm-to-the-foot nature of real wood floors.

| Due to the high share of wood fibres, body heat is drawn away slower than with ceramic or fine stoneware floors.

| Due to the share of mineral substances, Nadura floors are just as tough as stone or ceramic tiles.


Nadura. The cosy version of a rock hard floor.



Stone and ceramic tiles on floors are one thing above all: cool.

The alternative: Nadura flooring.

Nadura – definitely durable.



NB 400 | Slate anthracite 6220
Imitation



Ceramic and fine stoneware tiles split or crack when subject to heavy impact. The alternative: Nadura flooring.

You can rely on your Nadura floor. It can withstand anything.

- | The high share of mineral substances gives the floor the toughness of a stone or ceramic tile.
- | Whereas ceramic tiles split or crack when subject to impact, with Nadura only small dents or scratches result that can partly be repaired.
- | The homogeneous surface coating is dyed right through and up to three times thicker than standard coated flooring- preventing any stress whitening.

Nadura. The tough version of a warm-to-the-foot floor.

Nadura – flooring for rough stuff too.



NB 400 | Rustic cream grey wood 6304
Wood effect

Even wet clay and coarse dirt are easy to remove from Nadura flooring without leaving any trace.

- | Antislip, resistant to humidity and easy to clean – Nadura can even cope with heavier wear.
- | Wet, coarse dirt can even be removed from the deeper surface structures as Nadura is extremely scrub and abrasion resistant.



Nadura: even neat and clear after heavy wear.

Awarded

Nadura. MEISTER - the original.



Nadura® – produced under license of Välinge



Nature provides us with
fascinating materials.

We make flooring out of these that is made for living.


More and more people want a natural floor that is healthy for living. We meet these requirements with our trendy design flooring, classic cork flooring and colourful linoleum flooring. They all offer a sustainable living experience and are the basis for an individual look thanks to their creative variety.

Design your very own living space – for rooms full of life.

CORK FLOORING



DESIGN FLOORING



LINOLEUM FLOORING



Where health and a sense of well-being are at home.


What do design flooring, cork flooring and linoleum flooring have in common? They all combine a great sense of well-being with the security of giving a home a healthy basis.

All our knowledge, years of experience and creativity are invested in the development of these floors. We leave nothing to chance, from the selection of materials through to processing them. Resulting in what drives us every day: excellent quality that provides maximum comfort.

1 Design flooring

A trendsetter

Made for healthy and beautiful living. Our design flooring is 100% PVC-free and impressively sustainable. And at the same time so modern and easy to clean that it cuts a fine figure in a cosy apartment as well as in a popular hip café. A strong character that impresses at first glance.



2 Cork flooring

A pionieer

Pure nature provides a real sense of well-being. With its classic look, cork is the ideal basis for anyone who wants to combine naturalness with maximum living comfort. As a traditional product, cork is pleasantly warm underfoot and has great elasticity, which is also beneficial to the joints. These are just two of the many advantages that impress.



3 Linoleum flooring

A multi-talent

Linoleum flooring also consists entirely of natural materials. Thanks to its great variety of colours and two formats, our linoleum flooring opens up completely new creative possibilities for installation. Resulting in individually designed stylish living rooms, cool offices and modern kitchens today!



Enjoy life to the full.

The natural extremely authentic look of design flooring transforms rooms into a comfortable home. As easy to clean, durable and healthy for living as it is, it is suitable for every situation in life.



Authentic

The wood structures embossed into the *Puretec*® surface make the floors in this collection look very realistic.



Healthy living

Polyester that is also used in the food industry, cork and wood from sustainable forestry make MEISTER design flooring into all-round healthy floors for living.




Warm underfoot

The combination of polyester and cork as a comfort layer makes MEISTER design flooring pleasantly warm underfoot.



Environmentally friendly

Thanks to its material properties, our design flooring can be conveniently disposed of at the end of its use via the non-recyclable waste.



PVC-free

Puretec® is a 100% PVC-free special coating that is not harmful to man or the environment.

Easy on the joints and elastic

The use of cork as a comfort layer and backing underneath the plank makes our design flooring elastic and easy on the joints.



Easy to maintain and durable

Design flooring is easy to clean and durable. Many typical causes of stains have no effect. Soft, standard chair casters do not leave any undesirable marks either.



Antislip

The innovative *Puretec*® surface makes MEISTER design flooring very antislip. The University of Wuppertal has calculated an antislip property of R9.



Awarded

MEISTER design flooring



Focus on the **essence of living.**



Inspired by nature and timelessly beautiful. Our cork flooring's individual looks and variety of surfaces accentuate the style of any room. The natural character is rounded off by the typical properties of the natural material cork: being warm underfoot and easy on the joints, it provides you with tangible comfort in all living areas.






KC 400 S | White rustic 675

Awarded

MEISTER cork flooring



Sound absorption

Cork is used in many situations to reduce noise - just as it is in MEISTER cork flooring. The cork cushioning on the bottom of each plank combined with the cork surface makes it an exceptionally quiet floor. This applies both to the noise in the room and the footfall noise heard in rooms below.



A natural talent

MEISTER cork flooring can be used in many different ways thanks to its modern appearance, its robustness and its excellent sound absorption properties. The fact that it is very pleasant to walk on even barefoot is thanks to the elasticity of this natural material which is easy on the joints. This means that cork flooring is ideal for living rooms, playrooms and bedrooms and can even be fitted in commercial areas.

Since it is a natural product, the colour of cork may alter when exposed to direct sunlight. It is possible that the floor will lighten in colour, depending on the situation of the room and light.



Environmentally Friendly Varnish Seal

Our cork flooring's environmentally friendly *Duratec Pro* varnish seal is especially durable and easy to care for. The »Pro« in this five-layer *Duratec* varnish composition stands for a high abrasion resistance and a high level of robustness. The entire composition consists of formaldehyde-free, viscoplastic and UV-hardened acrylic varnish. This acrylic varnish is ecologically non-harmful. It caters for hygiene, easy-care and long-life.



LIB 400 S | Off-white 707 | China red 716 | Quartz grey 709 | Slate grey 713

The art of leaving behind **a lasting impression.**

Linoleum? Simply fascinating! A purely natural product and as colourful as life itself. And extremely resistant in any case. Back then only available in grey, dark red or fir green once, today it amazes in bright colours and formats that inspire totally new floor design ideas.



Protective Topshield™

All MEISTER linoleum floors have a dual-layer, water-based surface finish. It brings out the colours brilliantly, makes the floor resistant, protects it from dirt and signs of wear and ensures that you will enjoy your floor for a long time.

- durable protective layer
- pore-filling base layer
- linoleum



Colour maturity

Linoleum gets its correct hardness-elasticity ratio in the drying chamber. Linoleum flooring leaves the chamber with a light “yellow tinge” – the so-called drying chamber film. This film degenerates after laying. Sunlight makes the floor take on its original colour. The length of time this process takes depends on the sunlight’s intensity. It occurs more distinctively with light linoleum surfaces than with darker ones. So you should not be surprised when you take your newly purchased linoleum out of the cardboard packaging. Your flooring needs a little time to find its colour.



Ready to handle everyday wear and tear

Thanks to the special surface finish on our linoleum, many typical causes of stains leave no trace on these floors. Soft, standard chair casters do not leave any undesirable marks either. The stabilising cork floor backing reduces the noise caused in the room, and the footfall noise transmitted into rooms below, as well as providing an elasticity you can feel. MEISTER linoleum flooring is therefore perfect for offices or home workrooms. Of course, it is also excellent for other commercial areas or living rooms and bedrooms.



Awarded

MEISTER linoleum flooring





Light
my fire.





System panels SP 150 | Plain white gloss DF 324 | Decor



System panels SP 300 | Concrete 4045 | Imitation

Cladding is a **thing of the past.**

A sense for beauty also adorns walls perfectly. Our system, real wood and decor panels create a prestigious, stylish framework for everything that you love and value. Or whatever needs to be close at hand. Panels combine beauty with intelligence and transform rather simple wall cladding into attractive wall design.

Do you like modern living? Do you love the country house style? Or do you only have designer furniture in your home? Whatever your preference: add MEISTER panels, enjoy their long-lasting beauty and delight in how easy they are to clean.



Decor panels Bocado 250 | Oak stripe, mocha 4026 | Wood effect



System panels SP 400 | Aluminium 4049 | Decor, **Angled cover moulding** | Aluminium 4049 | Decor, **Flexible lamp 170** | Titanium 249, **Glass shelf 520, Shelf support** | Anodised aluminium, **Hook type 3** | Anodised aluminium, **Shelving rail** | Anodised silver, **Shelving rail with power supply** | Anodised silver



The art lies in the system.

Anyone who can rely on an intelligent system is onto a good thing. MEISTER SP 400 system panels are the best example of this. They look good and can be fitted with lots of practical aids from LED lights to shelves.

The creative boxes for MEISTER Madera 200, Terra-Senza 200 and Bocado 200 panels really accentuate a very personal style. The boxes can be individually filled however you like.

LED lights that can be wonderfully integrated into the wall and ceiling using the design frame bring light to the panels.



System panels SP 400 | Heartwood walnut 4048 | Wood effect and Off-white 4014 | Decor



Decor panels Bocado 200 | Plain white gloss DF 324 | Decor
Design frame | Plain white gloss DF 324 | Decor
Creative box | for design frame (no decoration)



Real wood panels Madera 200 | Walnut stripe 045 | Veneer
Design frame | Walnut 637 | Veneer
Low-voltage LED-panel light | type 1

Awarded

MEISTER panels



Terra-Senza 300
Terra-Senza 200
Terra 150




Madera 250
Madera 200
SP 400 | Real wood surfaces



Intelligent quality through and through.

Walls and ceilings can be customised using panels. The different formats open up a whole breadth and length of possibilities. Not just in living areas but also in bathrooms, as the MEISTER decor and Nadura panels are also suitable for humid rooms.

Panel formats



For the perfect finish – details that simply match.

- 1 Universal profiles**
The professional and proven installation solution for transitions, ends and expansion joints.



- 2 Universal stair profiles**
Stairs with MEISTER floor elements can be easily covered with matching profiles.



- 3 Skirting boards**
Three selected profiles to match all the decor/wood shades in the parquet, cork and laminate flooring range provide the perfect finish.



- 4 Skirting boards**
These modern square-shaped skirting boards are available in many surfaces. Skirting boards coated in a white film which can be painted by the customer in any colour you like.



- 5 Hamburg skirting boards (not allocated)**
The elegant classic among skirting boards can be combined with any floor.



- 6 Underlay material (not allocated)**
High-performance range of insulating underlay for effective sound absorption in the room and the reduction of footfall transmitted to rooms below.



- 7 Ceiling edging**
Three different ceiling edging profiles guarantee clean edging for walls and ceilings.



Link to Mouldings:
www.meister.com/en/accessories/flooring-accessories/mouldings.html

A perfect living atmosphere results when all the elements in a room are perfectly coordinated to one another. These include, for example, mouldings that match the floor or panels for attractive joints or special profiles for successful room transitions. Lights can also contribute a great deal to the room atmosphere with their individual light effects. We also offer you suitable care products so that you can enjoy your floor for a long time after installation.



15

Care products (not allocated)

The range of care products are specifically for cleaning MEISTER floors.



14

Attachment lights

The lights are versatile in application and offer the option of choosing between warm white or bright clear light.



13

Recessed lights

The modern lighting range with its LED; low voltage and high voltage lights offers plenty of creative possibilities to create effective room and accent lighting.



12

Shelving rails

If the SP 400 system panel elements are assembled with a live aluminium rail, they can be fitted with decorative lights, e.g. glass floor lights.



11

Glass floor lights

Decorative and atmospheric accent lighting can be fitted to the SP 400 system panel shelf inserts using glass floor lights.



8

Corner mouldings

Perfectly coordinated special mouldings, e.g. large corner mouldings for many corners, angles and edges.



9

LED recessed lights

Our recessed lights, such as FLAT Quadro, are ideal as orientation lighting and impress with their compact dimensions.



10

LED panel lights

To match wall and ceiling installations and ideal for indirect lighting or creating accent lighting.




Link to insulating underlay:
www.meister.com/en/accessories/flooring-accessories/insulating-underlays.html



Design flooring Catega® Flex
 | 1 Strip (plank)
 | SilentTouch® surface
 | Comprehensive protection against humidity: AquaSafe system
 | Hardly flammable – C_{fl}-s1
 | Wear class 23 | 33
 | Thickness: 5 mm (6mm with sound-absorbing cushion)
 | Effective measurement: 2150 × 216 mm
 | MEISTER warranty* 20 years in living areas, 5 years in commercial areas

*Warranty according to the MeisterWerke warranty conditions at www.meister.com

	<p>Design flooring Catega® Flex</p> <p>Arctic white oak 6946 Wood effect DD 300 DD 300 S</p>		<p>Design flooring Catega® Flex</p> <p>Off-white knotty oak 6947 Wood effect DD 300 DD 300 S</p>		<p>Design flooring Catega® Flex</p> <p>Greige oak 6959 Wood effect DD 300 DD 300 S</p>
	<p>Design flooring Catega® Flex</p> <p>Sahara beige oak 6957 Wood effect DD 300 DD 300 S</p>		<p>Design flooring Catega® Flex</p> <p>Limed rusticated oak 6943 Wood effect DD 300 DD 300 S</p>		<p>Design flooring Catega® Flex</p> <p>Old wood pine 6951 Wood effect DD 300 DD 300 S</p>
	<p>Design flooring Catega® Flex</p> <p>Old wood oak 6954 Wood effect DD 300 DD 300 S</p>		<p>Design flooring Catega® Flex</p> <p>Clay grey old wood oak 6941 Wood effect DD 300 DD 300 S</p>		<p>Design flooring Catega® Flex</p> <p>Vintage ash 6950 Wood effect DD 300 DD 300 S</p>
	<p>Design flooring Catega® Flex</p> <p>Pure maple 6944 Wood effect DD 300 DD 300 S</p>		<p>Design flooring Catega® Flex</p> <p>Ash 6948 Wood effect DD 300 DD 300 S</p>		<p>Design flooring Catega® Flex</p> <p>Caramel oak 6953 Wood effect DD 300 DD 300 S</p>
	<p>Design flooring Catega® Flex</p> <p>Light cracked oak 6956 Wood effect DD 300 DD 300 S</p>		<p>Design flooring Catega® Flex</p> <p>Light mountain oak 6940 Wood effect DD 300 DD 300 S</p>		<p>Design flooring Catega® Flex</p> <p>Cappuccino split oak 6955 Wood effect DD 300 DD 300 S</p>

Design flooring Catega® Flex



Design flooring
Catega® Flex

Natural English oak
6952
Wood effect
DD 300 | DD 300 S



Design flooring
Catega® Flex

Cognac English oak
6949
Wood effect
DD 300 | DD 300 S



Design flooring
Catega® Flex

Nogal 6945
Wood effect
DD 300 | DD 300 S



MEISTER

Design flooring Catega® Flex | Natural English oak 6952 | Wood effect

Longlife parquet

PD 550
 | 1-Strip (plank)
 | Approx. 2.5mm fine wood wear layer
 | Thickness: 15mm
 | Lengths: 3650 | 4200mm
 | Widths: 220 | 260mm
 | MEISTER Longlife warranty*
 in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



PD 550
 White oak lively 8135 | brushed naturally oiled FSC®-certified



PD 550
 Oak lively 8028 brushed | UV-oiled FSC®-certified



PD 550
 Smoked oak lively 8031 | brushed UV-oiled FSC®-certified

PD 450
 | 1-Strip (plank)
 | Approx. 2.5mm wood wear layer
 | Thickness: 13mm
 | Length: 2400mm
 | Widths: 200 | 255mm
 | MEISTER Longlife warranty*
 in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



PD 450
 White oak harmonious 8174 brushed | UV-oiled FSC®-certified



PD 450
 Lyed-look oak harmonious 8172 brushed | UV-oiled FSC®-certified



PD 450
 Oak harmonious 8171 | brushed UV-oiled FSC®-certified

PD 400 Cottage
 | 1-Strip (plank)
 | Approx. 2.5mm wood wear layer
 | Thickness: 13mm
 | Effective measurement: 2200 × 180mm
 | MEISTER Longlife warranty*
 in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



PD 400 Cottage
 White larch accent 8295 | brushed naturally oiled FSC®-certified



PD 400 Cottage
 White oak harmonious 8129 Saw-cut structure, brushed naturally oiled FSC®-certified



PD 400 Cottage
 White oak ambience 8292 Timber structure naturally oiled FSC®-certified




PD 400 Cottage
 Grey oak lively 8291 Timber structure naturally oiled FSC®-certified



PD 400 Cottage
 Distinctive titanium silver oak 8221 brushed naturally oiled FSC®-certified




Longlife parquet




PD 400 Cottage

Oak canyon 8302
brushed
naturally oiled
FSC®-certified




PD 400 Cottage

Authentic oak 8290
brushed
naturally oiled
FSC®-certified




PD 400 Cottage

Oak lively 8091
brushed
naturally oiled
FSC®-certified



PD 400 Cottage

Steamed oak
canyon 8301
brushed
naturally oiled
FSC®-certified



PD 400 Cottage

Opaque white oak
harmonious 8081
brushed | UV-oiled
FSC®-certified



PD 400 Cottage

White oak ambience
8286 | Used-Look
UV-oiled
FSC®-certified



PD 400 Cottage

White vintage larch
lively 8287
brushed
UV-oiled
FSC®-certified



PD 400 Cottage

White ash lively
8054 | brushed
UV-oiled
FSC®-certified



PD 400 Cottage

Lyed-look oak lively
8029 | brushed
UV-oiled
FSC®-certified



PD 400 Cottage

Cream grey oak
ambience 8283
brushed | UV-oiled
FSC®-certified




PD 400 Cottage

Light clay grey oak
harmonious 8234
brushed | UV-oiled
FSC®-certified




PD 400 Cottage

Canadian pure
maple harmonious
8277 | UV-oiled
FSC®-certified




PD 400 Cottage

Caramel oak
lively 8026
UV-oiled
FSC®-certified




PD 400 Cottage

Pure vital oak 8281
brushed | UV-oiled
FSC®-certified



PD 400 Cottage

Oak harmonious
8027 | brushed
UV-oiled
FSC®-certified



PD 400 Cottage

Oak lively 8028
brushed | UV-oiled
FSC®-certified



Longlife parquet



PD 400 Cottage
Vital oak 8377
brushed | UV-oiled
FSC®-certified

■



PD 400 Cottage
American pure
cherry tree lively
8279 | UV-oiled
FSC®-certified

■



PD 400 Cottage
Cognac oak lively
8229 | brushed
UV-oiled
FSC®-certified

■



PD 400 Cottage
American walnut
lively 8275
UV-oiled

■



PD 400 Cottage
Smoked oak lively
8031 | brushed
UV-oiled
FSC®-certified

■



PD 400 Cottage
Silver grey oak
distinctive 8305
brushed
high-gloss
varnished
FSC®-certified

■



PD 400 Cottage
Steamed oak can-
yon 8304 | brushed
high-gloss
varnished
FSC®-certified

■

PD 200
| 1-Strip (plank)
| Approx. 2.5mm wood wear layer
| Thickness: 13mm
| Effective measurement: 2200 × 180mm
| MEISTER Longlife warranty*
in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



PD 200
Rustic oak 8166
brushed
naturally oiled

■



PD 200
White rustic oak
8139 | brushed
UV-oiled

■



PD 200
Lyed-look oak
rustic 8138
brushed | UV-oiled

■ ■

PS 400
| 1-Strip (strip parquet for herringbone pattern)
| Approx. 2.5mm wood wear layer
| Thickness: 11mm
| Effective measurement: 500 × 100mm
right and left strips in a box
| MEISTER Longlife warranty*
in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



PS 400
Oak harmonious
8042 | varnished
FSC®-certified

■ ■



PS 400
Smoked oak lively
8031 | varnished
brushed
FSC®-certified

■ ■ ■

Longlife parquet

PS 300
 | 1-Strip (strip parquet)
 | Approx. 2.5mm wood wear layer
 | Thickness: 13mm
 | Effective measurement: 1187 × 142mm
 | MEISTER Longlife warranty*
 | in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



PS 300

White oak harmonious 8090 brushed naturally oiled FSC®-certified



PS 300

Cream grey oak ambience 8222 brushed naturally oiled FSC®-certified



PS 300

Distinctive titanium silver oak 8221 brushed naturally oiled FSC®-certified



PS 300

Oak lively 8247 brushed naturally oiled FSC®-certified



PS 300

Smoked oak accent light 8241 | brushed naturally oiled FSC®-certified



PS 300

Oak harmonious 8243 | rough grain, brushed naturally oiled FSC®-certified




PS 300

Black washed oak harmonious 8244 brushed naturally oiled FSC®-certified



PS 300

Antique brown oak mountain 8239 brushed naturally oiled FSC®-certified



PS 300

Antique white oak ambience 8308 UV-oiled FSC®-certified



PS 300

White ash lively 8246 | brushed UV-oiled FSC®-certified



PS 300

Lyed-look oak lively 8029 | brushed UV-oiled FSC®-certified



PS 300

White washed oak lively 8236 UV-oiled FSC®-certified



PS 300

Light clay grey oak harmonious 8234 brushed | UV-oiled FSC®-certified



PS 300

Clay grey oak lively 8232 brushed | UV-oiled FSC®-certified



PS 300

Pure oak harmonious 8230 UV-oiled FSC®-certified



PS 300

American walnut lively 8044 UV-oiled FSC®-certified

Longlife parquet

PQ 500
 | Square
 | Approx. 2.5mm wood wear layer
 | Thickness: 13.5mm
 | Effective measurement: 485 × 485mm
 | MEISTER Longlife warranty*
 | in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



PQ 500
 Pure oak country 8271 | planked, brushed naturally oiled FSC®-certified





PQ 500
 Silver grey oak country 8273 planked, brushed naturally oiled FSC®-certified





PQ 500
 Oak harmonious 8070 | brushed UV-oiled FSC®-certified



PC 400 Style
 | 3-Strip | Finline | Broad Finline
 | Approx. 2.5mm wood wear layer
 | Thickness: 13mm (3D: 13.5mm)
 | Effective measurement: Finline: 2400 × 200mm, Broad Finline: 2200 × 180mm, 3-Strip, planked: 2400 × 255mm, 3-Strip, 3D: 2400 × 200mm
 | MEISTER Longlife warranty*
 | in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com




PC 400 Style
 Pure oak harmonious 8262 3D, brushed naturally oiled FSC®-certified





PC 400 Style
 Antique brown silver oak harmonious 8260 3D, brushed FSC®-certified





PC 400 Style
 Pure oak country 8264 | planked, brushed naturally oiled FSC®-certified





PC 400 Style
 Antique grey oak country 8266 planked, brushed naturally oiled FSC®-certified





PC 400 Style
 Oak lively 8124 Finline varnished FSC®-certified





PC 400 Style
 White ash lively 8122 | broad Finline varnished FSC®-certified



PC 350
 | 3-Strip
 | Approx. 3.6mm wood wear layer
 | Thickness: 14mm
 | Effective measurement: 2400 × 200mm
 | MEISTER Longlife warranty*
 | in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



PC 350
 Canadian maple lively | 8002 UV-oiled FSC®-certified





PC 350
 Oak lively 8019 brushed | UV-oiled FSC®-zertifiziert






Longlife parquet



PC 350
American walnut
lively 8023
UV-oiled




PC 350
American cherry
tree harmonious
8012 | varnished
FSC®-certified



PC 300
| 3-Strip
| Approx. 2.5mm wood wear layer
| Thickness: 13mm
| Effective measurement: 2400 × 200mm
| MEISTER Longlife warranty*
in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com




PC 300
White larch lively
8257 | brushed
naturally oiled
FSC®-certified




PC 300
White ash
harmonious 8249
UV-oiled
FSC®-certified



PC 300
White ash lively
8248 | brushed
UV-oiled
FSC®-certified



PC 300
Pure oak lively 8252
brushed | UV-oiled
FSC®-certified



PC 300
Limed oak lively
8114 | brushed
UV-oiled
FSC®-certified



PC 300
Antique grey oak
lively 8253
brushed | UV-oiled
FSC®-certified



PC 300
Smoked oak lively
8105 | brushed
UV-oiled
FSC®-certified



PC 200
| 3-Strip
| Approx. 2.5mm wood wear layer
| Thickness: 13mm
| Effective measurement: 2400 × 200mm
| MEISTER Longlife warranty*
in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



PC 200
American cherry
tree lively 8188
naturally oiled
FSC®-certified



PC 200
Canadian maple
harmonious 943
varnished
FSC®-certified



PC 200
Steamed beech
harmonious 928
varnished
FSC®-certified



PC 200
Oak harmonious
910 | varnished
FSC®-certified



PC 200
Oak lively 903
varnished
FSC®-certified



Longlife parquet



PC 200

American walnut
harmonious 960
varnished



Lindura flooring

HD 300

| 1-Strip (plank)
| 7 Rustic surfaces, naturally oiled, with irregularly formed side V-bevel and micro-bevel on the end
| 5 Lively surfaces, naturally oiled, with longitudinal V-bevel and micro-bevel on the end

| Thickness: 11mm
Effective measurement:
Oak: 2600 x 320mm | 2200 x 270mm
Larch: 2600 x 320mm
| MEISTER warranty* 20 years in living areas

*Warranty according to the MeisterWerke warranty conditions at www.meister.com




HD 300

White washed oak
lively 8427
brushed



HD 300

White washed rustic
oak 8425
brushed




HD 300

Pure larch lively
8419 | brushed




HD 300

Larch lively 8418
brushed




HD 300

Pure rustic oak 8413
brushed



HD 300

Café latte rustic oak
8414
brushed



HD 300

Oak lively 8417
brushed



HD 300

Rustic oak 8410
brushed




HD 300

Cognac rustic oak
8415 brushed




HD 300

Light clay grey oak
lively 8416
brushed



HD 300

Clay grey rustic oak
8411
brushed



HD 300

Black washed rustic
oak 8412
brushed

Laminate flooring Classic

Laminate flooring Classic

| LD 95 | LD 75: 1-Strip (plank)
 | LC 55 | LC 75: 1-Strip | 2-Strip | 3-Strip
 | Wear class 23 | 32 | LC 55: 23 | 31
 | Thickness: 8mm (9.5mm with sound-absorbing cushion) | LC 55: 7mm (8.5mm with sound-absorbing cushion)
 | Available on request with sound-absorbing cushion

| Effective measurement:
 LD 95: 2052 × 220mm
 LD 75 | LC 75 | LC 55: 1288 × 198mm
 LB 85: 853 × 395mm
 | MEISTER warranty* 20 years in living areas, 5 years in commercial areas
 (LC 55: MEISTER warranty* 15 years in living areas, 5 years in commercial areas)

*Warranty according to the MeisterWerke warranty conditions at www.meister.com



Laminate flooring Classic

Opaque white oak 6536
 Wood effect
 LD 95




Laminate flooring Classic

Artisan ash 6402
 Wood effect
 LD 95



Laminate flooring Classic

Arctic white ash 6251
 2-Strip
 Wood effect
 LC 55



Laminate flooring Classic

Marzipan oak 6268
 1-Strip
 Wood effect
 LC 55



Laminate flooring Classic

White Life 6390
 2-strip and 1-strip
 Wood effect
 LC 75




Laminate flooring Classic

Sea Side 6417
 1-Strip
 Wood effect
 LC 75




Laminate flooring Classic

Sea Side 6417
 1-Strip
 Wood effect
 LD 75



Laminate flooring Classic

Bodega oak 6403
 1-Strip
 Wood effect
 LD 75




Laminate flooring Classic

White lyed oak 6181
 1-Strip
 Wood effect
 LD 95 | LD 75




Laminate flooring Classic

White lyed oak 6181
 1-Strip
 Wood effect
 LC 75




Laminate flooring Classic

Natural oak 6067
 3-Strip
 Wood effect
 LC 55



Laminate flooring Classic

Taverna oak 6428
 1-Strip
 Wood effect
 LD 95 | LD 75




Laminate flooring Classic

Taverna oak 6428
 1-Strip
 Wood effect
 LC 75




Laminate flooring Classic

Distinctive pure oak 6273
 1-Strip
 Wood effect
 LD 95



Laminate flooring Classic

Distinctive pure oak 6273
 1-Strip
 Wood effect
 LC 75



Laminate flooring Classic

Light boathouse oak 6259
 1-Strip
 Wood effect
 LD 95

Laminate flooring Classic



Laminate flooring Classic
Barista oak 6420
1-Strip
Wood effect
LC 75



Laminate flooring Classic
Barista oak 6420
1-Strip
Wood effect
LD 95 | LD 75



Laminate flooring Classic
Caledonia oak 6421
1-Strip
Wood effect
LD 75



Laminate flooring Classic
Habanera oak 6429
1-Strip
Wood effect
LD 75



Laminate flooring Classic
Loft Style 6401
Decor
LB 85



Laminate flooring Classic
Fancy Pine 6438
2-Strip
Wood effect
LC 55



Laminate flooring Classic
Cool Storm 6533
Decor
LB 85



Laminate flooring Classic
Brushed Wood 6422
2-Strip
Wood effect
LC 75



Laminate flooring Classic
Grey oak 6442
1-Strip
Wood effect
LC 75



Laminate flooring Classic
Marrakech oak 6396
1-Strip
Wood effect
LC 55



Laminate flooring Classic
Oak 6443
1-Strip
Wood effect
LC 75



Laminate flooring Classic
Cracked Terra oak 6439
1-Strip
Wood effect
LD 95 | LD 75



Laminate flooring Classic
Vintage Wood 6399
Wood effect
LB 85



Laminate flooring Classic
Mississippi Wood 6404
1-Strip
Wood effect
LD 75



Laminate flooring Classic
Boathouse oak 6188
1-Strip
Wood effect
LD 95



Laminate flooring Classic
Blue Metal 6544
Decor
LB 85



Laminate flooring Classic
Slate anthracite 6137
Imitation
LB 85

Laminate flooring Melango
 | 1-Strip (plank)
 | Wear class 23 | 32
 | Antistatic surface
 | Thickness: 9 mm (11.5mm with sound-absorbing cushion)
 | Available on request with sound-absorbing cushion
 | Effective measurement: LD 300|25: 2052 × 248mm
 LD 300|20: 2052 × 208mm
 | MEISTER warranty* 25 years in living areas,
 5 years in commercial areas
 *Warranty according to the MeisterWerke warranty conditions at www.meister.com



Laminate flooring Melango
 Nordic spruce 6383
 1-Strip
 Wood effect
 LD 300|25



Laminate flooring Melango
 Arctic white oak 6503
 1-Strip
 Wood effect
 LD 300|20



Laminate flooring Melango
 Pure ash 6286
 1-Strip
 Wood effect
 LD 300|20



Laminate flooring Melango
 Silver-grey pine 791
 1-Strip
 Wood effect
 LD 300|20



Laminate flooring Melango
 Polar oak 6381
 1-Strip
 Wood effect
 LD 300|25



Laminate flooring Melango
 Atacama oak 6380
 1-Strip
 Wood effect
 LD 300|25



Laminate flooring Melango
 Cream grey oak 6285
 1-Strip
 Wood effect
 LD 300|20



Laminate flooring Melango
 White grey oak 6277
 1-Strip
 Wood effect
 LD 300|25
 LD 300|20



Laminate flooring Melango
 Mohair grey vintage oak 6288
 1-Strip
 Wood effect
 LD 300|25



Laminate flooring Melango
 Clay oak 6433
 1-Strip
 Wood effect
 LD 300|20



Laminate flooring Melango
 Sand oak 6435
 1-Strip
 Wood effect
 LD 300|20



Laminate flooring Melango
 Chocolate oak 6436
 1-Strip
 Wood effect
 LD 300|20



Laminate flooring Melango
 Velvet oak 6434
 1-Strip
 Wood effect
 LD 300|20



Laminate flooring Melango
 Dark vintage pine 6437
 1-Strip
 Wood effect
 LD 300|20



Laminate flooring Melango
 Grey oak 6132
 1-Strip
 Wood effect
 LD 300|20



Laminate flooring Melango
 Caramel oak 6276
 1-Strip
 Wood effect
 LD 300|25

Laminate flooring Melango



Laminate flooring
Melango

Toffee oak 6275
1-Strip
Wood effect
LD 300|25



Laminate flooring
Melango

Light oak 286
1-Strip
Wood effect
LD 300|20



Laminate flooring
Melango

Light oak harmonious 6133
1-Strip
Wood effect
LD 300|20



Laminate flooring
Melango

Medium oak 6131
1-Strip
Wood effect
LD 300|20



Laminate flooring
Melango

Dakar oak 6385
1-Strip
Wood effect
LD 300|25



Laminate flooring
Melango

Natural oak 287
1-Strip
Wood effect
LD 300|20



Laminate flooring
Melango

Medici oak 6410
Multi-Strip
Wood effect
LD 300|25



Laminate flooring
Melango

Bargello oak 6423
1-Strip
Wood effect
LD 300|25

Laminate flooring Talamo

Laminate flooring Talamo

- | 1-Strip (plank)
- | Wear class 23 | 32
- | Antistatic surface
- | Thickness: 8mm (10.5mm with sound-absorbing cushion)
- | Available on request with sound-absorbing cushion
- | Effective measurement: 1287 x 140mm
- | MEISTER warranty* 25 years in living areas, 5 years in commercial areas

*Warranty according to the MeisterWerke warranty conditions at www.meister.com



Laminate flooring
Talamo

Opaque white oak 6536
1-Strip
Wood effect
LS 300



Laminate flooring
Talamo

Vanilla oak 6265
1-Strip
Wood effect
LS 300



Laminate flooring
Talamo

Natural oak 6446
1-Strip
Wood effect
LS 300



Laminate flooring
Talamo

Dark oak 6445
1-Strip
Wood effect
LS 300

Laminate flooring Micala

Laminate flooring Micala


| LD 200: 1-Strip (plank) | LC 200
 | Wear class 23 | 32
 | Antistatic surface
 | Thickness: 8mm (10.5 mm with sound-absorbing cushion)
 | Available on request with sound-absorbing cushion
 | Effective measurement: 1287 × 198 mm
 | MEISTER warranty* 25 years in living areas, 5 years in commercial areas

*Warranty according to the MeisterWerke warranty conditions at
www.meister.com



Laminate flooring Micala

Aspen oak 6427
 1-Strip
 Wood effect
 LD 200



Laminate flooring Micala

Light oak 6011
 3-Strip
 Wood effect
 LC 200




Laminate flooring Micala

Snow-white larch
 6320
 1-Strip
 Wood effect
 LC 200



Laminate flooring Micala

Boathouse oak
 6188
 1-Strip
 Wood effect
 LD 200




Laminate flooring Micala

Milano oak 6391
 1-Strip
 Wood effect
 LD 200




Laminate flooring Micala

Milano oak 6391
 1-Strip
 Wood effect
 LC 200




Laminate flooring Micala

Vitus oak 6430
 1-Strip
 Wood effect
 LC 200




Laminate flooring Micala

Nova oak 6413
 1-Strip
 Wood effect
 LD 200




Laminate flooring Micala

Nova oak 6413
 1-Strip
 Wood effect
 LC 200



Laminate flooring Micala

West Side 6397
 1-Strip
 Wood effect
 LD 200




Laminate flooring Micala

Lyed oak 6173
 1-Strip
 Wood effect
 LD 200




Laminate flooring Micala

Lyed oak 6173
 1-Strip
 Wood effect
 LC 200



Laminate flooring Micala

Monclair oak 6432
 1-Strip
 Wood effect
 LC 200



Laminate flooring Micala

Patina Wood 6398
 1-Strip
 Wood effect
 LD 200



Laminate flooring Micala

Cashmere spruce
 6379
 1-Strip
 Wood effect
 LD 200



Laminate flooring Micala



Laminate flooring
Micala

Casablanca oak
6414
1-Strip
Wood effect
LD 200



Laminate flooring
Micala

Casablanca oak
6414
1-Strip
Wood effect
LC 200



Laminate flooring
Micala

Trentino oak 6393
1-Strip
Wood effect
LC 200



Laminate flooring
Micala

Chianti oak 6392
1-Strip
Wood effect
LD 200



Laminate flooring
Micala

Chianti oak 6392
1-Strip
Wood effect
LC 200



Laminate flooring
Micala

Café latte oak 6267
1-Strip
Wood effect
LC 200



Laminate flooring
Micala

Muscat oak 6416
1-Strip
Wood effect
LD 200



Laminate flooring
Micala

Muscat oak 6416
1-Strip
Wood effect
LC 200



Laminate flooring
Micala

Style Factory 6408
1-Strip
Decor
LD 200

Nadura flooring

NB 400

- | Wear class 23 | 34
- | Nadura surface
- | Thickness: 10.5mm
- | Effective measurement: 853 × 395mm
- | MEISTER warranty*
- | Lifetime in living areas
- | 10 years in commercial areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



NB 400

Concrete grey
hickory 6223
Imitation



NB 400

Rustic dark brown
wood 6303
Wood effect



NB 400

Sandstone 6301
Imitation



NB 400

Rust 6300
Imitation

Design flooring

DD 350 S
 | 1-Strip (plank)
 | Wear class 23 | 32
 | With 1mm cork sound-absorbing cushion
 | Thickness: 9.5mm
 | Effective measurement: 2052 × 198mm
 | MEISTER warranty*
 | 10 years in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



DD 350 S
 White pine 6924
 Wood effect



DD 350 S
 Cappuccino oak 6935
 Wood effect



DD 350 S
 Greige oak 6934
 Wood effect



DD 350 S
 Antique grey oak 6926 | Wood effect

Cork flooring

KC 400 S
 | Wear class 23 | 31
 | With 1mm cork sound-absorbing cushion
 | Thickness: 10.8mm
 | Effective measurement: 910 × 304mm
 | MEISTER warranty*
 | 10 years in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



KC 400 S
 White coarse structure 6807



KC 400 S
 Cream stripe on white 6805



KC 400 S
 Rustic 6809



KC 400 S
 Block cut 668

Linoleum flooring

LIB 400 S | LIC 400 S
 | Wear class 23 | 32
 | With 1mm cork sound-absorbing cushion
 | Thickness: 9.8mm
 | Effective measurement: 300 × 300mm (LIB 400S)
 | Effective measurement: 910 × 300mm (LIC 400S)
 | MEISTER warranty*
 | 10 years in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



LIB 400 S | LIC 400 S
 Off-white 707



LIB 400 S | LIC 400 S
 Indigo blue 712



LIB 400 S | LIC 400 S
 Cappuccino 721



LIB 400 S | LIC 400 S
 Quartz grey 709

Every day a masterpiece

We have been impressing with innovative products, practical system solutions and attractive designs for more than 80 years. We are constantly developing ourselves, our company and our range. As we know: you expect the best all the time. And that's what we want to give you.

MEISTER is committed to its location.

We think internationally but remain a German company – 640 employees guarantee Made in Germany premium quality day in day out.

MEISTER is a leading innovator.

Intelligent ideas make us the driving force behind the industry – over 200 patents and utility models are impressive evidence of this.

MEISTER accepts responsibility for the environment.

We act sustainably in all areas – careful product selection protects resources and the climate.

MEISTER stands for specialist retail.

We focus on reliable partnerships with specialist retail and specialist trade – our "100% PRO Producer/Dealer/Craftsmen" network guarantees first-class products, professional advice and expert assembly.



968019004A01 12|15



© 2015 by MeisterWerke Schulte GmbH
For reasons of printing technology, colours and structures may vary from the reproductions shown here.
We reserve the right to make changes. No responsibility is assumed for errors.

MEISTER – a brand of MeisterWerke Schulte GmbH
Johannes-Schulte-Allee 5 | 59602 Rütten-Meiste | GERMANY
Phone +49 2952 816-0 | Fax +49 2952 816-66 | www.meister.com