







Designing living spaces



Welcome to **MeisterWerke.**

We have been passionately developing and making products for rooms full of life for many years. At our company headquarters in Rüthen-Meiste, in the beautiful region of Sauerland, it is our daily challenge to perfect these and therefore ensure the greatest benefit for our customers.

Our love of innovation is evident in everything: in our huge range, in our company and in the way we work together. Always collaboratively and fairly but also purposefully and reliably. Our company motto is: a MeisterWerke masterpiece every day!

As a family-run company we also think about future generations. That's why respect for nature and natural resources is a matter of course for us. We place great importance on environmentally sound origin and short transport routes when choosing our materials. Independent test institutes verify that the materials used are harmless. Resulting in products that combine top quality, maximum comfort and a great feeling year after year. For your rooms full of life.





Innovative products and system solutions are always the result of teamwork at MeisterWerke.



The careful selection of materials and decor guarantees the best result.



Our products undergo extensive quality tests on their way to becoming the perfect interior design object.



Link to MeisterWerke: www.meisterwerke.com

First class products for floors, walls and ceilings.

We designed this brochure to give you a brief overview of our diverse programme all around flooring, wall and ceiling. You can receive more information in the specialist trade or at www.meister.com

The best for stylish furnishing

Design flooring Catega® Flex	4
Design flooring Classic	14
Longlife parquet	18
Lindura wood flooring	30
Laminate flooring	40
Nadura flooring	50
Design, cork and lineoleum flooring	54
Panels	62
Accessories	68

Collections

Design flooring Catega® Flex	70
Design flooring Classic	72
Longlife parquet	73
Lindura wood flooring	79
Laminate flooring	80
Nadura flooring	90
Design, cork and lineoleum flooring	91

Rooms full of life.



Design flooring Catega® Flex | Clay grey old wood oak 6941 | Wood effect



The incredible lightness of your floor

As warm and beautiful as wood, as easy to clean and durable as laminate, with no plasticisers too, easy to install and ideal for renovations – no it's not a fairytale but a real dream for your home. The Catega Flex flooring innovation makes you want to stay at home and cuts a fine figure across the board. From authentically natural to somewhat unusual, 18 decors provide a rich variety of different looks.

The inner values are naturally impressive too: With just 5mm installation height but a generous plank format, Catega Flex is sleek and slimline and can be easily and securely installed using Multiclic – the best prerequisites for renovations. And totally healthy living at the same time: Catega Flex does not contain any PVC or artificial plasticisers. And because we have total trust in our new design flooring there is a 20 year warranty for Catega Flex in living areas.







Design flooring Catega® Flex | Vintage ash 6950 Wood effect



Design flooring Catega® Flex | Old wood oak 6954 | Wood effect



Design flooring Catega® Flex | Natural English oak 6952 | Wood effect





Design flooring Catega® Flex | Old wood pine 6951 | Wood effect

Floors make rooms.

Our new design flooring never stays completely private. Even in public spaces, Catega Flex gives its all and is not fazed by real life. A little gift with wear class 23 | 33. That's a promise.





Design flooring Catega® Flex | Pure maple 6944 | Wood effect



Design flooring Catega® Flex | Pure maple 6944 | Wood effect









Intelligent quality through and through.

Thanks to the patented Multiclic system and dimensionally stable AquaSafe special board there is a secure joint.



Standard vinyl flooring with thermoplastic core and open joint.



Catega Flex Aqua*Safe* special board with secure click connection and closed joint.



Design flooring Catega® Flex |Clay grey old wood oak 6941| Wood effect

Outward appearances with depth.

At MEISTER we are only satisfied once the combination of decor and surface structure imitate the natural ideal as perfectly as possible. At that point, a floor makes the leap into the MEISTER Premium collection.



Special pore effect (PS)

Embossed surfaces give MEISTER
Design floors even more authenticity –
especially with the special pore effect
printing.

As with this the pores, filled knots and cracks are individually coordinated to the decor pattern underneath. Different depths and degrees of gloss determine the variety of the special pore structures and give these floors a really authentic



Raw wood pore structure (RP)

An elegant surface structure that imitates the natural appearance of untreated or naturally oiled real woods. With this technology the finest planing tool marks visually and tangibly emphasise the look of freshly sanded wood.




Wood finish matt structure (WM)

A deeply embossed relief emphasises the grain run of the reproduced wood fibres and conveys an impression of a brushed wood surface. The matt appearance visibly and tangibly produces the natural impression of untreated or naturally oiled real wood.

Product structure

MEISTER design flooring is distinguished by its intelligent multi-layer structure with dimensionally stable Aqua*Safe* special board made from special wood materials. The high quality patented SilentTouch technology makes the floor quiet, durable and easy to clean.

In contrast to standard PVC design flooring, MEISTER design flooring is odourless. All floors are suitable for installation on hot water underfloor heating.





Wear class 23

The ideal floor for all living areas with heavy wear such as kitchens, hallways, home offices etc.

Design flooring is not suitable for installation in humid rooms (bathrooms, saunas etc.)



Wear class 33

The ideal floor for commercial areas with heavy wear such as open-plan offices, department stores, public buildings etc.



Design flooring Classic | White Island 6961 | Decor





Design flooring Classic | White Island 6961 | Decor

Design flooring Classic Cinnamon oak 6965 Wood effect



Design flooring Classic Catalana oak 6968



Design flooring Classic Light Smokey Wood 6963





Flexible. Compact. Easy to clean.

Do you like modern design? But comfortable nevertheless? Then the Classic design flooring is the right choice for you. Design flooring is uncomplicated flooring and is made for healthy and beautiful living. Modern surfaces meet innovative production technologies here. As a result, floors are created that more than meet all the requirements for perfect design, strength and durability. From »Cinnamon Oak« to »White Island« there are floors in 8 thrilling, beautiful and trendy decors and two different widths - real design flooring in fact.

And it doesn't just look good! Classic design flooring is extremely warm to the foot and therefore not just the very first choice for children's bedrooms. Renovators will love it too: as extremely thin flooring Classic design flooring fits into any room. Annoying and laborious trimming of doors and frames is therefore unnecessary in many cases. Classic design flooring is perfect for installing on existing subfloors, for example tiles because old floors aren't visible on the product surface.



Awarded

MEISTER Classic design flooring



















The SilentTouch® technology

The Classic design flooring surface is produced using the innovative, patented SilentTouch® technology and is therefore extremely elastic, quiet, durable and easy to clean.



Design flooring Classic | White Island 6961 | Decor





The nature's endless variety of wood in seven parquet themes.

Trends come and go but your parquet is here to stay. It's good if it can adapt to different living styles, because it is rare to find just one style in an apartment or house. To offer you the right guidance, we arrange our entire parquet range into themes. Inspired by global trends, these themes illustrate various philosophies in terms of lifestyle, product design and materials.



PC 400 Style | Oak country 8263 | planked, brushed | naturally oiled

Registered design® EU 2244319






Uneven edges, a natural play on colours, tangible life and visible age – accentuated NATURAL STYLE exudes real character at your feet.

PD 400 Cottage | Steamed oak canyon 8301 | brushed | naturally oiled



PC 400 Style | Oak country 8263 | planked, brushed | naturally oiled



PS 300 | Pure oak harmonious 8230 | brushed | UV-oiled

PC 400 Style | Pure country oak 8264 | planked, brushed naturally oiled



PS 300 | Pure oak harmonious 8230 brushed | UV-oiled



As much as necessary, as little as possible – harmonious to lively surfaces that remain visually close to their raw state due to carefully finishing and enrich the room with their own essence in PURE LINE.



Longlife parquet

Longlife parquet is stable, natural, healthy for living, quiet, ecological, energy-saving and easy to clean.
Only genuine with this sign.



PD 400 Cottage | Light clay grey oak harmonious 8234 | brushed | UV-oiled

COLOURFUL GREY.

From shabby chic, to the modern, to country house style, anything is possible – COLOURFUL GREY underlines and accentuates the house's style without dominating it.





PC 400 Style | Cream grey oak harmonious 8261 3D, brushed | naturally oiled

Registered design EU 2244319





PD 400 Cottage | Silver grey oak distinctive 8305 | brushed high-gloss varnished

PD 400 Cottage | Steamed oak canyon 8304 | brushed high-gloss varnished

LUXURY AFFAIRS.

Deep black, snow white, breathtaking gold and shimmering silver. Sometimes just that little bit more is required. Baroque, sensual, opulent – indulge in LUXURY AFFAIRS.









PQ 500 | Pure country oak 8271 | planked, brushed | naturally oiled

NEW CLASSICS.

Herringbone and squares interpreted in a lavish, modern way. Turning timeless classics into products that are totally trendy time and time again – because NEW CLASSICS simply never go out of fashion.



PS 400 | Oak lively 8047 | varnished



■ WILD MOUNTAIN.

Long live comfort but in a modern look please. WILD MOUNTAIN stages rooms with woods that exude fine rusticity with that special Alpine charm.



PD 400 Cottage | White vintage larch lively 8287 | UV-oiled





PS 300 | Oak harmonious 8027 | brushed | UV-oiled

PD 400 Cottage | American walnut lively 8275 UV-oiled










PERFECT BASICS.

It doesn't always have to look exceptional but it should always be exceptionally good – lay a solid basis for a feel-good atmosphere in your home with PERFECT BASIC.



PD 550 | Oak lively 8091 | brushed | naturally oiled

Longlife parquet - and real wood stays beautiful for longer.

Live and let live with MEISTER Longlife parquet nothing is easier than that. With traditional professional care, a great deal of sensitivity, many years of experience and comprehensive technical knowledge we ensure that flooring is made out of a valuable natural product that makes life easier and more beautiful.

On these pages you can learn about the many details that as a whole account for the unique quality of our Longlife parquet.

Easy to install

thanks to the patented Masterclic Plus click system

MASTER**CLIC PLUS**

DE 102006037614 B3/WO 2008/017301
Longside: Produced under the license of Unilin™

The Masterclic Plus locking system means fast installation with automatic end connection system. The homogeneous HDF middle layer allows a precise profile geometry to be milled without any splinters. This guarantees comfortable and smooth installation as well as permanent joint closing.



Wood is elegant, beautiful and also **good for every day life.**

Naturally oiled - Weartec®Nature

Natural oils and waxes are the basis for our Longlife parquet's naturally oiled surfaces. Weartec®Nature penetrates deep into the wood and forms a protective, breathable surface. This kind of finish creates a natural appearance with subtle brilliance, emphasises the grain as well as structure, regulates humidity and ensures a healthy living climate. All Longlife parquet floors with Weartec®Nature finish are treated ready for residential use and do not have to be treated with oil after installation. However, the naturally oiled surface does require a regular polish, which gives the floor a natural shine and ensures exceptional resistance. If required, it can be re-oiled and partly refinished without any sanding down.

UV-hardened oil surface protection

Our UV-hardened oil really brings out the best in many types of wood. It receives a warm, natural look from this. The Weartec® surface is a high quality UV-hardened oil surface with a special basic treatment applied at the factory. The floor is treated ready for residential use, is similarly easy to clean to varnished parquet flooring and therefore does not need to be re-piled.

Varnish finish

Our Longlife parquet's *Duratec Plus* natural matt varnish or high-gloss varnish is extremely durable, easy to clean and naturally environmentally friendly, as it does not contain any solvents. The Plus stands for our seven-layer *Duratec* varnish structure. The mixture of varnishes in the individual layers and their order takes into account that parquet floors may possibly be sanded down. The entire composition consists of a formaldehyde-free, UV-hardened and ecologically non-harmful acrylic varnish. As a result *Duratec Plus* provides an easy to clean and durable parquet surface.









as a result of its own high weight

Greater mass produces less vibrations Thanks to the use of HDF as a middle layer, the own weight of the installed area significantly increases. This has a positive effect on room noise and walking noise properties.



Ecological

thanks to the use of 2.5mm covering layers that save resources

MEISTER parquet actively contributes to environmental protection. As a result of the perfect combination of the 2.5mm wear layer and the special HDF middle layer, only roughly a tenth of wood, a valuable resource, is required to produce MEISTER parquet, compared to a solid wood floor.



Healthy living

thanks to the use of natural materials

Parquet is a natural product. It regulates humidity and ensures a healthy living climate. The flooring is particularly hygienic thanks to it being easy to clean and maintain. All materials are selected carefully and are subject to regular tests in our labs.



Awarded

MEISTER Longlife parquet









The mark of responsible forestry











Stable

thanks to the extremely resistant HDF middle layer

This is the most important reason why we only produce our floors with a HDF middle layer: the press-in behaviour. The extremely dimensionally stable and high quality HDF base board stabilises the covering layer, making itextremely tough and resistant towards pressure.



thanks to low thermal resistance

With a floating installation, the floor covering on top of a hot water underfloor heating should also not exceed the limit of 0.15m2 K/W laid down by regulations* in order to quickly transport the heat supplied to the surface.

* Federal Association of Surface Heating and Surface Cooling

Variety

thanks to the extensive range on offer

The combination of plank formats, types of wood, structures as well as surface looks and finishes provides a wide selection for specific customer requirements.

Over 190 different products!



MEISTER parquet with HDF middle layer




Parquet with spruce middle layer







HD 300 | Clay grey rustic oak 8411 | brushed | naturally oiled







Skirting board profile 11 PK Plain white gloss 324 (decorative film)



HD 300 | Rustic oak 8410 | brushed | naturally oiled






Real wood with depth.

Lindura stands for a distinctive rustic nature, as knots, cracks and wooden ores are emphasised particularly due to the unique production process.

Naturally oiled and with a rich play on colours, each plank is a greeting from nature and is not just tough but also unique from every perspective thanks to the fine wood powder content.










HD 300 | Black washed rustic oak 8412 | brushed | naturally oiled



Skirting board profile 2 PK | Black washed oak Nature 1137 | oiled




Top **performance.**

The used look Lindura planks blend superbly into a rustic setting and create special accents in modern interiors. The tough floors gain maturity and a sheen during the course of their life and are therefore also ideal for rooms with heavy wear.

An idea that stands out – with solid arguments.

Lasting beauty.

Lindura is the name for a new floor in the real wood flooring range from MEISTER that is based on wood powder technology. A real wood covering layer, wood powder, an HDF middle layer and wood powder backing are permanently fused together under pressure and heat. Resulting in floors that are tough, pleasantly warm to the foot, resistant and easy to clean. The lively to rustic real wood covering layers made from oak and larch give Lindura a particularly natural appearance.





High-tech meets nature.

The fusion of innovative technology and natural raw materials produces a fascinating combination in Lindura. Wood powder is a material mix made from fine wood fibres and other natural additives which was invented by the Swedish company Välinge. MEISTER was the first company in the world to develop a manufacturing technology for series production in order to be able to offer innovative floors based on wood powder.

Lindura – multi-layer structure:





Lindura – for all phases of life.

Tough

Lindura loves challenges and takes high heels at a party just as much in its stride as football boots that you can even leave on after the match. What is more: through everyday use the floor acquires a sheen over time that accentuates the used look of the planks even more.

Durable

A comparison test in our laboratory clearly shows: A metal ball dropped with 4000 newtons of pressure leaves behind a clearly visible dent on standard parquet. With Lindura wood floors there are hardly any traces to be seen.





Standard parquet

MEISTER Lindura wood flooring

Renovation-friendly! **Lindura in château plank format.**

Convincing arguments speak in favour of Lindura from MEISTER:

I the high-quality, carefully selected materials,

| simple installation,

I easy cleaning

I unique look and

| special carrying capacity.

Lindura formats

Lindura is available in two attractive plank formats, which are also suitable for renovations with their low installation height of 11mm.

Lindura gradings

Thanks to wood powder technology, the crack, knot and pore fillings are given a totally new, fine look that could never be achieved as authentically using standard filling techniques.



First impression: **lively!**

In this grading we deliberately offer surfaces with strong colours and structures, which emphasise the wood's natural character. Healthy distinctive knots and splints are part of the overall lively image. Knot holes and cracks are filled perfectly using wood powder technology.



The special touch: **rustic!**

This grading provides a rustic appearance with an interesting play on colours and structures. Healthy distinctive knots are not limited in their diameter or frequency. The natural and raw character of the floor is emphasised by larger knots and varying degrees of cracks, which are individually filled using wood powder technology.





Laminate flooring Melango | Medium oak 6131 | Wood effect



A MEISTER master class of natural selection.

Nature is a master of form and colour. Our claim for premium laminate flooring from MEISTER is to get as close to this as possible. To do this we take the utmost care when developing our decors. We are only satisfied once you can no longer see the difference between the surfaces and real wood, stone or textiles at first glance. Many totally different factors influence your choice. Often the colour is the crucial concept. It harmoniously complements the furnishing or creates dramatic contrasts. We have therefore broken down our laminate flooring into three colour schemes for guidance and inspiration.



Laminate flooring Talamo | Vanilla oak 6265 | Wood effect





Laminate flooring Talamo | Vanilla oak



Laminate flooring Micala Casablanca oak 6414 Wood effect





Laminate flooring in the light colour scheme supports many furnishing styles when used with both complementary and contrasting colours creating pleasant tranquillity. From lively to harmonious, you decide which floor should go with your furnishings.









MEDIUM

These floors are masters of perfect balancing acts and change their expression according to their environment. They ground the flighty and give wings to the down-to-earth. You decide how you use laminate flooring from the medium colour scheme creatively in your home.



Laminate flooring Melango | White grey oak 6277 | Wood effect



Laminate flooring Micala Café latte oak 6267 Wood effect

Laminate flooring Micala Chianti oak 6392 Wood effect





Laminate flooring Classic | Habanera oak 6429 | Wood effect

Laminate flooring LD 300 | 25 Melango White grey oak 6277





Laminate flooring Melango Medium oak 6131 | Wood effect



Talamo | Natural oak 6446





Laminate flooring Melango | Smoked oak 6035 | Wood effect

Laminate flooring Micala Style Factory 6408 Wood effect






DARK

Laminate flooring creates an irresistible ambience in rich dark colours. The decors from this colour scheme elegantly complement any furnishing, from the tasteful to the modern. You decide whether the dark flooring should act as a striking exclamation mark or harmoniously complement your home.







Outward appearances with depth.

At MEISTER we are only satisfied once the combination of decor and surface structure imitate the natural ideal as perfectly as possible. At that point, a laminate floor makes the leap into the MEISTER premium collection.



Special pore effect (PS)

Embossed surfaces give MEISTER laminate floors even more authenticity—especially with the special pore effect printing. As with this the pores, filled knots and cracks are individually coordinated to the decor pattern underneath. Different depths and degrees of gloss determine the variety of the special pore structures and give this laminate floor a really authentic appearance.



Raw wood pore structure (RP)

An elegant surface structure that imitates the natural appearance of untreated or naturally oiled real woods. With this technology the finest planing tool marks visually and tangibly emphasise the look of freshly sanded wood.



Wood finish matt structure (WM)

A deeply embossed relief emphasises the grain run of the reproduced wood fibres and conveys an impression of a brushed wood surface. The matt appearance visibly and tangibly produces the natural impression of untreated or naturally oiled real wood.



Elegant pore structure (EP)

This high quality structure is based on the principle of the special pore effect printing. The embossed pores run parallel to the wood fibres' decor pattern underneath. In combination with the matt surface the silk matt shimmering pores produce an elegant and natural overall look.



Wood finish structure (WF)

A deeply embossed relief along the grain run of the reproduced wood fibres conveys the impression of a brushed wood surface. The result: authenticity that can be seen and felt.



Matt pore structure (MP)

Matt surfaces with a fine even structure lend select wood effects an elegant and sophisticated character.




Pore structure (P)

Subtle but effective: the fine pore structure makes laminate flooring look alive and authentic. Individual wood grains look far more realistic due to this



Saw-cut structure (S)

With laminate flooring in saw-cut look saw cuts running across the grain are recreated. They are clearly visible and tangible and extra emphasis is added visually by the matt gloss surface finish



Stone pore structure (SP)

A visible and tangible stone structure is embossed into the surface to achieve this very special look. It is almost impossible for the naked eye to tell the difference between real stone floors.



Matt-gloss look (MG)

Captivatingly beautiful: a silky shimmer combined with subtle surface structure enhances the effect of plain colours and accentuates old wood, metal and textile looks.

Intelligent quality through and through.

Two things give MEISTER premium laminate flooring its amazingly long life: the high quality, carefully selected materials and the intelligent multi-layer structure. Together with the dimensionally stable HDF middle layer used by us, this guarantees you a resistant floor that remains beautiful over many years.

Easy to install

thanks to the patented Masterclic Plus click system



DE 102006037614 B3/WO 2008/017301

Longside: Produced under the license of Unilin™

The Masterclic Plus locking system means fast installation with automatic end connection system. The homogeneous HDF middle layer allows a precise profi le geometry to be milled without any splinters. This guarantees comfortable and smooth installation as well as permanent joint closing.

Awarded

MEISTER laminate flooring













of Laminate Flooring





Technology for a long life

MEISTER premium laminate flooring stays beautiful for longer. The reasons for this are the *Diamond Pro*®-surface for high scratch-resistance, the AquaSafe system for maximum reduction of the laminate floor's swelling ability and the protective antistatic layer.




Diamond Pro®

Newly developed test methods impressively prove that the new *Diamond Pro®* surface even increases our laminate flooring's resistance to micro-scratches and abrasion and provides additional protection against wear.




Aqua Safe-System

The special impregnation, AquaSafe anti-swelling HDF base board and lasting, secure joint that results from the profile's specially developed and patented geometry, are the compelling advantages of the AquaSafe system. As this is how it effectively prevents surfaces, floors and edges from swelling in the event of contact with water.



Antistatic

All MEISTER laminate flooring is also equipped with an antistatic layer. This reduces the development of personal static electricity to < 2 kV and protects against discharge on metallic objects, e.g. when touching door handles. It also means that less dirt is attracted to the floor, making cleaning much easier.



As hard as a rock. As warm as wood.


Nadura.

The combination of a naturally warm material and a rock hard nature is fascinating. For this, fine wood powder is mixed with mineral ingredients and compressed together using pressure and temperature. The resulting material combines the best qualities of the two main components: the pleasant warmth of wood and the extreme toughness of rock. Making innovative Nadura floors and panels from MEISTER an extremely durable and healthy living alternative to many ceramic, fine stoneware and PVC tiles.

Nadura is happy to face the consequences of a spirited life: when children bring half the football pitch into the house on their boots, during cooking marathons when sauce is splattered on the floor, followed by pots and plates – Nadura flooring is very forgiving without any consequences. The fact that Nadura still looks good at the same time, is warm underfoot and can be installed and cleaned easily, all speak for this original from MEISTER.

Nadura advantages


- | Warm underfoot
- | Durable
- | Easy to clean
- | Resistant to humidity
- | Abrasion resistant
- | Pressure-mark resistant



Cross-section of Nadura element with heavily reinforced wear layer directly attached to a special board, in an electron microscope.

Close examination of Nadura

The significantly reinforced wear layer consists of a special mix of wood fibres, mineral substances and colouring. It is applied onto a special Aqua*Safe* board, which is based on a wood material. The final backing provides for stability.



Cross-section of laminate with a wear layer made of overlay, decor paper and HDF middle layer, in an electron microscope.

Layered structure of laminate

Laminate elements are structured over several layers. The special sequence of individual layers ensures greater strength on the one hand and protects the decor paper due to the overlay on the surface on the other hand. The illustration clearly shows: the wear layer is thinner compared to the Nadura element.

Nadura – the favourite for cleaning that forgives plenty.

NB 400 | Sandstone 6301 | Imitation

If only everything were as easy to clean as Nadura flooring. Red wine, oils and other liquids can permanently discolour the necessary cement joints between stone and ceramic tiles. They can be removed without a trace from the Nadura joints.

| With Nadura there are no partial repairs and resulting differences in colour as with cement joints.

Nadura. Because the joint makes the difference.

Cement joints between tiles soak up liquids and oils and are often permanently discoloured.

The alternative: Nadura flooring.

Nadura – **pleasantly warm to the foot**.




Nadura floors are also distinguished by their exceptional comfort and the warm-to-the-foot nature of real wood floors.

- Due to the high share of wood fibres, body heat is drawn away slower than with ceramic or fine stoneware floors.
- Due to the share of mineral substances, Nadura floors are just as tough as stone or ceramic tiles.

Stone and ceramic tiles on floors are one thing above all: cool. $\label{eq:cool} \mbox{The alternative: Nadura flooring.}$

Nadura – **definitely durable**.



Ceramic and fine stoneware tiles split or crack when subject to heavy impact. The alternative: Nadura flooring.

You can rely on your Nadura floor. It can withstand anything.

- The high share of mineral substances gives the floor the toughness of a stone or ceramic tile.
- Whereas ceramic tiles split or crack when subject to impact, with Nadura only small dents or scratches result that can partly be repaired.
- The homogeneous surface coating is dyed right through and up to three times thicker than standard coated flooring- preventing any stress whitening.

Nadura. The tough version of a warm-tothe-foot floor.

Awarded

Nadura. MEISTER - the original.















Nadura – **flooring for rough stuff too.**



NB 400 | Rustic cream grey wood 6304 Wood effect

Nadura: even neat and clear after heavy wear.

Even wet clay and coarse dirt are easy to remove from Nadura flooring without leaving any trace.


- Antislip, resistant to humidity and easy to clean – Nadura can even cope with heavier wear.
- Wet, coarse dirt can even be removed from the deeper surface structures as Nadura is extremely scrub and abrasion resistant.

Nature provides us with fascinating materials.

We make flooring out of these that is made for living.

More and more people want a natural floor that is healthy for living. We meet these requirements with our trendy design flooring, classic cork flooring and colourful linoleum flooring. They all offer a sustainable living experience and are the basis for an individual look thanks to their creative variety.

Design your very own living space – for rooms full of life.



Where health and a sense of well-being are at home.

What do design flooring, cork flooring and linoleum flooring have in common? They all combine a great sense of well-being with the security of giving a home a healthy basis.

All our knowledge, years of experience and creativity are invested in the development of these floors. We leave nothing to chance, from the selection of materials through to processing them. Resulting in what drives us every day: excellent quality that provides maximum comfort.

Design flooring

A trendsetter

Made for healthy and beautiful living. Our design flooring is 100% PVC-free and impressively sustainable. And at the same time so modern and easy to clean that it cuts a fine figure in a cosy apartment as well as in a popular hip café. A strong character that impresses at first glance.





2 Cork flooring

A pionieer

Pure nature provides a real sense of well-being. With its classic look, cork is the ideal basis for anyone who wants to combine naturalness with maximum living comfort. As a traditional product, cork is pleasantly warm underfoot and has great elasticity, which is also beneficial to the joints. These are just two of the many advantages that impress.



A multi-talent

Linoleum flooring also consists entirely of natural materials.

Thanks to its great variety of colours and two formats, our linoleum flooring opens up completely new creative possibilities for installation. Resulting in individually designed stylish living rooms, cool offices and modern kitchens today!





Enjoy life **to the full.**

The natural extremely authentic look of design flooring transforms rooms into a comfortable home. As easy to clean, durable and healthy for living as it is, it is suitable for every situation in life.



Authentic

The wood structures embossed into the Puretec® surface make the floors in this collection look very realistic.



Healthy living

Polyester that is also used in the food industry, cork and wood from sustainable forestry make MEISTER design flooring into all-round healthy floors for living.



Warm underfoot

The combination of polyester and cork as a comfort layer makes MEISTER design flooring pleasantly warm underfoot.



Environmentally friendly

Thanks to its material properties, our design flooring can be conveniently disposed of at the end of its use via the nonrecyclable waste.






PVC-free

Puretec® is a 100% PVC-free special coating that is not harmful to man or the environment.



Easy on the joints and elastic

The use of cork as a comfort layer and backing underneath the plank makes our design flooring elastic and easy on the joints.



Easy to maintain and durable

Design flooring is easy to clean and durable. Many typical causes of stains have no effect. Soft, standard chair casters do not leave any undesirable marks either.



Antislip

The innovative Puretec® surface makes MEISTER design flooring very antislip. The University of Wuppertal has calculated an antislip property of R9.



Awarded

MEISTER design flooring















Focus on the **essence of living.**




Inspired by nature and timelessly beautiful. Our cork flooring's individual looks and variety of surfaces accentuate the style of any room. The natural character is rounded off by the typical properties of the natural material cork: being warm underfoot and easy on the joints, it provides you with tangible comfort in all living areas.







KC 400 S | White rustic 675



Sound absorption

Cork is used in many situations to reduce noise - just as it is in MEISTER cork flooring. The cork cushioning on the bottom of each plank combined with the cork surface makes it an exceptionally quiet floor. This applies both to the noise in the room and the footfall noise heard in rooms below.



A natural talent

MEISTER cork flooring can be used in many different ways thanks to its modern appearance, its robustness and its excellent sound absorption properties. The fact that it is very pleasant to walk on even barefoot is thanks to the elasticity of this natural material which is easy on the joints. This means that cork flooring is ideal for living rooms, playrooms and bedrooms and can even be fitted in commercial areas.

Since it is a natural product, the colour of cork may alter when exposed to direct sunlight. It is possible that the floor will lighten in colour, depending on the situation of the room and light.



Environmentally Friendly Varnish Seal

Our cork flooring's environmentally friendly *Duratec Pro* varnish seal is especially durable and easy to care for. The »Pro« in this five-layer *Duratec* varnish composition stands for a high abrasion resistance and a high level of robustness. The entire composition consists of formaldehydefree, viscoplastic and UV-hardened acrylic varnish. This acrylic varnish is ecologically non-harmful. It caters for hygiene, easycare and long-life.

Awarded

MEISTER cork flooring














LIB 400 S | Off-white 707 | China red 716 | Quartz grey 709 | Slate grey 713

The art of leaving behind a lasting impression.

Linoleum? Simply fascinating! A purely natural product and as colourful as life itself. And extremely resistant in any case. Back then only available in grey, dark red or fir green once, today it amazes in bright colours and formats that inspire totally new floor design ideas.



Protective Topshield™

All MEISTER linoleum floors have a duallayer, water-based surface finish. It brings out the colours brilliantly, makes the floor resistant, protects it from dirt and signs of wear and ensures that you will enjoy your floor for a long time.

- durable protective layer
- pore-filling base layer
- linoleum





Colour maturity

Linoleum gets its correct hardness-elasticity ratio in the drying chamber. Linoleum flooring leaves the chamber with a light "yellow tinge" – the so-called drying chamber film. This film degenerates after laying. Sunlight makes the floor take on its original colour. The length of time this process takes depends on the sunlight's intensity. It occurs more distinctively with light linoleum surfaces than with darker ones. So you should not be surprised when you take your newly purchased linoleum out of the cardboard packaging. Your flooring needs a little time to find its colour.



Ready to handle everyday wear and tear

Thanks to the special surface finish on our linoleum, many typical causes of stains leave no trace on these floors. Soft, standard chair casters do not leave any undesirable marks either. The stabilising cork floor backing reduces the noise caused in the room, and the footfall noise transmitted into rooms below, as well as providing an elasticity you can feel. MEISTER linoleum flooring is therefore perfect for offices or home workrooms. Of course, it is also excellent for other commercial areas or living rooms and bedrooms.

Awarded

MEISTER linoleum flooring

















System panels SP 300 | Cream grey rustic oak 4082 | Wood effect Angled cover moulding | Cream grey rustic oak 4082 | Wood effect





 $\textbf{System panels SP 150} \mid \textbf{Plain white gloss DF 324} \mid \textbf{Decor}$




System panels SP 300 | Concrete 4045 | Imitation

Cladding is a thing of the past.

A sense for beauty also adorns walls perfectly. Our system, real wood and decor panels create a prestigious, stylish framework for everything that you love and value. Or whatever needs to be close at hand. Panels combine beauty with intelligence and transform rather simple wall cladding into attractive wall design.

Do you like modern living? Do you love the country house style? Or do you only have designer furniture in your home? Whatever your preference: add MEISTER panels, enjoy their long-lasting beauty and delight in how easy they are to clean.



Decor panels Bocado 250 | Oak stripe, mocha 4026 | Wood effect



System panels SP 400 | Aluminium 4049 | Decor, Angled cover moulding | Aluminium 4049 | Decor,
Flexible lamp 170 | Titanium 249, Glass shelf 520, Shelf support | Anodised aluminium, Hook type 3 | Anodised aluminium,
Shelving rail | Anodised silver, Shelving rail with power supply | Anodised silver

The art lies in the system.

Anyone who can rely on an intelligent system is onto a good thing. MEISTER SP 400 system panels are the best example of this. They look good and can be fitted with lots of practical aids from LED lights to shelves

The creative boxes for MEISTER Madera 200, Terra-Senza 200 and Bocado 200 panels really accentuate a very personal style. The boxes can be individually filled however you like.

LED lights that can be wonderfully integrated into the wall and ceiling using the design frame bring light to the panels.



System panels SP 400 | Heartwood walnut 4048 | Wood effect and Off-white 4014 | Decor



Decor panels Bocado 200 | Plain white gloss DF 324 | Decor Design frame | Plain white gloss DF 324 | Decor Creative box | for design frame (no decoration)



Real wood panels Madera 200 | Walnut stripe 045 | Veneer Design frame | Walnut 637 | Veneer Low-voltage LED-panel light | type 1

Awarded

MEISTER panels



Terra-Senza 200 Terra 150



Madera 250 Madera 200 SP 400 | Real wood surfaces




Intelligent quality **through and through.**

Walls and ceilings can be customised using panels. The different formats open up a whole breadth and length of possibilities.

Not just in living areas but also in bathrooms, as the MEISTER decor and Nadura panels are also suitable for humid rooms.

Panel formats



For the perfect finish –

details that simply match.

Universal profiles

The professional and proven installation solution for transitions, ends and expansion joints.



Universal stair profiles
Stairs with MEISTER floor elements can be easily covered with matching profiles.



Skirting boards
Three selected profiles to match all the decor/wood shades in the parquet, cork and laminate flooring range provide the perfect finish.



Skirting boards

These modern square-shaped skirting boards are available in many surfaces.


Skirting boards coated in a white film which can be painted by the customer in any colour you like.



Hamburg skirting boards (not allocated)
The elegant classic among skirting boards can be combined with any floor.



Link to Mouldings:
www.meister.com/en/accessories/
flooring-accessories/mouldings.html



Underlay material (not allocated)

High-performance range of insulating underlay for effective sound absorption in the room and the reduction of footfall transmitted to rooms below.



7 | Ceiling edging

Three different ceiling edging profiles guarantee clean edging for walls and coilings



A perfect living atmosphere results when all the elements in a room are perfectly coordinated to one another. These include, for example, mouldings that match the floor or panels for attractive joints or special profiles for successful room transitions. Lights can also contribute a great deal to the room atmosphere with their individual light effects. We also offer you suitable care products so that you can enjoy your floor for a long time after installation.

15

Care products (not allocated)
The range of care products are specifically for cleaning MEISTER floors.



14

Attachment lights

The lights are versatile in application and offer the option of choosing between warm white or bright clear light.



13

Recessed lights

The modern lighting range with its LED; low voltage and high voltage lights offers plenty of creative possibilities to create effective room and accent lighting.



12

Shelving rails

If the SP 400 system panel elements are assembled with a live aluminium rail, they can be fitted with decorative lights, e.g. glass floor lights.



11

Glass floor lights

Decorative and atmospheric accent lighting can be fitted to the SP 400 system panel shelf inserts using glass floor lights.





Corner mouldings

10

Perfectly coordinated special mouldings, e.g. large corner mouldings for many corners, angles and edges.





LED recessed lights

Our recessed lights, such as FLAT Quadro, are ideal as orientation lighting and impress with their compact dimensions.





LED panel lights

To match wall and ceiling installations and ideal for indirect lighting or creating accent lighting.





Link to insulating underlay: www.meister.com/en/ accessories/flooringaccessories/insulatingunderlays.html

Design flooring Catega® Flex

- | 1 Strip (plank)
- I SilentTouch® surface
- Comprehensive protection against humidity: AquaSafe system
- | Hardly flammable C_{ff}-s1
- | Wear class 23 | 33
- Thickness: 5 mm (6mm with sound-absorbing cushion)
- | Effective measurement: 2150 × 216 mm
- | MEISTER warranty* 20 years in living areas, 5 years in commercial areas
- *Warranty according to the MeisterWerke warranty conditions at



Design flooring Catega® Flex

Arctic white oak 6946 Wood effect DD 300 | DD 300 S



Design flooring Catega® Flex

Off-white knotty oak 6947 Wood effect DD 300 | DD 300 S



Design flooring

Catega® Flex

Greige oak 6959 Wood effect DD 300 | DD 300 S



Design flooring Catega® Flex

Sahara beige oak

6957 Wood effect DD 300 | DD 300 S



Design flooring

Catega® Flex

Limed rusticated oak 6943 Wood effect DD 300 | DD 300 S



Design flooring

Catega® Flex

Old wood pine 6951 Wood effect DD 300 | DD 300 S



Design flooring

Catega® Flex

Old wood oak 6954 Wood effect DD 300 | DD 300 S



Design flooring

Catega® Flex

Clay grey old wood oak 6941 Wood effect DD 300 | DD 300 S



Design flooring

Catega® Flex

Vintage ash 6950 Wood effect DD 300 | DD 300 S



Design flooring Catega® Flex

Pure maple 6944 Wood effect DD 300 | DD 300 S



Design flooring Catega® Flex

Ash 6948 Wood effect DD 300 | DD 300 S



Design flooring Catega® Flex

Caramel oak 6953 Wood effect DD 300 | DD 300 S



Design flooring Catega® Flex

Light cracked oak 6956 Wood effect DD 300 | DD 300 S



Design flooring

Catega® Flex

Light mountain oak 6940 Wood effect DD 300 | DD 300 S



Design flooring

Catega® Flex

Cappuccino split oak 6955 Wood effect DD 300 | DD 300 S

Design flooring Catega® Flex





Design flooring Catega® Flex Cognac English oak 6949 Wood effect DD 300 | DD 300 S



Design flooring Catega® Flex Nogal 6945 Wood effect DD 300 | DD 300 S



Design flooring Catega® Flex | Natural English oak 6952 | Wood effect

Design flooring Classic

- | 1 Strip (plank) | SilentTouch® surface
- Aqua*Safe* special board
- | Wear class 23 | 32
- All-round micro-bevel
- Thickness: 5mm (6mm with sound-absorbing cushion)
- | Effective measurement: DD 75: 1290 × 194mm
 - DD 85: 1290 × 245mm
- | Available on request with sound-absorbing cushion
- | MEISTER warranty* 15 years in living areas, 5 years in commercial areas
- *Warranty according to the MeisterWerke warranty conditions at www.meister.com



Design flooring

Classic

White Island 6961 Decor DD 75 | DD 85



Design flooring

Classic

Catalana oak 6968 Wood effect DD 75 | DD 85



Design flooring

Classic

Mill oak 6969 Wood effect DD 75 | DD 85



Design flooring

Classic


Cortona oak 6967 Wood effect DD 75 | DD 85



Design flooring

Classic

Cinnamon oak 6965 Wood effect DD 75 | DD 85



Design flooring

Classic

Grey County 6962 Wood effect DD 75 | DD 85



Design flooring

Classic

Light Smokey Wood 6963 Wood effect DD 75 | DD 85



Design flooring

Classic

Dark Smokey Wood 6964 Wood effect DD 75 | DD 85



Design flooring

Classic

Reserva oak 6966 Wood effect DD 75



Design flooring

Classic

Maple 202 Wood effect DC 75



Design flooring Classic

Walnut 211

Design flooring Classic

Natural oak 6067 Wood effect DC 75



Design flooring

Classic

Beech 6201 Wood effect DC 75

PD 550

| 1-Strip (plank)

Approx. 2.5mm fine wood wear layer

| Thickness: 15mm | Lengths: 3650 | 4200mm | Widths: 220 | 260mm | MEISTER Longlife warranty* in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com







PD 450

| 1-Strip (plank)

Approx. 2.5mm wood wear layer

|Thickness: 13mm |Length: 2400mm |Widths: 200 | 255mm |MEISTER Longlife warranty* in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com







PD 400 Cottage

| 1-Strip (plank)

Approx. 2.5mm wood wear layer

| Thickness: 13mm

| Effective measurement: 2200 × 180mm | MEISTER Longlife warranty* in living areas


* Warranty according to the MeisterWerke warranty conditions at www.meister.com













NATURAL STYLELUXURY AFFAIRS

PURE LINENEW CLASSICS

COLOURFUL GREYWILD MOUNTAIN


■ PERFECT BASICS





PD 400 Cottage

Vital oak 8377 brushed | UV-oiled FSC®-certified



PD 400 Cottage

Cognac oak lively 8229 | brushed UV-oiled FSC®-certified









PD 400 Cottage

American walnut lively 8275 UV-oiled



PD 400 Cottage

Smoked oak lively 8031 | brushed UV-oiled FSC®-certified



PD 400 Cottage

Silver grey oak distinctive 8305 brushed high-gloss varnished FSC®-certified



PD 400 Cottage

Steamed oak canyon 8304 | brushed high-gloss varnished FSC®-certified



PD 200

| 1-Strip (plank)

Approx. 2.5mm wood wear layer Thickness: 13mm

Effective measurement: $2200 \times 180 \text{mm}$ | MEISTER Longlife warranty*

in living areas



PD 200

Rustic oak 8166 brushed naturally oiled



PD 200

White rustic oak 8139 | brushed UV-oiled

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



PD 200

Lyed-look oak rustic 8138 brushed | UV-oiled



| 1-Strip (strip parquet for herringbone pattern) Approx. 2.5mm wood wear layer

Thickness: 11mm

| Effective measurement: 500 × 100mm right and left strips in a box

| MEISTER Longlife warranty* in living areas

* Warranty according to the MeisterWerke warranty conditions

at www.meister.com





LUXURY AFFAIRS



NEW CLASSICS

■ NATURAL STYLE WILD MOUNTAIN

PS 300 PS 300 | 1-Strip (strip parquet) Approx. 2.5mm wood wear layer White oak Cream grey oak ambience 8222 Thickness: 13mm harmonious 8090 Effective measurement: 1187 × 142mm brushed brushed naturally oiled naturally oiled | MEISTER Longlife warranty* in living areas FSC®-certified FSC®-certified * Warranty according to the MeisterWerke warranty conditions at www.meister.com PS 300 PS 300 PS 300 Distinctive titanium Oak lively 8247 Smoked oak accent silver oak 8221 brushed light 8241 | brushed brushed naturally oiled naturally oiled naturally oiled FSC®-certified FSC®-certified FSC®-certified PS 300 PS 300 PS 300 Oak harmonious Black washed oak Antique brown oak 8243 | rough grain, harmonious 8244 mountain 8239 brushed brushed brushed naturally oiled naturally oiled naturally oiled FSC®-certified FSC®-certified FSC®-certified PS 300 PS 300 PS 300 Antique white oak White ash lively Lyed-look oak lively ambience 8308 8246 | brushed 8029 | brushed UV-oiled UV-oiled UV-oiled FSC®-certified FSC®-certified FSC®-certified PS 300 PS 300 PS 300 White washed oak Light clay grey oak Clay grey oak lively 8236 harmonious 8234 lively 8232 UV-oiled brushed | UV-oiled brushed | UV-oiled FSC®-certified FSC®-certified FSC®-certified PS 300 PS 300 American walnut Pure oak harmonious 8230 lively 8044 UV-oiled UV-oiled FSC®-certified FSC®-certified

PQ 500

Square

Approx. 2.5mm wood wear layer

Thickness: 13.5mm

Effective measurement: $485 \times 485 \text{mm}$. | MEISTER Longlife warranty*

in living areas

* Warranty according to the MeisterWerke warranty conditions



PC 400 Style

| 3-Strip | Fineline | Broad Fineline Approx. 2.5mm wood wear layer Thickness: 13mm (3D: 13.5mm)

| Effective measurement: Fineline: 2400 \times 200mm, Broad Fineline: 2200 x 180mm, 3-Strip, planked: 2400 × 255mm,

3-Strip, 3D: 2400 × 200mm | MEISTER Longlife warranty* in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com





PC 350

3-Strip

Approx. 3.6mm wood wear layer

Thickness: 14mm

| MEISTER Longlife warranty*

in living areas

* Warranty according to the MeisterWerke warranty conditions

at www.meister.com

PURE LINE NEW CLASSICS







PC 400 Style

Pure oak harmonious 8262 3D, brushed naturally oiled FSC®-certified



PC 400 Style

Antique grey oak country 8266 planked, brushed naturally oiled FSC®-certified



PC 400 Style

Antique brown silver oak harmonious 8260 3D, brushed FSC®-certified

PC 400 Style

Oak lively 8124 Fineline varnished FSC®-certified

| Effective measurement: 2400 \times 200mm

PC 350 Canadian maple lively | 8002 UV-oiled FSC®-certified


PC 350

Oak lively 8019 brushed | UV-oiled FSC®-zertifiziert

■ PERFECT BASICS

■ COLOURFUL GREY WILD MOUNTAIN

NATURAL STYLE LUXURY AFFAIRS



Lindura flooring



HD 300

- | 1-Strip (plank)
- 7 Rustic surfaces, naturally oiled, with irregularly formed side V-bevel and micro-bevel on
- | 5 Lively surfaces, naturally oiled, with longitudinal V-bevel and micro-bevel on the end

| Thickness: 11mm Effective measurement: Oak: 2600 × 320mm | 2200 × 270mm Larch: 2600 × 320mm | MEISTER warranty* 20 years in living areas

*Warranty according to the MeisterWerke warranty conditions at www.meister.com



HD 300 White washed oak lively 8427 brushed



HD 300 brushed





HD 300 Café latte rustic oak 8414 brushed

HD 300

Pure larch lively

8419 | brushed



HD 300 Oak lively 8417 brushed

Larch lively 8418

brushed




Rustic oak 8410 brushed



Cognac rustic oak 8415 brushed







HD 300 Clay grey rustic oak 8411 brushed



HD 300 Black washed rustic oak 8412 brushed

■ NATURAL STYLE LUXURY AFFAIRS

PURE LINE NEW CLASSICS ■ COLOURFUL GREY WILD MOUNTAIN

■ PERFECT BASICS

Laminate flooring Classic | LD 95 | LD 75: 1-Strip (plank) | LC 55 | LC 75: 1-Strip | 2-Strip | 3-Strip | Wear class 23 | 32 | LC 55: 23 | 31 | Thickness: 8mm (9.5mm with sound-absorbing cushion) | LC 55: 7mm (8.5mm with soundabsorbing cushion)

| Available on request with sound-absorbing cushion

| Effective measurement: LD 95: 2052 × 220mm LD 75 | LC 75 | LC 55: 1288 × 198mm LB 85: 853 × 395mm | MEISTER warranty* 20 years in living areas, 5 years in commercial areas (LC 55: MEISTER warranty* 15 years in living

areas, 5 years in commercial areas)

*Warranty according to the MeisterWerke warranty conditions at www.meister.com







Laminate flooring Classic Artisan ash 6402 Wood effect LD 95





Classic Arctic white ash 6251 2-Strip Wood effect LC 55

Laminate flooring Classic Marzipan oak 6268 1-Strip Wood effect LC 75 | LC 55





Sienna cream 6171

Laminate flooring Classic White spruce 6449 1-Strip Wood effect LD 75












Mystery White 6419






Wood effect

LD 75

Laminate flooring Classic




Wood effect

LD 95

Wood effect

LC 75



Decor

LB 85

6422

2-Strip


Wood effect LC 75

1-Strip

LD 75

Wood effect

Laminate flooring Classic





Laminate flooring Classic

Walnut 211 3-Strip Wood effect LC 75



Laminate flooring Classic

Portofino oak 6395 1-Strip Wood effect LD 75



Laminate flooring

Classic

Mississippi Wood 6404 1-Strip Wood effect LD 75



Laminate flooring

Walnut 6440 1-Strip Wood effect LC 75



Laminate flooring

Amore walnut 6389 1-Strip Wood effect LD 95



Laminate flooring

Classic

Brown Chiemsee oak 6377 1-Strip Wood effect LD 75



Laminate flooring

Classic

Blue Metal 6544 Decor LB 85



Laminate flooring

Classic

Luxury Club 6407 1-Strip Decor LD 75



Laminate flooring

Classic

Slate anthracite 6137 Imitation LB 85



Laminate flooring Classic

Black Pearl 6418 1-Strip Decor LD 95

Laminate flooring Melango

- | 1-Strip (plank)
- | Wear class 23 | 32
- Antistatic surface
- . | Thickness: 9 mm (11.5mm with sound-absorbing cushion)
- Available on request with sound-absorbing cushion
- | Effective measurement: LD 300 | 25: 2052 × 248mm LD 300 20: 2052 × 208mm
- | MEISTER warranty* 25 years in living areas,
- 5 years in commercial areas
- *Warranty according to the MeisterWerke warranty conditions at www.meister.com





Laminate flooring Melango

White oak harmonious 6139 1-Strip Wood effect LD 300 | 25 LD 300 20



Laminate flooring Melango

Arctic white oak 6503 1-Strip Wood effect LD 300|20



Laminate flooring

Melango

Pure ash 6286 1-Strip Wood effect LD 300 | 20



Laminate flooring Melango

Silver-grey pine 791 1-Strip Wood effect LD 300 | 20



Laminate flooring Melango

Polar oak 6381 1-Strip Wood effect LD 300|25





Laminate flooring Melango

Cappuccino spruce 6384 1-Strip Wood effect LD 300|25





6285 1-Strip Wood effect LD 300 | 20



Laminate flooring Melango

White grey oak 6277 1-Strip Wood effect LD 300 | 25 LD 300 20



Laminate flooring Melango

Mohair grey vintage oak 6288 1-Strip Wood effect LD 300|25



Laminate flooring Melango

Clay oak 6433 1-Strip Wood effect LD 300 | 20



Laminate flooring

Melango

Sand oak 6435 1-Strip Wood effect LD 300 | 20




Laminate flooring Melango


Chocolate oak 6436 1-Strip Wood effect LD 300 | 20



Laminate flooring Melango

Velvet oak 6434 1-Strip Wood effect LD 300 | 20





Melango


1-Strip

Wood effect

LD 300 | 20

Smoked oak 6035







Laminate flooring Talamo

| 1-Strip (plank)

Wear class 23 | 32 Antistatic surface

Thickness: 8mm (10.5mm with sound-absor-

bing cushion)

| Available on request with sound-absorbing cushion | Effective measurement: 1287 × 140mm | MEISTER warranty* 25 years in living areas,

5 years in commercial areas

*Warranty according to the MeisterWerke warranty conditions



Laminate flooring



Laminate flooring

Opaque white oak 6536 1-Strip Wood effect LS 300



Wood effect



Talamo

Bodega oak 6403 1-Strip Wood effect LS 300



Laminate flooring

Talamo

Vanilla oak 6265 1-Strip Wood effect LS 300



Laminate flooring

Natural oak 6446 1-Strip Wood effect LS 300



Laminate flooring

Talamo

Maple 6017 1-Strip Wood effect LS 300



Laminate flooring

Talamo

Cappuccino oak 6263 1-Strip Wood effect LS 300



Laminate flooring

Talamo

Arcadia oak 6412 1-Strip Wood effect LS 300



Laminate flooring

Talamo

Dark oak 6445 1-Strip Wood effect LS 300



Laminate flooring Talamo

Verona oak 6447 1-Strip Wood effect



Laminate flooring

Talamo

Nova oak 6413 1-Strip Wood effect LS 300



Laminate flooring Talamo

Muscat oak 6416 1-Strip Wood effect LS 300

Laminate flooring Micala

| LD 200: 1-Strip (plank) | LC 200

| Wear class 23 | 32 Antistatic surface

Thickness: 8mm (10.5 mm with sound-absorbing cushion)

Available on request with sound-absorbing cushion

Effective measurement: 1287 × 198 mm

| MEISTER warranty* 25 years in living areas, 5 years in commercial areas

*Warranty according to the MeisterWerke warranty conditions at



Laminate flooring

Snow-white larch 6320 1-Strip Wood effect



Laminate flooring

Micala

Marzipan oak 6268 1-Strip Wood effect LD 200



Laminate flooring

Micala

Light oak 6444 1-Strip Wood effect LD 200



Laminate flooring

Light oak 6444 1-Strip Wood effect LC 200



Laminate flooring

Micala

Aspen oak 6427 1-Strip Wood effect LD 200



Laminate flooring

Micala

Light oak 6011 3-Strip Wood effect LC 200



Laminate flooring

Micala

White sand oak 6431 1-Strip Wood effect LC 200



Laminate flooring Micala

Light timber 6279 1-Strip Wood effect LD 200



Laminate flooring

Micala

Boathouse oak 6188 1-Strip Wood effect LD 200



Laminate flooring

Micala

Milano oak 6391 1-Strip Wood effect LD 200



Laminate flooring

Micala

Milano oak 6391 1-Strip Wood effect LC 200



Laminate flooring Micala

Vitus oak 6430 1-Strip Wood effect



Laminate flooring

Micala

Nova oak 6413 1-Strip Wood effect LD 200



Laminate flooring

Micala

Nova oak 6413 1-Strip Wood effect LC 200




Laminate flooring

Micala

LC 200

Natural rustic oak 6135 1-Strip Wood effect LC 200




Laminate flooring

Micala

West Side 6397 1-Strip Wood effect LD 200

Laminate flooring Micala





Laminate flooring Micala

Muscat oak 6416 1-Strip Wood effect LD 200



Laminate flooring Micala

Muscat oak 6416 1-Strip Wood effect LC 200



Laminate flooring Micala

Walnut 211 3-Strip Wood effect LC 200



Laminate flooring Micala

Amore walnut 6389 1-Strip Wood effect



Laminate flooring Micala

Style Factory 6408 1-Strip Decor LD 200



Laminate flooring

Micala

Tundra oak 6415 1-Strip Wood effect LD 200



NB 400

| Wear class 23 | 34 Nadura surface

Thickness: 10.5mm

Lifetime in living areas 10 years in commercial areas

Laminate flooring

Micala

Tundra oak 6415 1-Strip Wood effect LC 200



Laminate flooring

Micala

Black Pearl 6418 1-Strip Decor LD 200



NB 400

Concrete grey hickory 6223 Imitation



NB 400

Rustic dark brown wood 6303 Wood effect



| Effective measurement: 853 × 395mm | MEISTER warranty*



Sandstone 6301 Imitation



NB 400

Rust 6300 Imitation

Design flooring

DD 350 S

| 1-Strip (plank) 1-strip (piank)
Wear class 23 | 32
With 1mm cork sound-absorbing cushion
Thickness: 9.5mm
Effective measurement: 2052 × 198mm | MEISTER warranty* 10 years in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



DD 350 S

White pine 6924 Wood effect



DD 350 S

Cappuccino oak 6935 Wood effect



DD 350 S

Greige oak 6934 Wood effect



DD 350 S

Antique grey oak 6926 | Wood effect



Linoleum flooring

KC 400 S

| Wear class 23 | 31 | With 1mm cork sound-absorbing cushion Thickness: 10.8mm | Effective measurement: 910 × 304mm | MEISTER warranty* 10 years in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



KC 400 S

White coarse structure 6807



KC 400 S

Cream stripe on white 6805



KC 400 S

Rustic 6809



KC 400 S

Block cut 668



LIB 400 S | LIC 400 S

| Wear class 23 | 32 | With 1mm cork sound-absorbing cushion Thickness: 9.8mm | Effective measurement: 300 × 300mm (LIB 400S) | Effective measurement: 910 × 300mm (LIC 400S) | MEISTER warranty*

10 years in living areas

* Warranty according to the MeisterWerke warranty conditions at www.meister.com



LIB 400 S | LIC 400 S

Off-white 707



LIB 400 S | LIC 400 S

Indigo blue 712



LIB 400 S | LIC 400 S

Cappuccino 721



Every day a **masterpiece**

We have been impressing with innovative products, practical system solutions and attractive designs for more than 80 years. We are constantly developing ourselves, our company and our range. As we know: you expect the best all the time.

And that's what we want to give you.

MEISTER is committed to its location.

We think internationally but remain a German company – 640 employees guarantee Made in Germany premium quality day in day out.

MEISTER is a leading innovator.

Intelligent ideas make us the driving force behind the industry – over 200 patents and utility models are impressive evidence of this.

MEISTER accepts responsibility for the environment.

We act sustainably in all areas – careful product selection protects resources and the climate.

MEISTER stands for specialist retail.

We focus on reliable partnerships with specialist retail and specialist trade – our "100% PRO Producer/Dealer/Craftsmen" network guarantees first-class products, professional advice and expert assembly.



GB

968019003A01 12|15 **|||||||||||||||||** 4 011138 862527

© 2013 - 2014 by MeisterWerke Schulte GmbH
For reasons of printing technoalogy, colours and structures may vary from the reproductions shown here.
We reserve the right to make changes. No responsibility is assumed for errors.