



Quick Information

INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

New Products Product Developm	nents	Seite
• UZIN RR 203 NEW	Product development since 10/2015	3
UZIN Multimoll Top 4 NEW	Product development from 01/2016	2
UZIN Multimoll Top 7	New product from 01/2016	4
UZIN Multimoll Top 12	New product from 01/2016	4
UZIN Multimoll Vlies NEW	Product development from 01/2016	6
• UZIN KE 66 NEW	Product development from 01/2016	7
 UZIN Universal Tackifier NEW 	Product development since 06/2015	8
• UZIN MK 250 T	New product from 01/2016	9
UZIN ATD 100 NEW	Product development from 02/2016	10
• UZIN WP 622	New product from 01/2016	11
UZIN Ripper	New product from 01/2016	12
UZIN Levelpin NEW	Product development since 11/2015	13
UZIN Solid board notched trowel NEW	Product development from 02/2016	14
Deleted items/products		
UZIN PE 360 PLUS 10 kg canister	Item deletion with substitute from 01/2016	15
• UZIN PE 260 10 kg canister	Item deletion with substitute from 01/2016	15
• UZIN PE 380	Product deletion with substitute from 01/2016	15
UZIN NC 170 LevelStar WORLD	Item deletion with substitute from approx. 02/2016	
UZIN NC 160 WORLD	Item deletion with substitute from approx. 03/2016	16
UZIN NC 172 BiTurbo WORLD	Item deletion with substitute from approx. 02/2016	16
 UZIN Multimoll Top 9 carton / pallet 	Product deletion with substitute from 01/2016	17
UZIN Multimoll Top 15	Product deletion with substitute from 01/2016	17
 UZIN Multimoll Top 4 carton / pallet 	Item deletion with substitute from 01/2016	18
UZIN Multimoll Vlies	Item deletion with substitute from 01/2016	18
• UZIN RR 203	Item deletion with substitute since 10/2015	18
• UZIN KE 418	Item deletion with substitute since 06/2015	19
• UZIN LE 44 EUNO	Item deletion with substitute from 01/2016	19
• UZIN MK 95 WORLD	Item deletion with substitute from 01/2016	20
UZIN MK 80 EUROLINE / WORLD	Item deletion with substitute from 01/2016	20
UZIN Spiral Whisk	Product deletion without substitute from 02/2016	21
UZIN Spike Shoes	Product deletion without substitute from 03/2016	21
All about the product		
UZIN paper bags / primers / adhesives	New with pictograms	22
New packaging variation	CUBE it simple since 06/2015	24
• UZIN PE 360 PLUS / UZIN PE 260	CUBE it simple since 06/2015	25
• UZIN PE 480	New pack size since 05/2015	26
• UZIN PE 460	New pack size from 01/2016	26
UZIN MK 85 Turbo	New packaging variation from 02/2016	27
• UZIN MK 80	New pack size from 01/2016	28
UZIN EP 23 agate grey	Changed pallet factor since 06/2015	29
 UZIN EP 23 AS agate grey / concrete grey 	Changed pallet factor since 06/2015 / 10/2015	29



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Crack Bridge

UZIN RR 203 NEW — Product development since 10/2015

UZIN RR 203 is used every day to repair many cracks, joints and, generally, substrates in need of restoration. The crack bridge compensates minor vibration and movements from the substrate thereby avoiding more elaborate subfloor work or even the complete renovation, saving time and costs. Because of the further development with focus on practical application, UZIN was able to now dispense with using a backing film for UZIN RR 203 NEW. This innovative, no-film and inherently rigid design has made embedding the crack bridge as well as smoothing the surface child's play.

The cutting effort is reduced to a minimum when using the new tiles, providing a decisive advantage in time-savings. The dimensions of the tiles were chosen so that UZIN RR 203 NEW only needs to be cut to length toward the edge zone; this step is even entirely omitted for standard door width of 0.80 m.

In addition to the tile products, the width of the roll material was also adapted to the standard door width of 0.80 m. In the future, UZIN RR 203 NEW will be offered as tile goods and on rolls. All other well-known properties or applications remain unchanged.

UZIN RR 203 NEW is available since 01/10/2015 from PDC Ulm.







INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Stress-Relieving Board

UZIN Multimoll Top 4 NEW — Product development from 01/2016

Insulation and Renovation Board

UZIN Multimoll Top 7 — New product from 01/2016

Comfort Insulation Board

UZIN Multimoll Top 12 — New product from 01/2016

Pressed synthetic fibre panels are part of the standard solution from UZIN for stress-relieving critical substrates in terms of installation. Apart from their stress-relief effect, the tiles with various material thicknesses are also ideal for height levelling of areas and, in addition, improve impact sound and heat insulation properties. With this consistent further development UZIN has now markedly improved the classic product in the underlay product range and adapted the bandwidth to the prevailing market requirements.



replaces UZIN Multimoll Top 4 replaces UZIN Multimoll Top 9 replaces UZIN Multimoll Top 15

With the new material thicknesses, the increments were adapted to the requirement for lower construction thicknesses as well as improved combination options without compromising the technical properties. The new UZIN Multimoll Top boards convince by its clearly increased dimensional accuracy in length, width and thickness as well as the angle tolerance and simplified cutting properties. The panels can now be simply cut in 4 and 7 mm thickness with a sharp utility knife which reduces the required installation time considerably compared to the sawing method. In addition, the cutting pattern, e.g. when processing the 12 mm thick version, was improved when using a saw with a sharp saw blade. Simpler handling combined with the optimised dimensional accuracy produces a much more uniform installation pattern and facilitates faster installation of the tiles.











INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

In addition to all these properties, other features of UZIN Multimoll Top were revised and improved. In the future, the panels can be smoothed over with self-spreading UZIN levelling compound using a suitable primer – usually UZIN PE 630 – thereby providing a safe installation substrate for resilient or textile floor covering. Furthermore, in the future the panels will meet the exacting requirements of EMI-CODE EC 1 PLUS.

All other well-known properties or applications remain unchanged.

All 3 qualities of the UZIN Multimoll Top product range are available from 01/01/2016 from PDC Ulm.

Item No.	Туре	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Colour	EAN-Code
9343	Top 4	100 x 60 cm/ 4 mm	15 boards/9 m²	10 carton/90 m²	white mottled	4024709093435
11436	Top 4	100 x 60 cm/ 4 mm	-	250 boards/ 150 m²	white mottled	4024709114369
9339	Top 9	100 x 60 cm/ 4 mm	10 boards/6 m²	10 carton/60 m²	white mottled	4024709093398
9395	Top 9	100 x 60 cm/ 9 mm	-	100 boards/60 m²	white mottled	4024709093954
9342	Top 15	100 x 60 cm/ 15 mm	5 boards/3 m²	10 carton/30 m²	white mottled	4024709093428
79720	Top 4 NEW	100 x 60 cm/ 4 mm	15 boards/9 m²	10 carton/90 m²	white mottled	4024709797203
Language	s shown on the pac	kaging: CZ, DE, FR, G	B, IT, PL			
79721	Top 4 NEW	100 x 60 cm/ 4 mm	_	250 boards/ 150 m²	white mottled	4024709797210
Language	s shown on the pac	kaging: CZ, DE, FR, G	B, IT, PL			'
79724	Top 7	100 x 60 cm/ 7 mm	9 boards/5,4 m²	10 carton/54 m²	white mottled	4024709797241
Language	s shown on the pac	kaging: CZ, DE, FR, G	B, IT, PL			
79726	Top 7	100 x 60 cm/ 7 mm	-	120 boards/72 m ²	white mottled	4024709797265
Language	s shown on the pac	kaging: CZ, DE, FR, G	B, IT, PL			
79727	Top 12	100 x 60 cm/ 12 mm	5 boards/3 m²	10 carton/30 m²	white mottled	4024709797272
Language	s shown on the pac	kaging: CZ, DE, FR, G	B, IT, PL			,



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Stress-Relieving Underlay

UZIN Multimoll Vlies NEW — Product development from 01/2016

For many years UZIN Multimoll Vlies has become an established stress-relieving fleece under bonded wood flooring. The product was now optimised further. In the future, the stress-relieving fleece will meet the high requirement of EMICODE EC 1 PLUS and also the fire resistance $B_{\rm fl}$ s1. Furthermore, an imprint will be stamped on UZIN Multimoll Vlies NEW to indicate the remaining product quantity making the paper tape so far inserted obsolete. In addition, the dimensions of the roll were reduced from 75 to 50 running metres or m^2 to reduce the weight when carrying the roll.





All other well-known properties or applications remain unchanged.

UZIN Multimoll Vlies NEW is available from 01/01/2016 from PDC Ulm.

Item No.	Pack size	Shipping unit/Roll	Shipping Unit/ Pallet	Thickness	Colour	EAN-Code	
10191	75 x 1 m	75 m²	8 rolls/600 m²	_	cream-white	4024709101918	
79722	50 x 1 m	50 m²	12 rolls/600 m²	_	greenish/white	4024709797227	
Languages shown on the packaging: DE, FR, GB, IT, PL, RU							



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Fibre-Reinforced Rubber Flooring and LVT Adhesive

UZIN KE 66 NEW — Product development from 01/2016

UZIN KE 66 has been the specialist for rubber and PVC floor covering since of 18 years. The wet adhesive with high shear strength and fibre reinforcement is the surest choice especially for luxury floor covering.

The recipe was developed to offer even more advantages to the installer and to be ready for future market demands. In addition, the new adhesive features a working time that is approximately 10 minutes longer although the open time has not changed. This provides the installer with a much longer working time window, offering greater reliability when installing sheet material or working in warmer climates.

Thanks to using advanced raw materials, especially a different fibre composition, even easier coating can be achieved. The economic TKB notch size A1 can now be used as well for floor coverings with very smooth backing. "Brushing out" fibres is therefore unlikely even when applying small amounts of adhesive.

The changed quality can be seen by the "NEW" designation on the label. Consumption figures, applications or other technical properties remain unchanged.

UZIN KE 66 NEW is available from 01/01/2016 from PDC Ulm, using the same item number.



















Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code	
11722	14 kg drum	_	33	240 g/m²/A1 280 g/m²/A2	cream-white	4024709117223	
Languages	shown on the packag	ing: CZ, DE, FR, GB,	(now also with NL as	additional language)			
73183	14 kg drum WORLD	_	33	240 g/m²/A1 280 g/m²/A2	cream-white	4024709731832	
Languages	shown on the packag	ing: CZ, DE, DK, ES,	FI, FR, GB, GR, HU,	IT, NL, NO, PL, RU, S	E, SK, TR, US		
64886	6 kg drum	-	72	240 g/m²/A1 280 g/m²/A2	cream-white	4024709648864	
Languages	Languages shown on the packaging: CZ, DE, FR, GB, (now also with NL as additional language)						



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Universal Tackifier

UZIN Universal Tackifier NEW — Product development since 06/2015

The UZIN Universal Tackifier has been further developed as part of revising the recipe. The differences become apparent through somewhat easier processing characteristics and a slightly creamier consistency.

Consumption figures, areas of application or other technical properties are unchanged.

The changed quality can be recognised by the designation "NEW" on the label.

UZIN Universal Tackifier NEW is available since 01/06/2015 from PDC Ulm, using the same item numbers.













6473 1						
	12 kg drum	-	30	100 – 200 g/m²/roll 150 – 200 g/m²/A4 250 – 300 g/m²/A3 approx. 350 g/m²/B1	cream-white	4024709064732
Languages sh	hown on the packagi	ng: CZ, DE, FR, GB				
6474 3	3 kg drum	-	90	100 – 200 g/m²/roll 150 – 200 g/m²/A4 250 – 300 g/m²/A3 approx. 350 g/m²/B1	cream-white	4024709064749



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

1-Component STP Wood Flooring Adhesive

UZIN MK 250 T — New product from 01/2016

The application of wood flooring adhesives with the adhesive application machine UZIN ATD 100 enjoys increasing popularity. To expand the range of use of UZIN ATD 100 the 1-component Premium STP wood flooring adhesive UZIN MK 250 will be offered in tube bag packaging in the future with the name extension "T" (stands for thixotropic). This sustained, ergonomic and efficient application method also allows processing solid wood flooring, such as mosaic wood flooring or edge-laid strips with machines and ergonomically. The thixotropic setting of UZIN MK 250 T thereby allows fabrication without after-running at the nozzle end of the machine.

Although processing UZIN MK 250 T directly from the tube bag with the notched trowel in conventional fashion is possible, it is rather cumbersome because of the high-viscosity formula.

Consumption figures, applications or other technical properties remain unchanged compared to UZIN MK 250.







UZIN MK 250 T in tube bags is available from 01/01/2016 from PDC Ulm.

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code		
79888	2 x 7,5 kg tubes	2	30 carton/ 60 units	1000 – 1200 g/m²	red-brownish	4024709798880		
Languages	Languages shown on the packaging: CZ, DE, FR, GB, IT, PL							



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Wood Flooring Adhesive Dispenser

UZIN ATD 100 NEW — Product development from 02/2016

Wood flooring adhesives can be processed easily, ergonomically and sustainable with UZIN ATD 100 while standing. This application technique is increasingly accepted by the market. To simplify handling even further UZIN has developed an optional stand. The transport box serves as base for the supports; they have been adapted to the size of the UZIN ATD 100 at its topside, a rubber liner ensures the secure support of the machine. This stand thus allows loading and cleaning the adhesive application machine conveniently while standing.



To increase the installation rate even further, the familiar 18.5 cm wide ATD nozzle + mounting is replaced by a 40 cm wide version. In order to facilitate retrofitting and achieving maximum flexibility, both versions of the ATD nozzle + mounting will supplement the UZIN product range in the future.

The new equipment of the machine as well as all accessory items are available from 01/02/2016 from PDC Ulm.

Item No.	Item	Nozzle width	Shipping Unit	EAN-Code
69199	UZIN ATD 100 NEW	40 cm	1 piece/wooden box	4024709691990
79868	ATD nozzle	40 cm	4 pieces/carton	4024709798682
79867	ATD nozzle mount	40 cm	1 piece	4024709798675
68063	ATD nozzle	18,5 cm	4 pieces/carton	4024709680635
79866	ATD nozzle mount	18,5 cm	1 piece	4024709798668
79869	ATD stand	_	1 pieces/carton	4024709798699



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Cementitious wall levelling compound

UZIN WP 622 — New product from 01/2016

The newly developed wall levelling compound UZIN WP 622 is the ideal product for filler applications and preparation of wall surfaces in low-thickness areas up to 10 mm. It is suitable for manufacturing dry-for-covering, smooth, easy to sand surfaces prior to further processing of wall and ceiling areas.

The outstanding benefits of UZIN WP 622:

- Outstanding mixing characteristics
- Very easy to apply
- Very short drying time
- Very easy to sand

UZIN WP 622 is the ideal product for use, e.g. in renovation areas (repair in the skirting/wall area) or gymnasiums (filler application of walls before bonding impact walls) and thus the ideal system product for the water-based contact adhesive UZIN WK 222.

Regarding the emission characteristics UZIN WP 622 meets the high requirements of EMICODE EC 1 R PLUS.

UZIN WP 622 is available from 01/01/2016 from PDC Ulm.







Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code		
79712	25 kg bag	-	42	1,3 kg/m² and mm thickness	grey	4024709797128		
Languages	Languages shown on the packaging: DE, DK, ES, FI, FR, GB, IT, NL, NO, SE							



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Dustreducing opening aid for paperbags

UZIN Ripper — New product from 01/2016

To reduce the dust pollution for the installer when opening paper bags and to facilitate low-dust mixing of powder products, UZIN has developed the bag opening tool UZIN Ripper.

Using the UZIN Ripper, protected as registered design, reduces the dust formation considerably when opening bags and mixing powder products. This visibly improves the working conditions for the installer. Undesired dust deposits, especially with renovations in the residential area respectively on going business, are reduced.

The occupational associations recognise the UZIN Ripper as alternative to dust-reduced dry mortars (levelling compounds or tile adhesives). This allows avoiding the – from sustainability aspects – unfavourable dust-reduced modification of dry mortars by using a simple tool.

The sturdy design fits perfectly on the UZIN mixing bucket. It can also be used on mixing buckets from other providers if they have the same design.

Furthermore, as a clue all paper bags of self-levelling compounds will be supplied with a dashed line on the back of the packaging. This serves as an aid to orientation to place the UZIN Ripper in centre.

The UZIN Ripper is available from 01/01/2016 from PDC Ulm.

Item No.	Item	Pack size	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code	
79564	UZIN Ripper	1	_	_	blue	4024709795643	
Languages shown on the packaging: DE, GB							







INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

UZIN Levelpin NEW — Product development since 11/2015

When carrying out levelling work with self-spreading levelling compounds on thick layers or thin screeds the UZIN Levelpin is a useful tool for smoothing uneven substrates quickly and easily. The UZIN Levelpin NEW features improved adhesive strength toward the substrate, which is important for slightly dusty or sandy/rough substrates.

Scaling can be recognised very clearly in the future because it is presented in black. In addition, it not only indicates centimetres but also inches. This means that thicknesses up to 10 cm or 4" can now be set.



The optimised UZIN Levelpin NEW is available since 01/11/2015 from PDC Ulm.

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code		
61834	20 pieces Levelpin	5 x 20 pieces Levelpin	_	_	neon-green	4024709618348		
Languages	Languages shown on the packaging: DE, GB							



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

UZIN Solid board notched trowel NEW — Product development from 02/2016

Installation of large-format wood flooring elements and floorboards becomes even more reliable with the UZIN Solid board notched trowel. A higher tooth allows better wetting of the backing of the wood flooring thus preventing undesired hollow spots.



An additional tooth was simply increased in height and both were rearranged to further simplify the application of adhesive. Application of adhesive in curved lines is thereby possible without "flattening" the higher ridge.

Beyond this, the UZIN Solid board notched trowel NEW will be incorporated in the UZIN product range as tooth profile with width of 21 cm and 28 cm for use with the adhesive trowel Ergo-Star or all other commercially available interchangeable spatulas.

UZIN Solid board notched trowel and tooth profile are available from 01/02/2016 from PDC Ulm.

Item No.	Width/Type	Shipping Unit	EAN-Code
65656	21 cm/trowel	1	4024709656562
79889	21 cm/tooth profile	10	4024709798897
79890	28 cm/tooth profile	10	4024709798903



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Universal Primer

UZIN PE 360 PLUS 10 kg canister — Item deletion from 01/2016

The 10 kg canister UZIN PE 360 PLUS will be deleted from the product range as of January 2016. The 10 kg CUBE UZIN PE 360 PLUS is available as substitute.





Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code		
65875	10 kg canister	-	60	80 – 150 g/m²	milk-blue	4024709658757		
77299	10 kg CUBE	_	72	80 – 150 g/m²	milk-blue	4024709772996		
Languages	Languages shown on the packaging: CZ, DE, DK, ES, FR, FI, GB, GR, HU, IT, NL, NO, PL, RU, SE, SK, TR							

Multipurpose Primer

UZIN PE 260 10 kg canister — Item deletion from 01/2016

The 10 kg canister UZIN PE 260 will be deleted from the product range as of January 2016. The 10 kg CUBE UZIN PE 260 is available as substitute.





Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code				
6367	10 kg canister	_	60	40 – 150 g/m²	white	4024709063674				
77304	10 kg CUBE	_	72	40 – 150 g/m²	white	4024709773047				
Languages	Languages shown on the packaging: CZ, DE, DK, ES, FR, FI, GB, GR, HU, IT, NL, NO, PL, RU, SE, SK, TR, US									

Dispersion Wood Flooring Primer

UZIN PE 380 — Product deletion from 01/2016

The dispersion wood flooring primer UZIN PE 380 will be deleted from the product range as of January 2016. The dispersion system primer for wood flooring UZIN PE 385 is available as substitute product.



Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code
21435	10 kg canister	_	60	100 – 200 g/m²	pink	4024709214359



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

UZIN NC 170 LevelStar WORLD — Item deletion from approx. 02/2016 UZIN NC 160 WORLD — Item deletion from approx. 03/2016 UZIN NC 172 BiTurbo WORLD — Item deletion from approx. 02/2016

Because of the use of pictograms the language variety on the bags has increased.

The languages of the WORLD pack size could now be shown on the EUROLINE and CENT pack sizes.

The WORLD pack sizes will be discontinued at the respective dates indicated. The EUROLINE and CENT pack sizes serve as substitute.

UZIN NC 170 LevelStar:

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code			
10489	25 kg WORLD	_	42	1,5 kg/m²/1 mm	grey	4024709104896			
Languages	Languages shown on the packaging: AE, DE, ES, FI, GB, GR, TR, US								
1062	25 kg EUROLINE	_	42	1,5 kg/m²/1 mm	grey	4024709010623			
Languages	shown on the packag	ing: DE, DK, ES, FI, F	R, GB, IT, NL, NO, S	E					
1266	25 kg CENT	_	42	1,5 kg/m²/1 mm	grey	4024709012665			
Languages	shown on the packag	ing: CZ, DE, GB, GR,	HU, PL, RU, SK, SI,	TR, UA					

UZIN NC 160:

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code			
11812	25 kg WORLD	_	42	1,5 kg/m²/1 mm	grey	4024709118121			
Languages	Languages shown on the packaging: AE, DE, ES, FI, GB, GR, TR, US								
11170	25 kg EUROLINE	_	42	1,5 kg/m²/1 mm	grey	4024709111702			
Languages	shown on the packag	ing: DE, DK, ES, FI, F	R, GB, IT, NL, NO, S	Ē					
36056	25 kg CENT	_	42	1,5 kg/m²/1 mm	grey	4024709360568			
Languages	Languages shown on the packaging: CZ, DE, GB, GR, HU, PL, RU, SK, SI, TR, UA								

UZIN NC 172 BiTurbo:

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code			
55837	25 kg WORLD	_	42	1,5 kg/m²/1 mm	darkgrey	4024709558378			
Languages	Languages shown on the packaging: AE, DE, ES, FI, GB, GR, TR, US								
1179	25 kg EUROLINE	_	42	1,5 kg/m²/1 mm	darkgrey	4024709011798			
Languages	shown on the packag	ing: DE, DK, ES, FI, F	R, GB, IT, NL, NO, S	E, US					
55836	25 kg CENT	_	42	1,5 kg/m²/1 mm	darkgrey	4024709558361			
Languages	Languages shown on the packaging: CZ, DE, GB, GR, HU, PL, RU, SK, SI, TR, UA								



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Insulation and Renovation Board

UZIN Multimoll Top 9 carton / pallet — Product deletion from 01/2016

Comfort Insulation Board

UZIN Multimoll Top 15 — Product deletion from 01/2016

Because of the market requirements for insulating underlays the two products UZIN Multimoll Top 9 will be replaced by UZIN Multimoll Top 7 and UZIN Multimoll Top 15 by UZIN Multimoll Top 12 from January 2016.





Item No.	Туре	Size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Colour	EAN-Code
9339	Top 9	100 x 60 cm/ 9 mm	10 boards/6 m²	10 carton/60 m²	white mottled	4024709093398
9395	Top 9	100 x 60 cm/ 9 mm	-	100 boards/60 m²	white mottled	4024709093954
9342	Top 15	100 x 60 cm/ 15 mm	5 boards/3 m²	10 carton/30 m²	white mottled	4024709093428



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Stress-Relieving Board

UZIN Multimoll Top 4 carton / pallet — Item deletion from 01/2016

Stress-Relieving Underlay

UZIN Multimoll Vlies — Item deletion from 01/2016

The items UZIN Multimoll Top 4 and UZIN Multimoll Vlies will be replaced by UZIN Multimoll Top 4 NEW and UZIN Multimoll Vlies NEW from January 2016.





Item No.	Туре	Size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Colour	EAN-Code
9343	Top 4	100 x 60 cm/ 4 mm	15 boards/9 m²	10 carton/90 m²	white mottled	4024709093435
11436	Top 4	100 x 60 cm/ 4 mm	-	250 boards / 150 m²	white mottled	4024709114369
10191	Vlies	75 x 1 m	_	8 rolls/600 m²	cream-white	4024709101918

Crack Bridge

UZIN RR 203 — Item deletion since 10/2015

UZIN RR 203 is replaced by UZIN RR 203 NEW since October 2015.



Item No.	Pack size	Shipping Unit/Roll	Shipping Unit/ Pallet	Colour	EAN-Code
52155	25 x 1 m	25 m²	24 rolls/600 m²	white	4024709521556



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Universal PVC Adhesive

UZIN KE 418 — Item deletion since 06/2015

The item UZIN KE 418 6 kg was deleted from the product range from June 2015. The CENT pack size serves as substitute.



Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code
5083	6 kg drum	-	72	300 - 350 g/m² / A1 350 - 400 g/m² / A2 400 - 450 g/m² / B1	cream-white	4024709050834
35883	6 kg drum CENT	-	72	300 – 350 g/m²/A1 350 – 400 g/m²/A2 400 – 450 g/m²/B1	cream-white	4024709358831

Linoleum Adhesive

UZIN LE 44 EUNO — Item deletion from 01/2016

The item UZIN LE 44 EUNO 14 kg will be deleted from the product range as of January 2016. The EUROLINE pack size serves as substitute.



Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code			
10484	14 kg drum EUNO	_	33	approx. 400 g/m² / B1	white	4024709104841			
6873	14 kg drum EUROLINE	-	33	approx. 400 g/m²/B1	white	4024709068730			
Languages	Languages shown on the packaging: DE, FR, GB, IT, (now also with DK as additional language)								



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

1-Component PUR Wood Flooring Adhesive

UZIN MK 95 WORLD — Item deletion from 01/2016

The item UZIN MK 95 WORLD will be deleted from the product range as of January 2016. The EUROLINE pack size serves as substitute.



Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code		
44111	16 kg drum	_	33	1000 – 1200 g/m²	beige	4024709441113		
39552	16 kg drum	_	33	1000 – 1200 g/m²	beige	4024709395522		
Languages shown on the packaging: CZ, DE, DK, ES, FR, FI, GB, GR, HU, HR, IT, NO, NL, PL, RU, SE, SK, SI, TR								

Dispersion Wood Flooring Adhesive

UZIN MK 80 EUROLINE / WORLD — Item deletion from 01/2016

The item UZIN MK 80 18 kg EUROLINE and 17 kg WORLD will be deleted from the product range as of January 2016. The new pack size UZIN MK 80 16 kg serves as substitute.



Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code			
11671	18 kg drum EUROLINE	=	33	800 – 1200 g/m²	beige	4024709116714			
10494	17 kg drum WORLD	-	33	800 – 1200 g/m²	beige	4024709104940			
79730	16 kg drum	_	33	800 – 1200 g/m²	beige	4024709797302			
Languages	Languages shown on the packaging: AE, CZ, DE, DK, ES, FI, FR, GB, GR, HU, IT, NL, NO, PL, RU, SE, SK, TR								



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

UZIN Spiral Whisk — Product deletion from 02/2016

The UZIN Spiral Whisk will be deleted from the product trange as of February 2016 without substitute.



Item N	lo. Item	Pack size	Shipping Unit/ Pallet	Colour	EAN-Code
9376	Spiral Whisk	1	_	silver	4024709093763

UZIN Spike Shoes — Product deletion from 03/2016

The UZIN Spike Shoes will be deleted from the product range as of March 2016. The Wolff Spike Shoes (Item No. 51549) can be used as substitute product.



Item No.	Item	Pack size	Shipping Unit/ Pallet	EAN-Code
6839	Spike Shoes	4	-	4024709068396



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

UZIN paper bags / primers / adhesives — New with pictograms

At UZIN, product-specific properties had been presented until now in text format in different languages. This often meant laborious searching by the user for characteristic product properties. For example, the installer had to find the required amount of water, processing temperature or other information in the text.

Using pictograms will make life easier for the user.

The pictograms are arranged on the back of the packing in a central block and independent of a particular language. The respective information is short, concise, and the visual illustration will be easily remembered.

The first bags with the new layout using pictograms have already been delivered in June 2015. All paper bag products will be converted successively in the coming months.

Following the UZIN NC 172 BiTurbo as an example to provide an overview of all pictograms used at UZIN and their respective meaning.





The area of application: Suitable for interior use on the floor



Minimum shelf life 6 months



Approx. 15 minutes processing time



Suitable for forklift traffic (very high point loads) from a thickness of min. 3 mm



Ready for foot traffic after approx. 60 minutes



Levelling compound suitable for pumping



Processing temperature in the range of 15°C – 25°C or 60°F – 77°F



Grindable after 2 hours



Consideration of the UZIN product data sheet



Levelling compound can be applied with wiping blade



Consumption per m² per mm thickness



Suitable for underfloor heating



Use 6 – 6.5 l of water per 25 kg of powder



Resistance to castors from a thickness of min. 1 mm



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Analogous to the paper bags, the primer labels and adhesive labels will also receive pictograms successively. Again, quick access to the key information, independent of a particular language, shall be provided to the user.

Below an overview of the pictograms used and their respective meaning.

UZIN primers:



Consideration of the UZIN product data sheet



Resistance to castors



Suction off area thoroughly before application



Suitable for underfloor heating



Frost-resistant, for exterior and interior use on floor and wall



Final strength



Shake before use



Minimum shelf life 12 months



The area of application: Suitable for interior use on floor and wall



Ready for foot traffic



Application with roller / consumption



Stir before use



Processing temperature in the specified range



Processing time



Avoid pooling



Processing with nylon fibre roller or TKB-B2 notched trowel possible

UZIN adhesives:



Consideration of the UZIN product data sheet



Seam sealing



Suitable trowel notch sizes / consumption



Mixing ratio of component A to B



Processing temperature in the specified range



Processing time



Working time



Open time



Resistance to castors



Suitable for underfloor heating



Load bearing



Minimum shelf life 12 months



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

New packaging variation since 06/2015 — CUBE it simple

With the new **CUBE it simple** packaging concept UZIN revolutionises packaging for liquid products such as primers. The new packaging, which will replace the plastic canisters in the long run, consists of a very sturdy resealable plastic pouch with an outer carton packaging.


The extensive and intensive development with focus on practical usefulness of this packaging provides the installer with many advantages, reaching far beyond environmental protection. For example, the content of **CUBE it simple**, compared to the canister, can be emptied in a fraction of the time. In addition, emptying **CUBE it simple** is gurgle-free thereby providing maximum protection from material splashes or spilling that may occur from gurgling canisters.

Complete emptying is also facilitated by **CUBE** it simple.

Because the volume of **CUBE** it **simple** can be ideally utilised, the pallet factor can be significantly increased with the new packaging. Compared to the plastic canisters, the material amount per pallet space thus increases by 120 kg for 10 kg containers and even by 190 kg for 5 kg containers. This reduces the required space significantly and, at the same time, saves storage costs compared to canisters.

At the same time, the space demand for empty containers after processing is also reduced by 85% since the cartons can be folded in a space-saving manner. The plastics scrap is also reduced through **CUBE it simple** by almost 75% compared to conventional canisters thereby actively contributing to the conservation of resources. Combined with the outer carton packaging, sustainability of this packaging significantly increases compared to conventional canisters.

The new packaging format will be used with UZIN PE 360 PLUS, UZIN PE 260 and UZIN TERRAPRIMO 10 since June 2015. The canister variations are no longer available as of January 2016.





INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

UZIN PE 360 PLUS — CUBE it simple since 06/2015 UZIN PE 260 — CUBE it simple since 06/2015

Since June 2015 the packaging format of UZIN PE 360 PLUS and UZIN PE 260 is supplyed with the very sturdy and advanced Bag-in-Box solution **CUBE** it simple.

The 2-stage conversion of packaging began with the complete conversion of the 5 kg plastic canisters to **CUBE** it simple and with an additional item for 10 kg containers.

Planned for 01/01/2016 **CUBE it simple** will replace also the 10 kg plastic canisters of UZIN PE 360 PLUS and UZIN PE 260. The canister variations are no longer available as of January 2016.

The new containers for UZIN PE 360 PLUS and UZIN PE 260 are available since June 2015 from PDC Ulm. The 5 kg container keeps the same item number.





UZIN PE 360 PLUS:

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code	
77299	10 kg CUBE it simple	-	72	80 – 150 g/m²	milk-blue	4024709772996	
Languages	shown on the packag	ing: CZ, DE, DK, ES,	FR, FI, GB, GR, HU,	IT, NL, NO, PL, RU, SE, S	K, TR		
65874	5 kg CUBE it simple	-	128	80 – 150 g/m²	milk-blue	4024709658740	
Languages shown on the packaging: CZ, DE, DK, ES, FR, FI, GB, GR, HU, IT, NL, NO, PL, RU, SE, SK, TR							

UZIN PE 260:

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code	
77304	10 kg CUBE it simple	_	72	40 – 150 g/m²	white	4024709773047	
Languages	shown on the packag	ing: CZ, DE, DK, ES,	FR, FI, GB, GR, HU,	IT, NL, NO, PL, RU, SE, S	K, TR, US		
6368	5 kg CUBE it simple	-	128	40 – 150 g/m²	white	4024709063681	
Languages shown on the packaging: CZ, DE, DK, ES, FR, FI, GB, GR, HU, IT, NL, NO, PL, RU, SE, SK, TR, US							



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

2-Component Epoxy Moisture Barrier

UZIN PE 480 — New pack size since 05/2015

To meet the requirements for small room sizes, a metal bucket with 5 kg capacity was added to the product offering with UZIN PE 480 in addition to the existing container size.



UZIN PE 480 5 kg is available since 01/05/2015 from PDC Ulm.

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code		
17340	10 kg A/B drum	_	30	250 – 500 g/m²	yellowish	4024709173403		
Languages shown on the packaging: DE, FR, GB, IT								
74875	5 kg A/B drum	_	60	250 – 500 g/m²	yellowish	4024709748755		
Languages shown on the packaging: DE, FR, GB, IT								

2-Component Epoxy Primer-Sealer

UZIN PE 460 — New pack size from 01/2016

In addition to the existing pack sizes UZIN PE 460 will be included in the product offering with a small pack size as combination package with 0.75 kg content. This small packaging unit is ideal for the "residual quantity supplement" for unfavourable rooms sizes, injection under hollow spots, e.g. for bonded screed, for sealing small areas or for minor screen repair when mixed with quartz sand.



UZIN PE 460 0,75 kg is available from 01/01/2016 from PDC Ulm.

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code		
79714	A/B 0,75 kg drum	7	210	200 – 600 g/m²	brownish	4024709797142		
Languages shown on the packaging: DE, FR, GB								



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Rapid Dispersion Wood Flooring Adhesive of the latest Generation

UZIN MK 85 Turbo — New packaging variation from 02/2016

UZIN MK 85 Turbo with its extremely fast initial drying and setting properties offers optimal security with wood flooring installation, even on dense substrates, without affecting the wood moisture. Installed areas can therefore be sanded or surface-treated already after 24 hours.

These innovative properties do not only make UZIN MK 85 Turbo a superior area adhesive but also an excellent repair adhesive. UZIN now offers an additional packaging version for this type of application in the size of 310 ml cartridges.

Minor repair work, such as replacing individual mosaic wood flooring elements, can be performed without problem with the cartridge adhesive. Any adhesive pressed upward in the joint area is much less and sometimes not visible at all because of the red-brown colour, compared to commercially available structural adhesives.

UZIN MK 85 Turbo in 310 ml cartridges is available from 01/02/2016 from PDC Ulm.

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code		
79731	310 ml cartridge	12 x 310 ml	_	acc. to application	red-brown	4024709797319		
Languages shown on the packaging: DE, GB								





INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Dispersion Wood Flooring Adhesive

UZIN MK 80 — New pack size from 01/2016

To reduce physical strain to a minimum while increasing carrying convenience at the same time, the pack size of UZIN MK 80 will be reduced from 18 kg to 16 kg from January 2016.



UZIN MK 80 16 kg is available from 01/01/2016 from PDC Ulm.

Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code			
79730	16 kg drum	_	33	800 – 1200 g/m²	beige	4024709797302			
Languages	Languages shown on the packaging: AE, CZ, DE, DK, ES, FI, FR, GB, GR, HU, IT, NL, NO, PL, RU, SE, SK, TR								



INTERNATIONAL PRODUCT RANGE CHANGES · INSTALLATION SYSTEMS FOR SCREED | FLOORING | WOOD FLOORING

Floor Seal

UZIN EP 23 agate grey — changed pallet factor since 06/2015

The pallet factor of UZIN EP 23 agate grey was changed since June 2015 from 56 to 30 pieces per pallet.



Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code
33210	A/B 8 kg drum	-	30	250 – 300 g/m² per coat on smooth surfaces	agate grey	4047571332105

Slip-Resistant Floor Seal

UZIN EP 23 AS agate grey — changed pallet factor since 06/2015 UZIN EP 23 AS concrete grey — changed pallet factor since 10/2015

The pallet factor of UZIN EP 23 AS agate grey and concrete grey was changed from 56 to 30 pieces per pallet.



Item No.	Pack size	Shipping Unit/ Carton	Shipping Unit/ Pallet	Consumption	Colour	EAN-Code
33260	A/B 8 kg drum UZIN EP 23 AS agate grey	-	30	200 – 250 g/m² per coat on smooth surfaces	agate grey	4047571332600
33261	A/B 8 kg drum UZIN EP 23 AS concrete grey	_	30	200 – 250 g/m² per coat on smooth surfaces	concrete grey	4047571332617

UZIN · A Brand of Uzin Utz AG

Uzin Utz AG | Dieselstrasse 3 | D-89079 Ulm Telephone +49 (0)731 4097-0 | Telefax +49 (0)731 4097-110 E-Mail info@uzin.com | Internet www.uzin.com