



Woodpeak[®]
LIVING GREEN FLOORS


100% Made in Spain

2. **ECONOMICAL.** Woodpeak prices offer authentic **REAL WOOD** at comparable quality laminate products.



1. **"GREEN"** Woodpeak collection uses sustainable products. ECO Raw materials are optimised by using a thin top layer (0,6mm) of authentic wood species. In addition, we use water base stains and glues without any VOCs.

3. **DURABILITY.** Constructed on **HDF** (High Density Fibreboard) substructure using **SSI** (Super Strong Impregnation) system. This process offers a superior abrasion and impact resistance than typical wood flooring. During the pressing process the adhesive is pressed together into the wood until the saturation level is achieved. The wood fibers absorb the lacquers making contact with the adhesive and ultimately offers a superior hardened surface seal of Micro **"Corindon Particles"**.



4. **HYGIENIC.** Antibacterial.

5. **AUTHENTIC WOOD** species make every Woodpeak floors truly unique: Lightly wire **brushed** finish highlights the natural essence of the wood fibers.

7. **STABILITY.** Perfectly calibrated floorboards. All Woodpeak products use a finishing coat of varnish under the substructure for extra stability and added fire resistance.

6. **LOCKSTP.** A truly unique interlocking system. The worldwide patent LOCKSTP perfectly bonds WPK products together without using adhesive.

LOCKSTP[®]
EXCELLENT GLUELESS SYSTEM
Glueless System Patent-protected worldwide



Make the best selection, choose

Woodpeak[®]
LIVING GREEN FLOORS




TRENCADIS PREMIUM 16


3 different designs composed of 5 different portions of 0,6mm noble wood plus 9mm of HDF with different grain direction, all of them assembled on a 6mm plywood base. Then, for each design, two different variations, Horizontal and Vertical. 16mm nominal thickness

VERSAILLES PREMIUM 16

Palace design composed of the different portions of 0,6mm noble wood plus 9mm of HDF with different grain direction, all of them assembled on a 6mm plywood base. 16mm nominal thickness



PREMIUM16 STRUCTURE




FINISH. 12 coats of High Traffic varnish. Brushed open pore grain highlights the natural essence of the wood.

TOP LAYER. 0,6 mm NOBLE WOOD, micro-bevelled.

CORE. 9 mm HDF (High-Density Fibreboard, with density >900kg/m³)

SUBSTRUCTURE. Contra-balance 0,6 mm Wood veneer with a finishing coat of varnish for extra stability and fire resistance.


BASE. 6 mm 100% birch plywood.



SYSTEM

LOCKSTP[®]
EXCELLENT GLUELESS SYSTEM

Glueless System
Patent-protected worldwide



LockSTP is an innovative glueless flooring system which provides a precision interlocking bond between formats every time.

LockSTP es un innovador sistema de colocación en seco. Gracias a sus anclajes y a la precisión de su mecanizado se garantiza una unión perfecta sin necesidad de cola.

LockSTP è l'innovativo sistema di posa flottante che con i suoi particolari giunti e precisi incastri assicura una perfetta resistenza e tenuta senza l'impiego di colla.

Lock STP est un système innovant d'assemblage sans colle. Grâce à ses crochets et à sa précision d'usinage un assemblage parfait sans collage est garanti.




Union rings for joint pieces.


Covering hooks, for glueless wall applications.

FORMATS


- *1 UPON REQUEST, FORMATS ARE ALSO AVAILABLE WITH TRANSVERSAL GRAIN
- *2 HERRINGBONE ENGINEERING AVAILABLE UPON REQUEST
- *3 TAVOLE WPK, ENGINEERED WITH ADDITIONAL TONGUES & GROOVES SYSTEM FOR GLUE DOWN INSTALLATION. POSSIBILITY OF WPK LISTONE WITH LOCKSTP SYSTEM DEPENDING ON THE PROJECT




Wpk+



Tavole Wpk



Wpk Chevron



Wpk DESIGN

STANDARD 10 STRUCTURE



FINISH. 12 coats of High Traffic varnish. Brushed open pore grain highlights the natural essence of the wood.

TOP LAYER. 0,6 mm NOBLE WOOD, micro-bevelled.

CORE. 9 mm HDF (High-Density Fibreboard, with density >900kg/m³)

SUBSTRUCTURE. Contra-balance 0,6 mm Wood veneer with a finishing coat of varnish for extra stability and fire resistance.

FINISHES

EUROPEAN WHITE OAK (100% Wood Veneer, Oak) ¹



OAK
NATURAL



OAK
NATURALIZZATO



OAK
NATURE



OAK
SBIANCATO



OAK
BRUNELLO



OAK
COGNAC



OAK
PIAZZA DEI SIGNORI



OAK
EMERALD



OAK
MAKE UP WHITE



OAK
SMOKED



OAK
SMOKED RED



OAK
QUERCIA ANTICA



OAK
ASH



OAK
LIMESTONE



OAK
STONE



OAK
BORGHETTO

DELUX OAK (100% Wood Veneer, Oak) ¹



OAK
ANTICATO



OAK
BOTANIC



OAK
OLIVE²



OAK
ANTIQUE LAVA²



OAK
AGED SBIANCATO²



OAK
AGED²



OAK
LAVA DARK³



OAK
MOCCA²

KNOTS

METALLIZZATI

THERMO

TINTE UNITE OAK (100% Wood Veneer, Oak) ¹



OAK
CHERRY³



OAK
EXTRA WHITE³



OAK
GRIGIO CEMENTO³



OAK
GRIGIO PERLA³



OAK
INDIGO³



OAK
MENTHA³



OAK
TORTORA³



OAK
TURQUOISE³

AMERICAN WALNUT (100% Wood Veneer, American Walnut)



A. WALNUT
NATURAL



A. WALNUT
LIGHT



A. WALNUT
SBIANCATO



A. WALNUT
HONEY



A. WALNUT
ASH



EXOTIC
IROKO



EXOTIC
EBANO



EXOTIC
WENGE

EXOTIC
TEAK

¹Additional colors, species, herringbone and formats with transversal grain are also available upon request (Minimum order of 200 sqm per color). ²Color & tone may vary from plank to plank due to reactive stain and/or treated veneer. ³Lacquered colors, then it will be resistant to moderate traffic, instead of high traffic. ⁴Wood is a natural product and contains variations in grain, mineral streaks and knots that may not be represented by these images. Lighting, camera settings and printer configurations may also affect the colors represented in these photos. Please review samples and consult a sales specialist before placing orders.



LIVING GREEN FLOORS

Townfield Flooring S.L.
Central Offices & Factory Plant.
C/ Olocau del Rei 3D (transversal CV-20. km 2,5)
Apdo. correos / P.O. Box 211.
12540 Vila-real / Castellón / Spain
Tel. (34) 964 785 121
info@stp-woodflooring.com
www.stp-woodflooring.com/woodpeak

eurolegno distribution inc.
US and Canada distribution
5333 Ferrier
Montreal, Quebec
Canada, H4P 1M1
Tel: # 001 - 514 - 863 - 9416
info@eurolegnoluxuryfloors.com

LOCKSTP®
EXCELLENT GLUELESS SYSTEM
Glueless System Patent-protected worldwide