




COM
PANY
NY

PROFILE

2019

Italian Parquet Floor





antibatterico
antibacterial
antibactérien
antibacteriano



Cfl-s1



alta resistenza
high resistance
haute résistance
alta resistencia



resiste all'acqua
water resistant
résistant à l'eau
resistente al agua



classe E1
formaldehyde free
sans formaldéhyde
sin formaldehído



facile manutenzione
easy maintenance
entretien facile
mantenimiento sencillo



resiste alle macchie
stain resistant
résistant aux taches
resistente a las manchas



Il marchio della gestione
forestale responsabile
FSC® C129690

**Richiedi prodotti
certificati FSC®**

Ask for FSC®
certified products

Demande produits
certifiés FSC®

Pide productos
certificados FSC®

FSC®

**Certificazione della catena di custodia che
garantisce la provenienza della materia
prima da foreste gestite nel rispetto di
rigorosi standard ambientali, sociali ed
economici.**

FSC®

FSC® chain of custody (CoC) tracks FSC®
certified material through the production
process - from the forest to the consumer. FSC®
promotes environmentally appropriate, socially
beneficial, and economically viable management
of the world's forests.

FSC®

Certification de la chaîne de contrôle qui assure
l'origine de la matière première de forêts gérées
conformément à rigoureuses normes environne-
mentales, sociales et économiques.

FSC®

Certificación de la cadena de custodia que
garantiza el origen de la materia prima desde
bosques manejados en el respeto de estrictos
estándares ambientales, sociales y economicos.





Passion for quality woodfloor



La I.P.F. produce, dal 1990, pavimenti pregiati in legno massello o stratificati, caratterizzati da alte performance prestazionali (finitura antibatterica, antimacchia, ignifuga) e declinati in infinite soluzioni estetiche, anche personalizzabili. La qualità delle nostre collezioni e la versatilità delle nostre finiture ci hanno consentito, nel tempo, di operare stabilmente a supporto di importanti brand nel settore dell'arredamento (**Pedine cucine**), dell'arredo bagno (**Devon & Devon**), dell'interior design (**Armani Casa, Philippe Starck, Cavalli, Versace**, ecc.) oltre a diverse collaborazioni con aziende produttrici di piastrelle, marmo, cuoio, ecc.



Since the beginning in 1990, IPF produces solid and 2 or 3 layers engineered wood floorings matching research, creativity, tradition, care of details and gaining a leading role in prestigious wood floorings market and satisfying demanding clientele focused on high design and customization.

IPF's collections have been thought to mix and match with the most leading names of luxury furniture (**Pedine cucine**), bathroom furniture (**Devon & Devon**), interior design (**Armani Casa, Philippe Starck, Cavalli, Versace**, etc.), marbles, stones, ceramics and mosaics.



MADE IN ITALY

Tutte le finiture delle collezioni IPF sono fatte in Italia dai nostri artigiani. La gamma Smart Solution è prodotta in Europa.

All IPF collections' finishes are made in Italy by our craftsmen. Smart Solution range is made in Europe.

Toutes les finitions des collections IPF sont fabriquées en Italie par nos artisans. La gamme Smart Solution est fabriquée en Europe.

Todos los acabados de las colecciones IPF son realizados en Italia por nuestros artesanos. La gama Smart Solution es producida en Europa.



Depuis 1990, IPF produit parquets de haute qualité en bois massif et multicouche, caractérisés par le haut niveau de prestation (finition antibactérienne, antitaches et ignifuge) et par l'infinie variété de déclinaisons esthétiques, aussi personnalisables. La qualité de nos collections et la versatilité des nos finitions nous ont permit, dans le temps, de collaborer de façon continue avec d'importantes marques du secteur mobilier (**Pedine cucine**), de la décoration de salle de bains (**Devon & Devon**), décoration d'intérieur (**Armani Casa**, **Philippe Starck**, **Cavalli**, **Versace**, etc.) sans oublier les collaborations avec divers producteurs de carrelage, marbre, cuir etc.

Desde el año 1990, IPF fabrica pisos de madera de diseño en madera solida o multicapas. A través de los años, IPF se ha caracterizado por mantener un elevado nivel de calidad, ofreciendo acabados antibacterianos, resistentes a las manchas y al fuego. IPF cuenta con una gran variedad de acabados, así como la opción de crear cualquier piso a la medida. La calidad de nuestras colecciones y la versatilidad de nuestros acabados nos han permitido trabajar de manera continua con importantes marcas del sector de diseño (**Pedine cucine**), decoración de baño (**Devon & Devon**), decoración interior (**Armani Casa**, **Philippe Starck**, **Cavalli**, **Versace**, etc.) asimismo con fabricantes de baldosas, mármol, cuero etc.



La nostra produzione si caratterizza inoltre per l'utilizzo di supporti che, unitamente al trattamento superficiale, ne rendono possibile l'utilizzo anche in sala da bagno, nautica, ecc.
La nostra gamma è composta dai seguenti brand:

I.P.F.

Pavimenti esclusivamente realizzati a mano e personalizzabili sia nelle nuance sia nella brillantezza/opacità.

I.P.F. SMART SOLUTION (divisione *contract*)

Soluzioni tecnicamente evolute con finitura industriale 7 mani UV, olio UV o finitura artigianale effetto cera o olio naturale. Pavimenti in grado di soddisfare anche esigenze strettamente ancorate a un eccellente rapporto qualità/prezzo (*contract*).

TOUCH by I.P.F.

Il concept bagno di I.P.F., composto da pavimento, consolle e piatto doccia.

LEONARDO

Brand destinato a un livello altissimo di design e ricercatezza. Leonardo è sinonimo di progetti su misura, intarsi, abbinamenti tra legno e cuoio, cachemire, jeans, madreperla, metallo e pavimenti trattati con resine naturali:

- Leonardo by IPF LE RESINE
- Leonardo by IPF I METALLI
- Leonardo by IPF TRACCE
- Leonardo by IPF LASER
- Leonardo by IPF IPF per...

Referenze

Hotel Baglioni (Firenze, Venezia, Parigi)

IPF_ROVERE_personalizzato

Palazzo Ginori (Firenze, Italia)

SMART SOLUTION_ROVERE_ANTIQUO OAK COLLECTION
UV_Zenzero e Grano, Spina Francese 45°

Philippe Starck Penthouse (Parigi, Francia)

Hotel Mamam Shelter by P. Starck (Parigi, Francia)

IPF_ROVERE e LARICE_Neve

Versace (Italia)

IPF_ROVERE_colore nero personalizzato

Chanel Penthouse (St. Moritz, Svizzera)

IPF_ROVERE_CHIC_Velluto

Maison Chanel (Svizzera)

IPF_ROVERE_I NERI_personalizzato

Grange Minories Hotel (Londra, Regno Unito)

IPF_ROVERE_ANTIQUO OAK COLLECTION UV_Zenzero

Prime Minister Palace (Ucraina)

Tavole di Mastro Marino_soluzione personalizzata

Prime Minister private residence (Kazakistan)

Tavole di Mastro Marino_IROKO

Villa Tusti Residence (Bangalore, India)

IPF_ROVERE_SEGATO A MANO; SHABBY CHIC;
I CLASSICI_OLMO; DECKING_Termotrattato
IPF_TEAK

Top 5 best interior's project Award 2015

PVP Villas Prem Parbat (Hyderabad, India)

IPF_ROVERE_LOUNGE UV_Miele; FUSION_Guitar

Philippe Starck South Beach Residential (Singapore)

Mock-up IPF_ROVERE e LARICE_Neve

New Capitol Hotel (Singapore) Mock-up Guest room floor

IPF_ROVERE, plancia XL, spazzolata a mano, colore personalizzato

Capitol Theatre (Singapore)

Tavole di Mastro Marino_ROVERE_segato, color Cognac

Swiss Club (Singapore)

IPF_ROVERE_I CLASSICI_Nabucco; LARICE_I BIANCHI_Vento

YTL The Estoril, YTL Family member (Singapore)

IPF_ROVERE_ARCOBALENO_AC/40

Namchon Golf Club (Corea)

IPF_ROVERE_Grigio personalizzato;
DOGHE DEL MASTRO_Tabacco;
I CLASSICI_Opera; ARCOBALENO_AC/49

Hilton Manila Hotel (Filippine) Mock-up

IPF_ROVERE_LOUNGE ART (specificato da DiLeonardo HK)

Capital One Alabang (Manila, Filippine) Specificato

IPF_ROVERE DI RECUPERO_COUNTRY CLUB_CCWASQ
Noce
SMART SOLUTION_ROVERE_ANTIQUO OAK COLLECTION
UV_Zenzero

Fuxing Club no. 147 - Fuxing Road (Shangai, Cina)

IPF_ROVERE_Essenza_soluzione personalizzata
Tavole di Mastro Marino_ROVERE_Renoir 45°, massello,
Essenza

Private Residence in Changle Road (Shangai, Cina)

IPF_ROVERE_Arcobaleno Cemento_colore personalizzato
IPF_ROVERE_I CLASSICI_Antica Chopin
Tavole di Mastro Marino_ROVERE_Giotto 90°,
spazzolato, massello, Naturale Vivaldi

Shanghai Office Lounge (Shangai, Cina)

SMART SOLUTION_ROVERE_LOUNGE ART_Bosco

Nanjing Private Residence (Nanjing, Cina)

Tavole di Mastro Marino_ROVERE_Allegretto_Invecchiata Bach
SMART SOLUTION_ROVERE_LOUNGE ART_Bosco

Yangzhou Boutique Hotel (Yangzhou, Cina)

SMART SOLUTION_ROVERE_LOUNGE ART_Noce

Tianyuan Xiangtai (Pechino, Cina)

IPF_ROVERE_I CLASSICI
IPF_legno personalizzato lavorazione laser_inserito in metallo

Point Leo Estate (Melbourne, Australia)

IPF_ROVERE_I CLASSICI_Opera
SMART SOLUTION_ROVERE_MARCO POLO_Tibet

Private yacht (Melbourne, Australia)

IPF_ROVERE_colore bianco personalizzato

The Residences by Armani Casa (Miami, USA)

IPF_ROVERE_ARCOBALENO_colore grigio personalizzato

Monad Terrace (Miami Beach, Florida)

IPF_TEAK_I CLASSICI_Naturale, spazzolato

Ônimo Restaurant (Messico)

IPF_ROVERE_AFRIKA STYLE_MUMUYE



Our production is also characterized by the use of supports which, together with the surface treatment, make our wood floorings suitable for bathroom, boating, etc.
Our range consists of the following brands:

I.P.F.

Floors made exclusively by hand and customizable both in color shades and gloss.

I.P.F. SMART SOLUTION (contract division)

Our industrial product combining Italian design and German technology.

Not customizable, but available in UV cured finishes (PU and Oil), natural oil and wax effect.

TOUCH by I.P.F.

The bathroom as a mix of textures, colours and sensations, coordinating with consoles and shower trays.

LEONARDO is our newborn creation oriented to high-end design and refinement.

Leonardo means customized projects, parquetry, combination between wood and leather, cashmere, jeans, mother-of-pearl, metals and floors treated with natural resins:

- Leonardo by IPF LE RESINE
- Leonardo by IPF I METALLI
- Leonardo by IPF TRACCE
- Leonardo by IPF LASER
- Leonardo by IPF IPF for...

References

Hotel Baglioni (Florence, Venice, Paris)

IPF_OAK_customized

Palazzo Ginori (Florence, Italy)

SMART SOLUTION_OAK_ANTIQUO OAK COLLECTION
UV_Zenzero and Grano, Chevron 45°

Philippe Starck Penthouse (Paris, France)

Hotel Mamam Shelter by P. Starck (Paris, France)

IPF_OAK and LARCH_Neve

Versace (Italy)

IPF_OAK_customized black colour

Chanel Penthouse (St. Moritz, Switzerland)

IPF_OAK_CHIC_Velluto

Maison Chanel (Switzerland)

IPF_OAK_I NERI_customized

Grange Minories Hotel (London, United Kingdom)

IPF_OAK_ANTIQUO OAK COLLECTION UV_Zenzero

Prime Minister Palace (Ukraine)

Tavole di Mastro Marino_customized

Prime Minister private residence (Kazakhstan)

Tavole di Mastro Marino_IROKO

Villa Tusti Residence (Bangalore, India)

IPF_OAK_SEGATO A MANO; SHABBY CHIC;
I CLASSICI_ELM; DECKING_Ash Thermo
IPF_TEAK

Top 5 best interior's project Award 2015

PVP Villas Prem Parbat (Hyderabad, India)

IPF_OAK_LOUNGE UV_Miele; FUSION_Guitar

Philippe Starck South Beach Residential (Singapore)

Mock-up

IPF_OAK and LARCH_Neve

New Capitol Hotel (Singapore) Mock-up Guest room floor

IPF_OAK, XL plank, hand brushed, customized colour

Capitol Theatre (Singapore)

Tavole di Mastro Marino_OAK_sawn marked, Cognac colour

Swiss Club (Singapore)

IPF_OAK_I CLASSICI_Nabucco; LARCH_I BIANCHI_
Vento

YTL The Estoril, YTL Family member (Singapore)

IPF_OAK_ARCOBALENO_AC/40

Namchon Golf Club (Korea)

IPF_OAK_customized Grey;
DOGHE DEL MASTRO_Tabacco;
I CLASSICI_Opera; ARCOBALENO_AC/49

Hilton Manila Hotel (Philippines) Mock-up

IPF_OAK_LOUNGE ART (specified by
DiLeonardo HK)

Capital One Alabang (Manila, Philippines) Specified

IPF_RECLAIMED OAK_COUNTRY CLUB_CCWASQ Noce
SMART SOLUTION_OAK_ANTIQUO OAK COLLECTION UV_
Zenzero

Fuxing Club no. 147 - Fuxing Road (Shanghai, China)

IPF_OAK_Essenza_customized

Tavole di Mastro Marino_OAK_Renoir 45°, solid wood, Essenza

Private Residence in Changle Road (Shanghai, China)

IPF_OAK_Arcobaleno Cemento_customized color

IPF_OAK_I CLASSICI_Antica Chopin

Tavole di Mastro Marino_OAK_Giotto 90°, brushed, solid wood,
Naturale Vivaldi

Shanghai Office Lounge (Shanghai, China)

SMART SOLUTION_OAK_LOUNGE ART_Bosco

Nanjing Private Residence (Nanjing, China)

Tavole di Mastro Marino_OAK_Allegretto, Invecchiata Bach

SMART SOLUTION_OAK_LOUNGE ART_Bosco

Yangzhou Boutique Hotel (Yangzhou, China)

SMART SOLUTION_OAK_LOUNGE ART_Noce

Tianyuan Xiangtai (Beijing, China)

IPF_OAK_I CLASSICI

IPF_customized laser wood_metal inlays

Point Leo Estate (Melbourne, Australia)

IPF_OAK_I CLASSICI_Opera

SMART SOLUTION_OAK_MARCO POLO_Tibet

Private yacht (Melbourne, Australia)

IPF_OAK_customized white colour

The Residences by Armani Casa (Miami, USA)

IPF_OAK_ARCOBALENO_customized colour grey

Monad Terrace (Miami Beach, Florida)

IPF_TEAK_I CLASSICI_Naturale, brushed

Ônimo Restaurant (Mexico)

IPF_OAK_AFRICA STYLE_MUMUYE



De plus, notre production se caractérise par l'emploi de bois et essences que, grâce à notre traitement de surface, permet son utilisation dans les salles de bains ainsi que dans le secteur nautique etc. Notre gamme se compose des Collections suivants:

I.P.F.

Parquets réalisés exclusivement à la main et personnalisables dans les tons des couleurs et de la brillance/opacité.

I.P.F. SMART SOLUTION (secteur *contract*)

Solutions techniquement avancés avec finition industrielle vernis 7 couches UV, huile UV ou finition artisanale effet cire o huile naturel. Parquet d'excellent rapport qualité-prix (*contract*).

TOUCH by I.P.F.

Le concept Salle de Bain de I.P.F., composé de parquet, console lavabo et bac de douche.

LEONARDO

Collection d'un haut niveau de design et élégance. Projets sur mesure, inserts, alliance entre bois et cuir, cachemire, jeans, nacre, métal ou encore traités avec des résines naturelles:

- Leonardo by IPF LE RESINE
- Leonardo by IPF I METALLI
- Leonardo by IPF TRACCE
- Leonardo by IPF LASER
- Leonardo by IPF IPF pour...

Références

Hotel Baglioni (Florence, Venise, Paris)

IPF_CHÈNE_personnalisé

Palazzo Ginori (Florence, Italie)

SMART SOLUTION_CHÈNE_ANTIQUÉ OAK COLLECTION
UV_Zenzero et Grano, Chevron 45°

Philippe Starck Penthouse (Paris, France)

Hotel Mamam Shelter by P. Starck (Paris, France)

IPF_CHÈNE et MÉLÈZE_Neve

Versace (Italie)

IPF_CHÈNE_couleur noir personnalisé

Chanel Penthouse (St. Moritz, Suisse)

IPF_CHÈNE_CHIC_Velluto

Maison Chanel (Suisse)

IPF_CHÈNE_I NERI_personnalisé

Grange Minories Hotel (Londres, Royaume Uni)

IPF_CHÈNE_ANTIQUÉ OAK COLLECTION UV_Zenzero

Prime Minister Palace (Ukraine)

Tavole di Mastro Marino_solution personnalisée

Prime Minister private residence (Kazakhstan)

Tavole di Mastro Marino_IROKO

Villa Tusti Residence (Bangalore, Inde)

IPF_CHÈNE_SEGATO A MANO; SHABBY CHIC;
I CLASSICI_ORME; DECKING_Traitement thermique
IPF_TECK

Top 5 best interior's project Award 2015

PVP Villas Prem Parbat (Hyderabad, Inde)

IPF_CHÈNE_LOUNGE UV_Miele; FUSION_Guitar

Philippe Starck South Beach Residential (Singapur)

Mock-up IPF_CHÈNE et MÉLÈZE_Neve

New Capitol Hotel (Singapour) Mock-up Guest room floor

IPF_CHÈNE, planche XL, brossée à la main, couleur personnalisé

Capitol Theatre (Singapour)

Tavole di Mastro Marino_CHÈNE_scié, couleur Cognac

Swiss Club (Singapour)

IPF_CHÈNE_I CLASSICI_Nabucco; MÉLÈZE_I BIANCHI_
Vento

YTL The Estoril, YTL Family member (Singapour)

IPF_CHÈNE_ARCOBALENO_AC/40

Namchon Golf Club (Corée)

IPF_CHÈNE_Gris personnalisé;
DOGHE DEL MASTRO_Tabacco;
I CLASSICI_Opera; ARCOBALENO_AC/49

Hilton Manila Hotel (Philippine) Mock-up

IPF_CHÈNE_LOUNGE ART (spécifié par DiLeonardo HK)

Capital One Alabang (Manille, Philippine) Spécifié

IPF_CHÈNE RÉCUPÉRÉ_COUNTRY CLUB_CCWASQ Noce
SMART SOLUTION_CHÈNE_ANTIQUÉ OAK COLLECTION
UV_Zenzero

Fuxing Club no. 147 – Fuxing Road (Shangäi, Chine)

IPF_CHÈNE_Essenza_solution personnalisée
Tavole di Mastro Marino_CHÈNE_Renoir 45°, bois massif,
Essenza

Private Residence in Changle Road (Shangäi, Chine)

IPF_CHÈNE_Arcobaleno Cemento_couleur personnalisé
IPF_CHÈNE_I CLASSICI_Antica Chopin
Tavole di Mastro Marino_CHÈNE_Giotto 90°, brossé, bois
massif, Naturale Vivaldi

Shanghai Office Lounge (Shangäi, Chine)

SMART SOLUTION_CHÈNE_LOUNGE ART_Bosco

Nanjing Private Residence (Nanjing, Chine)

Tavole di Mastro Marino_CHÈNE_Allegretto, Invecchiata Bach
SMART SOLUTION_CHÈNE_LOUNGE ART_Bosco

Yangzhou Boutique Hotel (Yangzhou, Chine)

SMART SOLUTION_CHÈNE_LOUNGE ART_Noce

Tianyuan Xiangtai (Pékin, Chine)

IPF_CHÈNE_I CLASSICI
IPF_bois personnalisé_gravure en laser_insertion en métal

Point Leo Estate (Melbourne, Australie)

IPF_CHÈNE_I CLASSICI_Opera
SMART SOLUTION_CHÈNE_MARCO POLO_Tibet

Private yacht (Melbourne, Australie)

IPF_CHÈNE_couleur blanc personnalisé

The Residences by Armani Casa (Miami, États-Unis)

IPF_CHÈNE_ARCOBALENO_couleur gris personnalisé

Monad Terrace (Miami Beach, Floride)

IPF_TEAK_I CLASSICI_Naturale, brossé

Ônimo Restaurant (Mexique)

IPF_CHÈNE_AFRIKA STYLE_MUMUYE



Nuestra producción está caracterizada por productos de alta resistencia y materias primas de primera calidad, permitiendo el uso de nuestros pisos en el área baño, en el sector náutico, etc.
Nuestra gama está compuesta por las siguientes Colecciones:

I.P.F.

Pisos de madera realizados exclusivamente a mano y personalizables tanto en la tonalidad de color como en el brillo/opacidad.

I.P.F. SMART SOLUTION (sector *contract*)

Soluciones técnicamente avanzadas con acabado industrial 7 capas UV, aceite UV o acabado artesanal efecto cera o aceite natural. Pisos de madera con una excelente relación precio-calidad (*contract*).

TOUCH by I.P.F.

La propuesta baño de I.P.F., compuesta por piso de madera, consola y plato de ducha.

LEONARDO

Colección para un nivel muy elevado de diseño y sofisticación. Proyectos a medida, incrustaciones, combinaciones entre madera y cuero, cachemir, jeans, madreperla, metal y suelos tratados con resinas naturales:

- Leonardo by IPF LE RESINE
- Leonardo by IPF I METALLI
- Leonardo by IPF TRACCE
- Leonardo by IPF LASER
- Leonardo by IPF IPF para...

Referencias

Hotel Baglioni (Florencia, Venecia, París)

IPF_ROBLE_personalizado

Palazzo Ginori (Florencia, Italia)

SMART SOLUTION_OAK_ANTIQUO OAK COLLECTION
UV_Zenzero y Grano, Chevron 45°

Philippe Starck Penthouse (París, Francia)

Hotel Mamam Shelter by P. Starck (París, Francia)

IPF_ROBLE y ALERCE_Neve

Versace (Italia)

IPF_ROBLE_color negro personalizado

Chanel Penthouse (St. Moritz, Suiza)

IPF_ROBLE_CHIC_Velluto

Maison Chanel (Suiza)

IPF_ROBLE_I NERI_personalizado

Grange Minories Hotel (Londres, Reino Unido)

IPF_ROBLE_ANTIQUO OAK COLLECTION UV_Zenzero

Prime Minister Palace (Ucrania)

Tavole di Mastro Marino_solución personalizada

Prime Minister private residence (Kazajstán)

Tavole di Mastro Marino_IROKO

Villa Tusti Residence (Bangalore, India)

IPF_ROBLE_SEGATO A MANO; SHABBY CHIC;
I CLASSICI_OLMO; DECKING_Termo-tratado
IPF_TECA

Top 5 best interior's project Award 2015

PVP Villas Prem Parbat (Hyderabad, India)

IPF_ROBLE_LOUNGE UV_Miele; FUSION_Guitar

Philippe Starck South Beach Residential (Singapur)

Mock-up IPF_ROBLE y ALERCE_Neve

New Capitol Hotel (Singapur) Mock-up Guest room floor

IPF_ROBLE, plancha XL, cepillada a mano, color personalizado

Capitol Theatre (Singapur)

Tavole di Mastro Marino_ROBLE_aserrado, color Cognac

Swiss Club (Singapur)

IPF_ROBLE_I CLASSICI_Nabucco; ALERCE_I BIANCHI_
Vento

YTL The Estoril, YTL Family member (Singapur)

IPF_ROBLE_ARCOBALENO_AC/40

Namchon Golf Club (Corea)

IPF_ROBLE_Gris personalizado;
DOGHE DEL MASTRO_Tabacco;
I CLASSICI_Opera; ARCOBALENO_AC/49

Hilton Manila Hotel (Filipinas) Mock-up

IPF_ROBLE_LOUNGE ART (especificado por DiLeonardo HK)

Capital One Alabang (Manila, Filipinas) Especificado

IPF_ROBLE DE RECUPERACIÓN COUNTRY CLUB_CCWASQ Noce
SMART SOLUTION_ROBLE_ANTIQUO OAK COLLECTION
UV_Zenzero

Fuxing Club no. 147 - Fuxing Road (Shangai, China)

IPF_ROBLE_Essenza_solución personalizada
Tavole di Mastro Marino_ROBLE_Renoir 45°, madera maciza,
Essenza

Private Residence in Changle Road (Shangai, China)

IPF_ROBLE_Arcobaleno Cemento_color personalizado
IPF_ROBLE_I CLASSICI_Antica Chopin
Tavole di Mastro Marino_ROBLE_Giotto 90°, cepillado, madera
maciza, Naturale Vivaldi

Shanghai Office Lounge (Shangai, China)

SMART SOLUTION_ROBLE_LOUNGE ART_Bosco

Nanjing Private Residence (Nanjing, China)

Tavole di Mastro Marino_ROBLE_Allegretto, Invecchiata Bach
SMART SOLUTION_ROBLE_LOUNGE ART_Bosco

Yangzhou Boutique Hotel (Yangzhou, China)

SMART SOLUTION_ROBLE_LOUNGE ART_Noce

Tianyuan Xiangtai (Pekín, China)

IPF_ROBLE_I CLASSICI
IPF_madera personalizada /laser_incrustación en metal

Point Leo Estate (Melbourne, Australia)

IPF_ROBLE_I CLASSICI_Opera
SMART SOLUTION_ROBLE_MARCO POLO_Tibet

Private yacht (Melbourne, Australia)

IPF_RÓBLE_color blanco personalizado

The Residences by Armani Casa (Miami, Estados Unidos)

IPF_ROBLE_ARCOBALENO_color gris personalizado

Monad Terrace (Miami Beach, Florida)

IPF_TEAK_I CLASSICI_Naturale, cepillado

Ônimo Restaurant (México)

IPF_ROBLE_AFRIKA STYLE_MUMUYE

Certificate Resistance to stains

Certificate Maintenance products

CATAS S.p.A. Via Aniene, 2107 Filiale: Via Aniene, 2107
 1 - 33048 San Giovanni al Natone (I.S.) Via Brulio, 5
 Inv. e Cod. Fisc. 01810550365 Tel. 0432.747211 s.a. - Fax 0432.747259 1 - 29035 Lissone MI
 http://www.catas.com Tel. 039.464567 - Fax 039.464565
 e-mail: lab@catas.com e-mail: bsn@catas.com
 Laboratorio prove settore Legname/terzo Autorizzato dal Ministero dell'Interno (D.M. 26-03-85 Revisione al Fascio) n. 0027

TEST REPORT
45903 / 1

Date received: 24-01-04
 Date of test: 01-03-04
 Date of issue: 05-03-04
 Sample name: I.P.F. Finish (no Barrique & Art&Natura) - Sample 1.

Spett. IPF INDUSTRIA PARQUET FABRIANO S.R.L.
 VIA DEL LAZZARETTO, S.N.
 60044 FABRIANO (AN)
 ITALY

Assessment of surface resistance to cold liquids EN 12720/97

Staining agents	Contact time 16 hrs	Contact time 1 hr	Contact time 10 min	Contact time 10 sec
	Evaluation*	Evaluation*	Evaluation*	Evaluation*
Acetic acid (sol. 10%)	5	/	/	
Acetone	5	/	/	/
Ammonia (sol. 10%)	5	/	/	
Red wine	5	/	/	
Citric acid (sol. 10%)	5	/	/	
Cleansing agent	5	/	/	
Coffee (applied at 80 °C)	5	/	/	
Disinfectant	5	/	/	
Endorsing ink	2	/	/	
Ethanol (sol. 48 %)	5	/	/	
Ethyl-butyl acetate (1:1)	4	/	/	5
Olive oil	5	/	/	
Paraffin oil	5	/	/	
Sodium carbonate (sol. 10%)	5	/	/	
Sodium chloride (sol. 15%)	5	/	/	
Tea (applied at 80 °C)	5	/	/	
Water	5	/	/	
Beer	5	/	/	

Evaluations:
 / not necessary
 not required
 by the UNI 10944 std

5=no defects
 4=slight change in colour or gloss
 3=moderate change of colour or gloss
 2=strong mark
 1=surface detachment

Rating Class in accordance with the UNI 10944 **B**

Head of Department
 Chief Executive
 Dott. Ing. Angelo Spagnola

Sample name is declared by the company who asked for the test. This report relates to the samples submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety.

pag. 1/1

CATAS S.p.A. Via Aniene, 2107 Filiale: Via Aniene, 2107
 1 - 33048 San Giovanni al Natone (I.S.) Via Brulio, 5
 Inv. e Cod. Fisc. 01810550365 Tel. 0432.747211 s.a. - Fax 0432.747259 1 - 29035 Lissone MI
 http://www.catas.com Tel. 039.464567 - Fax 039.464565
 e-mail: lab@catas.com e-mail: bsn@catas.com
 Laboratorio prove settore Legname/terzo Autorizzato dal Ministero dell'Interno (D.M. 26-03-85 Revisione al Fascio) n. 0027

TEST REPORT
45904 / 1

Date received: 24-01-04
 Date of test: 24-02-04
 Date of issue: 05-03-04
 Sample name: I.P.F. Finish (no Barrique & Art&Natura) - Sample 2.

Spett. IPF INDUSTRIA PARQUET FABRIANO S.R.L.
 VIA DEL LAZZARETTO, S.N.
 60044 FABRIANO (AN)
 ITALY

Resistance of surfaces to cleaning products PTP 53/95

Test procedure:
 The test consists in the application of a cotton wool soaked with the not diluted cleaning products on the surface. The products have been covered with a glass cover and left at normal ambient conditions. After the specified time, the surface has been cleaned. A visual evaluation is carried out after 24 hours.

Contact time: 16 hours

Test results:

Products	Evaluations	Remarks
Altax Bagno	5	no defects
Ace bleach	5	no defects
Ammonia (sol. 10%)	5	no defects
Baysan multiuso	4	slight change in colour
Denaturated alcohol	5	no defects
Lyso-Form for kitchen	5	no defects
Viakal	5	no defects
Vetrol	5	no defects
Vim Liquid	5	no defects
Spic & Span	5	no defects
Mastro Lindo	5	no defects
Cif multiuso	5	no defects
Cif Spray with bleach	5	no defects
Cif Gel with bleach	5	no defects
Pronto Spray	5	no defects
Pronto Legno vivo	5	no defects
Pronto Legno pulito	4	slight change in colour
Red oil	5	no defects

Head of Department
 Chief Executive
 Dott. Ing. Angelo Spagnola

Sample name is declared by the company who asked for the test. This report relates to the samples submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety.

pag. 1/1

Certificate Antibacterial finish

Certificate Cross-cut test

 <p>CATAS S.p.A. Isr. Reg. Imprese Udine nr. iscr. C.F. 01818850305 Reg. Impr. UD 20663 P. IVA: 01818850305 C.Soc. € 1.003.650,00 i.v.</p>	<p>Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com</p>	<p>Filiale: Via Braille, 5 20851 Lissone MB Tel. 039.464567 Fax 039.464565 e-mail: lissone@catas.com</p>	
	<p>PARQUET FABRIANO S.R.L. VIA DEL LAZZARETTO, S.N. 60044 FABRIANO (AN) ITALY</p>		
<p>TEST REPORT 127736 / 1</p>			
<p>Date received: 18-04-11 Date of test: 02-05-11 Date of issue: 06-05-11</p>			
<p>Sample name: FINITURA CEROSA FTC8505/J CON ANTIBATTERICO 0,24%</p>			
<p>Measurement of antibacterial activity of plastic surfaces ISO 22196:2007</p>			
<p>Type of material tested: not analysed Specimen size: 50x50 mm Covering film: polyethylene, 40x40 mm, thickness 0,09 mm Bacterial strains: Escherichia coli ATCC 8739 Staphylococcus aureus ATCC 6538P</p>			
<p>Volume of the inoculum: 0,4 ml</p>			
<p>Results with E.coli</p>			
inoculum density (cfu/ml)	cell count, time 0 untreated specimens (cfu/cm2)	cell count after 24 h untreated specimens* (cfu/cm2)	cell count after 24 h treated specimens (cfu/cm2)
1,8E+06	44375 log=Uo=4,65	94250 log=Ut=4,97	<1 log=At= <0
<p>Antibacterial activity=R= (Ut-Uo)-(At-Uo) = >4,97*</p>			
<p>Results with Staphylococcus aureus</p>			
inoculum density (cfu/ml)	cell count, time 0 untreated specimens (cfu/cm2)	cell count after 24 h untreated specimens* (cfu/cm2)	cell count after 24 h treated specimens (cfu/cm2)
5,7E+05	14187 log=Uo=4,15	43750 log=Ut=4,64	<1 log=At= <0
<p>Antibacterial activity=R= (Ut-Uo)-(At-Uo) = >4,64*</p>			
<p>Remarks: *test results are referring to reference specimens made of polystyrene, since no viable cells could be recovered from the untreated specimens provided by the customer. This might indicate that under the testing conditions: 1) the untreated material has an inherent antibacterial activity; 2) the porosity of the surface does not allow recovery of bacterial cells by the standard washing procedure</p>			
<p><small>This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.</small></p> <p><i>Managing Director</i> Dr. Andrea Givron</p>			
<p>The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. pag. 1/1</p>			

 <p>CATAS S.p.A. Isr. Reg. Imprese Udine nr. iscr. C.F. 01818850305 Reg. Impr. UD 20663 P. IVA: 01818850305 C.Soc. € 1.003.650,00 i.v.</p>	<p>Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com</p>	<p>Filiale: Via Braille, 5 20851 Lissone MB Tel. 039.464567 Fax 039.464565 e-mail: lissone@catas.com</p>		
	<p>PARQUET FABRIANO S.R.L. VIA DEL LAZZARETTO, S.N. 60044 FABRIANO (AN) ITALY</p>			
<p>TEST REPORT 128223 / 3 S</p>				
<p>Date received: 02-05-11 Date of test: 05-05-11 Date of issue: 09-07-12</p>				
<p>Sample name: Linea chic.</p>				
<p>Cross-cut test UNI EN ISO 2409:2007</p>				
<p>Sample preparation and conditioning: done by the customer. Handy single blade cutting tool.</p>				
<p>Test results:</p>				
Spacing between cuts	Classification 1st zone	Classification 2nd zone	Classification 3rd zone	Coating thickness
1 mm	0	0	0	from 0 to 60 µm hard support
2 mm	0	0	0	from 0 to 60 µm soft support
2 mm	0	0	0	from 61 to 120 µm soft/hard support
3 mm	0	0	0	from 121 to 250 µm soft/hard support
<p>Classification: 0 no coating detached 1 less than 5% of coating detached 2 5-15% of coating detached 3 15-35% of coating detached 4 35-65% of coating detached 5 over 65% of coating detached</p>				
<p>Notes: - Chemical analysis of the tested material was not carried out. - The test was carried out with all spacing cutting tools since the coating thickness was not measured.</p>				
<p>COMMENTS NOT COVERED BY ACCREDITATION: - Results obtained with 1 mm spacing cutting tool are more predictive of defects that may occur when in use.</p>				
<p><small>This document replaces the previous one with the same reference and with date of issue 06/05/11.</small></p> <p><small>This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.</small></p> <p><i>Managing Director</i> Dr. Andrea Givron</p>				
<p>The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. pag. 1/1</p>				



Certificate ISO 9001

		Mod. 0004	
<p>CSI SpA Sede Legale 20070 Sorvigo - MI - I Cascina Traversagna 21</p> <p>Direzione, Uffici e Laboratori 20071 Bollate - MI - I Viale Lombardia 20 Tel. + 39 02 382201 Fax + 39 02 3503940 www.csi-spa.com</p>			
	Certificato n°: SQ184358	Settore EA: Ed Sector: 06 - 29	
<p>Si certifica che il sistema di gestione per la qualità di / we hereby certify that the quality management system operated by</p> <p style="text-align: center;">I.P.F. - INDUSTRIA PARQUET FABRIANO SRL Sede legale / Registered office Via del Lazzaretto - 60044 Fabriano (AN) - Italia</p> <p style="text-align: center;">Unità operativa di / Place of business Via del Lazzaretto - 60044 Fabriano (AN) - Italia</p> <p style="text-align: center;">e nelle filiali elencate in Allegato / and remote locations as listed in Annex</p>			
<p>È conforme allo schema: In compliance with the standard: UNI EN ISO 9001:2015</p>			
<p>Per i seguenti servizi / processi / prodotti - Concerning the following services / processes / products</p> <p style="text-align: center;">Progettazione e produzione di pavimenti in legno tradizionali e prefiniti. Commercializzazione di pavimenti in legno tradizionali, prefiniti e di accessori per pavimenti.</p>			
<p><small>Il presente certificato è soggetto al rispetto del regolamento di CSICERT per la certificazione dei sistemi di gestione per la qualità delle organizzazioni. Riferirsi alla documentazione del sistema di gestione per i dettagli delle eventuali esclusioni del rispetto della UNI EN ISO 9001:2015. Per informazioni puntuali o aggiornate circa eventuali variazioni intervenute nello stato di validità delle certificazioni di cui al presente certificato, il proprietario deve contattare CSI S.p.A.</small></p> <p><small>This certificate is subject to the compliance with CSICERT regulation for the certification of quality management system certification. Refer to the management system documentation for details on UNI EN ISO 9001:2015 requirements exclusion. For updated information related to validity status of the certification within this certificate, please refer to contact CSI spa.</small></p>			
10/06/2018	Rinnovo	Aggiornamento	09/06/2021
Pubblicazione	Renewal	Update	Expiry
<p>Ing. P. Baldacci</p> <p>R. U. Sistemi di Gestione R. G. Management Systems</p>			
		1 di 2	





Industria Parquet Fabriano S.r.l.

Via del Lazzaletto, s.n.
60044 Fabriano (AN) Italy

Tel. +39 0732 629262

Fax +39 0732 629562

Iscriz. R.E.A. n. 01227680426

Cap. soc. euro 826.400,00 int. vers

